

Wheels Brakes Landing Gear



English V3/2022

Ambassadors

Mike Patey, Scrappy "Beringer brakes are phenomenal. The quality of machining, engineering, and performance of these brakes is of the highest caliber, and I am so happy with the way they perform."









Mike Goulian. USA Edge 540 /Extra 330SC

Air Show / Red Bull Air Race Pilot "I switched to BERINGER brakes on my Red Bull Air Race Edge 540 and absolutely love them. The BERINGERsystem is much lighter than the legacy system

on my plane but the stopping power makes all the difference in the world. I simply had to have the BERINGER brakes on my Extra 330 as well."

Kevin Quinn, Carbon Cub STOL Drag Llc

«Having over 8000 hours in the off airport environment, I can truly say there are no better wheels and brakes than Beringer! The quality and performance is second to none! I truly love them! Do they make my tires look fat ? :) »







Aude LEMORDANT. MXS Aerobatic Pilot 4 times World Champion, Unlimited class

"I thank all BERINGER team for its amazing products. I love them ! I had to have BERINGER brakes on my new plane, of course ! "





RINGER

Index

BERINGER History - Company Values
Contacts
SensAIR ®
Complete Kits for Aircraft/Light Aircraft/Gliders
Landing Gear : ALG / Shock Wheel / B'FleX / SPEED'AIR fairings
Wheels / Brakes
Nose Wheels / Tailwheels
Tires
Wheel Axles
Brake Master Cylinders : pedal/cockpit/stick - Rudd'Air pedals
Regulator - Anti-skid / Pressure limiter
Parking Brake Valve
Hydraulic Hoses/Fittings
Spare Parts
Tools
BERINGER AERO Technology
They trust us



Pages 4 - 5 Page 6 Pages 8 - 9 Pages 10 - 75 Pages 78 - 83 Pages 84 - 90 Pages 91 - 95 Pages 96 - 97 Pages 98 - 102 Pages 103 - 124 Pages 125 - 127 Pages 128 - 129 Pages 130 - 131 Pages 132 - 133 Page 134 Pages 135 - 140 Page 141

History Values
Contacts
SensAIR
Complete Kits
Landing Gear
Wheels Brakes
Nose wheel Tailwheel
Tires
Axles
Master Cylinders
Limiters Anti-skid
Parking Brake Valve
Brake lines Fittings
Spare Parts
Tools
BERINGER Technology
They trust

History Values	Quality - Innovation - Customer Service - Ethics
Contacts	1985 Gilbert Béringer created BERINGER Company helped by his wife Véronique. He has been manufacturing wheels, forks and side
SensAIR	cars for motorbikes and then brakes, in the same spirit of quality and performance for 30 years. BERINGER won many tiltles in the World Endurance Championships thanks to a team of exceptional mechanical engineers who have studied and developed new products whose performance/weight ratio is without precedent.
Complete Kits	2002 BERINGER Wheels & Brakes was born, when Gilbert Béringer, also a pilot and Aircraft builder fond of aviation, decided to apply his patented high performance braking solutions to the aeronautical world.
Landing Gear	2009 BERINGER AERO was born and the Company leaved the motorbike and car business to BERINGER BRAKES.
Wheels Brakes	2011 BERINGER AERO moved to Gap-Tallard airfield. Claire BERINGER, Gilbert's and Véronique's daughter, joined the Company after she graduated as Aeronautical & Energy Dipl. Engineer (including 5 months at Oakland University–Detroit, MI) topped with a Master's
Nose wheel Tailwheel	degree in Commercial and Management Operations.
Tires	2012 BERINGER AERO USA Inc. was born in Chicago to answer the US customer needs. The headquarters have moved to Greenville, SC in 2016.
Axles	2015 BERINGER Company celebrated its 30 year anniversary and started to diversify the products by designing the ALG landing gear to improve the safety of Taildragger Aircraft.
Master	2017 BERINGER AERO USA got an FAA PMA production approval .
Cylinders	2019 BERINGER AERO expanded its facilities in Tallard to face the increased activity and to offer the optimal conditions of work to the
Limiters Anti-skid	staff members.
Parking Brake Valve	2022 BERINGER AERO USA moved to a new facility at Greenville Downtown Airport and will celebrate its 10 year anniversary in 2022.
	An advanced technology
Brake lines Fittings	BERINGER makes wheels and braking systems for a wide range of aircraft, from light aircraft up to its now-standard STC for the Pilatus PC-6, and the Cirrus SR20/22 plus complete kits for many popular aircraft, that include everything for a bolt-on conversion. These innovations

Quality and Certification

Spare Parts

Tools



They trust us ...

- Customer Service - Fthics

2022 Catalogue Page 4

BERINGER AERO is certified by the Alternative Procedures to Design Organisation Agreement given by EASA in 2006, by the Production

are covered by 11 patents and have allowed BERINGER brakes to take a decisive technological lead.

Organisation Agreement given by DGAC in 2008 and by the PMA production approval given by the FAA.

Sustainable Development - BERINGER AERO's Commitments

Respect for the environment

Toxic substances and non recyclable materials are avoided from the fabrication process. Workshop trash is sorted prior to disposal. An environmental awareness campaign is in force and consistently reviewed.

Reduction of Energy Consumption

Our specially-designed bioclimatic building (BBC) made of local wood only consumes only 10% of the energy required to heat or cool a conventional steel building. 98% of the energy used to heat our water is solar-powered BERINGER employs vehicles using propane (LPG); they have reduced CO2 emissions and have no particulate emissions.

Eco-conception for products

Innovative BERINGER products are covered by 11 patents. They are designed to have a virtually unlimited service life, because pieces that are worn down can be replaced. Components are 99% recyclable and 98% of the products are made in France, within a radius of 200 miles. This process reduces transportation and energizes local industrial bases.

Respect for Human Dignity in the Workplace

From one end of the assembly line to another, from in-house to subcontractors, BERINGER staff members work in optimal conditions following the regulations of OIT (International Work Organization).

BERINGER does not award contracts based on "lowest-cost," and does not use outsourcing.

Respect for the Ethics of Economics

BERINGER partners (suppliers, subcontractors, banks, clients) are chosen based on ethical criteria, not only the lowest price BERINGER commits to projects based on their moral philosophy : BERINGER wheels are not involved in projects that could intentionally threaten human life and BERINGER has partnerships in eco-friendly projects (e.g., Green challenge, SolarImpulse).

Zero Compromise on Quality

At BERINGER, quality is not only respect for procedures that the EASA certifies, such as the Design Approval Organization and the Production Approval Organization (Part 21G). Quality is a pledge of trust to our clients: our clients entrust us with their lives. To remain worthy of this trust, we offer a lifetime warranty (liability insurance) on materials and craftsmanship on all our products.

BERINGER integrates its partners in the projects, from the design stage to commercialization

AeroProviders, PEGASE/SAFE Cluster, IHautes Alpes Development Agency.

In 2010 the MADE IN RESPECT label has been recognizing BERINGER AERO's commitment to sustainable development. On February 4th, 2012 BERINGER AERO won the Trophée RSE PACA TPE (Social Responsibility of the Companies). In July 2015, the specific Know-how of BERINGER AERO has been recognized through the Label "Entreprise du Patrimoine Vivant" EPV.



Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

made in

BERINGER Technology

They trust us ...

Contacts : sales and customer support



SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve


Brake lines Fittings

Spare Parts

Tools



They trust us ...



France - Gap Tallard



dimitri@beringer-aero.com +33 (0) 6 71 47 39 07

Julie Chaix Head of Sales Administration sales@beringer-aero.com +33 (0) 4 92 20 16 19

Caroline Delompré Accounting - Administration accounting@beringer-aero.com +33 (0) 4 92 20 16 19

Sylvie Anne Ciaccio Sales administrator sylvie-anne@beringer-aero.com +33 (0) 4 92 20 16 19



www.beringer-aero.com

USA - Greenville, SC

trevor@beringer-aero.us

Trevor Burnette **General Manager**





Walter Ruiz Logistics walter@beringer-aero.us +1 (864) 214 4274

Douglas Turpin Sales Administration douglas@beringer-aero.us +1 (864) 214 4274



Debra Reihman Accounting debi@beringer-aero.us +1 (864) 214 4274

Jacob Woodward Logistics Jacob@beringer-aero.us

BERINGER AFRO USA 18 Woods Lake Road - Greenville, SC 29607





+1 (864) 214 4274 **Billy James** Technical Support - Sales Manager billy@beringer-aero.us +1 (864) 214 4274



Values Contacts SensAIR Complete Kits Landing

History

Wheels Brakes

Gear



Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...

Tire Pressure and Temperature Monitoring System

The new SensAIR system is connected to a mobile app on your smartphone thanks to pressure and temperature sensors slided over your BERINGER rim.

Sensors are normally switched off to save the battery (2 to 3 years lifetime) and are activated when the smartphone is detected within a 10m/3ft radius.

SensAIR communicates data to the app with a single code per wheel so there is no risk to measure the data of another tire in the hangar...

Low pressure and temperature levels are set by the user on his smartphone so he can receive a notification.

No need to ramp under your plane to check pressure anymore, thanks to SensAIR you can check your pressure before and during each flight!



NEW : Sens'AIR is included in BERINGER wheel/ brake STC for :

Сзтс

✓ Cirrus SR20/22
 ✓ Piper PA-46
 ✓ Cessna 180/182
 ✓ Diamond DA40/42/62

(FAA & EASA approved)

SensAIR features :

- Balanced system with one pressure and temperature sensor per wheel
- To be connected to a mobile app or analog reader with Bluetooth
- 1 ID by sensor
- The sensor switches on when the app is connected, then switches back to sleep mode to save battery (lifetime about 2 to 3 years)
- One size of carbon ring per wheel size, same sensor
- Certification scheduled for Q2 2022
- Retrofitable on all BERINGER wheels
- Weight of one assembly for one wheel = 3,3oz

or

PATENTED

ens

SensAIR ®

How to order SensAIR ?

P/N	Size of wheel	Qty per shipset
TP-004	4"	1
TP-005	5"	1
TP-006	6"	1
TP-008	8"	1

Already assembled and identified by internal batches (FLI)

Installation manual

Special packaging : SensAIR skin packed with ID card (P/N, S/N, app password)





History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...



What comes with SensAIR :



SensAIR by BERINGER



SensAIR is a registered trademark of BERINGER

History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...



Installing a BERINGER wheel and brake kit on your aircraft greatly increases the braking performance and raises your level of safety. The landing gear solutions, Alaskan Landing Gear for taildraggers and Shock Wheel for spring gears, come as options with the wheel and brake kits.

The following pages feature complete setups : wheels/brakes/axles/tires/master cylinders/hydraulic (brake lines and fittings)/pressure limiters or regulators/parking brake valves, along with landing gear solutions and fairings.

The kits are listed alphabetically as per the aircraft name. If your aircraft is not listed, please contact us.

For more detailed information on the kits and its components, please refer to the parts pages, including features and technical data (see content list page 3).

The kit content shown in these pages is not contractual and can vary from one aircraft model to another (for example the Van's RV kits don't include reservoirs or regulator).

Tires are indicated in the kits but they are not included in the price of the kit (invoiced separately). Please consult us for specific use or other dimensions.

We highly recommand the tire installation by BERINGER for all new wheels and tires bought at BERINGER. This service includes a pressure test to ensure the conformity of the installation.

Finish : Red anodizing is standard color for wheels, brakes and master cylinders. Calipers are ALWAYS red. Other colors can be available for certain wheels on special order with an extra delay at an additional cost. WARNING: Colors may vary. C STC C STC TSO ↑ Indication ↑ of certification





2022 Catalogue Page 10

A22 / A32 (Aeroprakt)		Wheels / Brakes	Nose wheel Option	Landing gear option	History Values		
	SA201	2x wheels 6.00-6" RF-009 2x brakes EA-006 2x tires 15x6.00-6"	SA201A 1x wheel 4.00-6" RA-009 1x tire 15X6.00-6"	Shock wheel AV-APRK-220 SPEED'AIR fairings	Contacts		
		2x special axles AV-APRK-003 1x brake master cylinder MP-001 1x parking brake FPK	1x axle AV-APRK-002+AV-AF	PRK-001	SensAIR		
A SERVICE		1x pressure limITER LM-002 Hydraulic (brake lines/fittings)			Complete Kits		
	SA201 Bush tires	SA201 with tires 6.00-6"	SA201A Idem		Landing Gear		
		o ns : Wheel cap 6" BCH-002 el/brake kit for new A22 only. Kit fo	or the first type in progress.		Wheels Brakes		
AC11 (Chatelain)		Wheels / Brakes		Nose wheel Option	Nose wheel Tailwheel		
	SACO	•	brakes EA-002 AV	-AC11-030 wheel 4.00-5" RA-015	Tires		
		2x axles FUS-009+ AV-AC11-00 1x brake master cylinder MP-0 1X reservoir RV-004.1 - 1x pres	004.3 1x	1x tire 11x4.00-5" 1x axle AV-VANS-001/004/AV-AC11-002	Axles		
		Hydraulic (brake lines/fittings)			_ Master _ Cylinders		
	Other o	options : Wheel cap 6" BCH-002 - F	J		Limiters Anti-skid		
Airbike (TEAM Aircraft)			Wheels / Brakes		Parking Brake Valve		
	SAB 5" wł		- 2x brakes EA-006.1		Brake Valve		
State of the second	5 11	2x axles AV-AIRB-001 1x brake master cylinder N	IM-001/ reservoir/ PKG FP-00		Brake lines Fittings		
- Adding	SAB	•	- Hydraulic (brake lines/fittir	ngs)	Spare Parts		
	6" wh	neels 2x tires 5.00-5" 2x axles AV-AIRB-001			Tools		
		1x brake master cylinder N 1x pressure limiter I M-002	IM-001/ reservoir/ PKG FP-00 - Hydraulic (brake lines/fittir)4 ngs)	BERINGER Technology		
	Other options : Wheel cap 5"/6" BCH-002						
			Catalogue Page 11		They trust us		

History Values	Allegro (Fantasy Air)	Wheels / Brakes	Nose wheel Option	Landing gear Option
Contacts		SAL01 2x wheels 4.00-6" RF-004 - 2x brakes 2x tires 4.00-6" - 2x axles FUS-001.4 1x brake master cylinder MM-001 wi PKG FP-004		Shock Wheel : ask us
SensAIR		1x limiter LM-002 - Hydraulic (brake l	ines/fittings)	
Complete Kits		Other options : Wheel cap 6" BCH-003 - Co-p	ilot brakes - 6.00-6" wheels : ask us	
Landing Gear	Alpha Trainer / Velis Electro (Pipistrel)	Wheels / Brakes	Nose wheel Option	Landing gear Option
Wheels Brakes		SPP02 2x wheels 4.00-6" RF-00		Shock Wheel
Nose wheel Tailwheel		2x brakes EA-006 2x tires 4.00-6" 2x axles AV-PIP-102	1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AXP-003.1	2x AV-PIP-320 SPEED'AIR fairings
Tires		1x brake master cylinder 1x kit lever MP-004.6 1x reservoir RV-004.1	MP-002.8	
Axles		1x leser voir RV-004.1 1x limiter LM-002 Hydraulic (brake lines/fitt	ings)	
Master Cylinders			H-003 - 1x Parking brake valve SPP01	
Limiters Anti-skid				
Parking Brake Valve	Alto 912 (Direct Fly)	Wheels / Brakes	Nose wheel Option	Landing gear Option
Brake lines Fittings		SAL02 2x wheels 4.00-6" RF-004 2x brakes EA-006.4 2x tires 4.00-6"	Fork internal width : 5.12" (130mm 1x wheel 4.00-6" RA-009 1x tire 4.00-6"	n): Shock Wheel : ask us
Spare Parts		2x axles FUS-001.4 1x brake m. cylinder/lever MP-002.8/	1x axle AV-ALTO-001/002 Fork internal width : 5.27" (134mm	n):
Tools	THE REAL	MP-004.3 / PKG FP-004/ Reservoir 1x regulator RE-001 Hydraulic (brake lines/fittings)	1x wheel 4.00-6" RA-009 1x tire 4.00-6" 1x axle AXP-004.2 + BGE-054.2	
BERINGER Technology	-	Other options : Wheel cap 6" BCH-003 - Brake 5.00-5" wheels	s on stick / limiter LM-002 - Co-pilot k	orakes
They trust us		ERINGER 2022 Catalogue	Page 12	

Complete wheel/brake kits (Tires are indicated in the kits but they are not included in the price of the kit)

Apollo Fox (Fox Aircraft)		Wheels / Brakes	Nose Wheel	/ Tailwheel Option	Landing gear Option	History
	SAP01	2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 6.00-6"	Nose wheel : 1x wheel 4.00 1x tire 4.00-6	AV-APOL-030)-6" RA-009	Shock wheel : ask us SPEED'AIR fairings	Values Contacts
		2x axles AV-APOL-001	1x axle AV-PO Tailwheel : as			SensAIR
and the second of the second second	Note :	Brake controls - hydraulic - parki	ng brake valve : ask u	IS		Complete Kits
						Landing Gear
Argon (Argo Aero)		Wheels / Brakes		Nose wheel Option	Landing gear Option	Wheels Brakes
	2	2x wheels 4.00-6" RF-004 - 2x br 2x tires 4.00-6" or 15x6.00-6" 2x axles AV-ARG-001	rakes EA-006.1	Ask us	Shock Wheel & SPEED'AIR fairings : Please contact us	Nose wheel Tailwheel
	-	Ix brake m. cylinder MM-001 /re Ix limiter LM-002 Hydraulic (brake lines/fittings)	eservoir/PKG FP-004			Tires
		options : Co-pilot brake kit COPO	4			Axles
						Master Cylinders
Asso			Nose Wheel			Limiters Anti-skid
Asso V	1x whee 1x tire 4		118mm)			Parking Brake Valve
	1x axie A	AXP-003.6				Brake lines Fittings
Asso X		330 (Fork internal width 4.41" (2 l 3.50-4" RA-003	112mm)			Spare Parts
	Tires : se	everal mountings : ask us AXP-003.8 + BGE-007.8				Tools
6 6 L						BERINGER Technology
			Catalogue Page 13			They trust us

History Values	ASW17 / ASW22 (Schleicher)		Wheel/Brak	70	
Contacts SensAIR Complete		Wheel kit + spacer not delivered	1x Wheel 5.00-5" RF-019 1x Brake EA-006 Tire 5.00-5" 8ply 1x Wheel axle 1x Brake master cylinder M 1x Pressure limiter LM-003	M-001 + reservoir	N
Kits Landing Gear		Note : spacer to be made	Hydraulic (brake lines/fittin		
Wheels Brakes					
Nose wheel Tailwheel	ASW20 (Schleicher)	STC-005 1x Wheel 5.00-5"	Wheel/Brake RF-019		
Tires		Cstc 1x Brake EA-006 1x Tire 5.00-5" 8pl 1x Wheel axle	У		
Axles		1x Brake master cy 1x Pressure limite			
Master Cylinders	A CONTRACTOR	Hydraulic (brake li	nes/fittings)		
Limiters Anti-skid					
Parking Brake Valve	(ATEC) Faeta	Wheels		Nose wheel Option	Landing gear Option
Brake lines Fittings		SAF01 2x wheels 4.00-6" RI 2x brakes EA-006.1 2x tires 4.00-6"	-004	SAZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4"	Shock Wheel 2x AV-ATEC-320 SPEED'AIR fairings
Spare Parts			der MM-001 (reservoir/ PKG)	1x axle AXP-003.1+AV- ATEC-004	
Tools		1x pressure limiter LI Hydraulic (brake line:	s/fittings)		(Hanna
BERINGER Technology		Other options : Wheel cap 6" B	CH-005 - CO-pilot nand brake		C
They trust us			2 Catalogue Page 14		

(ATEC) Zephyr		Wheels / Brakes	Nose w	vheel Option	Landing gear Option	History Values
	SAZ01	2x brakes EA-006 2x tires 4.00-6" 2x axles FUS-001.1 +AV-ATEC-003	SAZ01A 1x wheel 4" R 1x tire 4.00-4 1x axle AXP-0		Shock Wheel 2x AV-ATEC-220 SPEED'AIR fairings	Contacts
		1x brake master cylinder MM-001 with reservoir / PKG FP-004 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)				SensAIR Complete Kits
-	Other opt	ions : Wheel cap 6" BCH-003 Co-pilot hand brake	24			Landing Gear
Avid Flyer		Wheels / Brakes		Tailwł	neel Option	Wheels Brakes
	SAF02	2x wheels 6.00-6" RF-009 - 2x brakes 2x tires 15x6.00-6" - 2x special axles 2x brake master cylinder MP-002.4	1:	W-001 - GLR anti-g x wheel 3.50-4" RA x tire 2.80/2.50-4"		Nose wheel Tailwheel
		2x reservoirs HFAÓ1E 1x anti-lock regulator RE-001	servoirs HFAÓ1E 1 ti-lock regulator RE-001 1			Tires
C-0	SAF02	Hydraulic (brake lines/fittings) SAF02 with 6.00-6" tires			88 - K	Axles
	bush tire	tions : Wheel cap 6" BCH-003				Master Cylinders
	Other op	Co-pilot brakes GLR tailwheel bush tire 4.00-4" TW	/-002	02		
BD4 (Bede)		Wheels / Brakes		Nose	wheel Option	Parking Brake Valve
S		2x wheels 6.00-6" RF-006 - 2x brakes EA 2x tires 6.00-6" 2x avies EUS 007 22	-003.3	AV-BEDE-030 1x wheel 3.50-4"		Brake lines Fittings
NOT THE REAL PROPERTY OF		2x axles FUS-007.22 1x brake controls and pressure regulators : contact us		1x axle AV-BEDE-001/002/003 us		Spare Parts
SA2	201 Bush	SA201 with tires 6.00-6"		Idem		Tools
		Other options : Wheel cap 6" BCH-004				BERINGER Technology
		BERINGER 2022 Catalog	ue Page 15			They trust us

History	Bearhawk (Bearhawk Aircra	aft)		Wheels	/ Brakes		
Values Contacts SensAIR	Bearhawk 2 / axle 1.5"	-	SBH01 2x Wheels 6.00-6" RF-016 2x brakes EA-003.2 2x tires 6.00-6" 2x axles AV-VANS-011 Brake master cylinders/antilock regulator/Hoses/fittings: Please ask us				
Complete Kits				Other options : wheel cap 6" BCH-00		K US	
Landing Gear							
Wheels Brakes	Blackshape Prime			Whee	els / Brakes		
Nose wheel Tailwheel			SBL01	2x wheels 4.00-6" RF-004 2x brakes EA-006			
Tires	OM-5038			2x tires 4.00-6" 2x axles BLAS-001			
Axles			Other opti	Hydraulic (brake lines/fittings) ons : Wheel cap 6" BCH-003 - Parkir			
Master Cylinders							
Limiters Anti-skid	Breezer B400 / B600			Wheels / Brakes	Nose wheel Option	Landing Gear Option	
Parking Brake Valve Brake lines		SBR01	2x brakes	5.00-5" RF-019 EA-006 - 2x tires 5.00-5"	SBR01A 1x wheel 4" RA-003	Shock Wheel SPEED'AIR fairings	
Fittings				JS-001.5 naster cylinder MP-002.5 irs - 1x Anti-lock regulator RE-001	1x tire 4.00-4" 1x axle AV-BREE-001	Ask us	
Spare Parts			Hydraulic	(brake lines/fittings)		<u> </u>	
Tools			ions : Whee ake valve kit	l cap 5" BCH-002 - Co-pilot hand bra t PKG01	ake -		
BERINGER Technology							
They trust us				NGER₩ 2022 Catalogue Page 16	$\overline{}$		

XL8 Bristell (BRM Aero)		Wheels / Brakes	Nose wheel/taiwheel Option	Landing gear Option	History Values		
	SBM04	2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 4.00-6" - 2x axles FUS-001.2	SBM08 1x wheel 3.50-4" RA-003	Shock Wheel 2x AV-BRM-320	Contacts		
E d Last	SBM06	1x brake master cylinder MM-001 / reservoir / PKG 1x pressure limiter LM-002	1x tire 4.00-4" 1x axle AXP-003.1	SPEED'AIR fairings	SensAIR		
		Hydraulic (brake lines/fittings)			Complete Kits		
	SBM03	2x wheels 5.00-5" RF-019 - 2x brakes EA-006 2x tires 5.00-5" - 2x axles FUS-001.2	SBM07 1x wheel 5" RA-014	Shock Wheel 2x AV-BRM-320	Landing Gear		
	SBM09	2x brake master cylinders MP-002.3E/res. HFA01 1x Anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	1x tire 5.00-5" 1x axle AV-HPH-003	SPEED'AIR fairings	Wheels Brakes		
		Tryaradic (brake lines) netrigs)			Nose wheel Tailwheel		
	SBM13	2x wheels 6.00-6" RF-009 - 2x brakes EA-006.22 2x tires 22" - 2x axles FUS-010.22	SBM12 1x wheel 6" RA-009		Tires		
	SBM09	2x brake master cylinders MP-002.3E/res. HFA01 1x Anti-lock regulator RE-001	1x tire 4.00-6 axle not included, please contact BRM Aero	Shock Wheel 2x AV-BRM-320 SPEED'AIR fairings	Axles		
		Hydraulic (brake lines/fittings) BM11 2x wheels 6.00-6" RF-009 - 2x brakes EA-006	TW-001/002 - GLR anti-	Landing Gear ALG	Master Cylinders		
66	Taildragger	2x tires 22" - 2x axles FUS-010.1	groundloop tailwheel	2x AV-SAF-020	Limiters Anti-skid		
	SBM09	2x brake master cylinders MP-002.3E/res. HFA01 1x Anti-lock regulator RE-001 Hydraulic (brake lines/fittings)			Parking Brake Valve		
	Other options : Wheel cap 6" : BCH-003 - Wheel cap 5" : BCH-002 - Co-pilot hand brake or Rudder pedal co-pilot brakes						
		rake master cylinders fit any Wheel/Brake kit. It is po 6" wheel kit and a hand master cylinder with the 5" w		master cylinders	Tools		
					BERINGER Technology		
					They trust		

us ...

History Values	Bücker (AirRes)		W	neels / Brakes	
Contacts SensAIR	Jungmeister	SBJ02	2x wheels 6.00-6" RF-016 2x brakes EA-003.2 2x axles AV-VANS-011/012/014/ 2x brake master cylinders MP-00 2x reservoirs RV-001		
Complete Kits		-	1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		
Landing Gear			ions : Wheel cap 6" BCH-004 - Par axle must be machined from ø38.		
Wheels Brakes	Jungmann	SBJ01	2x wheels 6.00-6" RF-006 2x brakes EA-003		
Nose wheel Tailwheel			2x tires 6.00-6" 2x axles FUS-007.1		
Tires			2x brake master cylinders MP-00 1x Anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	02.5 / reservoirs RV-001	
Axles			ions : Wheel cap 6" BCH-004 - Co-		
Master Cylinders			nstall the wheel/brake kit, some s e axle must be machined from ø38		irect to
Limiters Anti-skid					
Parking Brake Valve	Busard MP207 (Max Plan)		Wheels / Brakes	Nose wheel Option	Landing Gear Option
Brake lines Fittings		2x br	'heels 5.00-5" RF-019 'akes EA-006.1 'es 336x115-5"	SAZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4"	Shock Wheel 2x AV-ATEC-320 SPEED'AIR fairings
Spare Parts	A contraction of the second se	2x ax 2X bi	des AV-BUSA-001 rake master cylinders MP-002.7	1x axle AXP-003.1 +AV-ATEC-004	SPEED AIR Tailings
Tools		1x ar	eservoirs RV-002 htilock regulator RE-001 raulic (brake lines/fittings)		
BERINGER Technology		· · ·	arking brake valve FP-001 or FP-00	5.1	
They trust us			RINGER= 2022 Catalogue Page	18	

Calidus (AutoGyro)		Wheels / Brakes	Nose wheel Option	Landing gear Option	History	
1	SAG01	2x wheels 4.00-6" RF-004 2x brakes EA-006 - 2x tires 4.00-6" 2x axles FUS-001.1	SAG01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4"	Shock Wheel 2x AV-AUTO-320 SPEED'AIR fairings	Values Contacts	
Ignice		1x brake m. cylinder MP-002.5/ bracket AV-AUTO-008 1x reservoir HFA01 - 1x limiter LM-002	1x axle AV-AUTO-001/002/00	3	SensAIR	
		Hydraulic (brake lines/fittings)			Complete Kits	
Cavalon	SCA01	2 x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 4.00-6" - 2x axles FUS-001.5 Brake controls and hydraulic : please ask us		Shock Wheel 2x AV-GYRO-020	Landing Gear	
		Note : The landing gear has to be drilled		SPEED'AIR fairings	Wheels Brakes	
		Other options : Wheel cap 6" BCH-003			Nose wheel Tailwheel	
Cheetah XLS (SkyReach)	SC	Wheels / Brakes X01 2x wheels 4.00-6" RF-004 - 2x brakes E		ose wheel Option	Tires	
1 CART	2x tires 4.00-6" 2x Axle / adaptation parts 1X brake master cylinder MM-001 reservoir/PKG					
A CONTRACTOR OF A CONTRACTOR OFTA CONTRACTOR O	1x limiter LM-002 - Hydraulic (brake lines/fittings) Other options : Wheel cap 6" BCH-003 - Co-pilot hand brake : kit COP04					
			Limiters Anti-skid			
C42 (Comco Ikarus)		Wheels / Brakes	Nose wh	eel Option	Parking Brake Valve	
\mathbf{X}	SCC01	2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 4.00-6"	SCC01A 1x wheel 4" RA-003 1x tire 4.00-4"		Brake lines Fittings	
		2x tires 4.00-6 2x axles AV-COMC-002/003 1X brake master cylinder MM-001 reservoir	1x axle AXP-003.1		Spare Parts	
		1x limiter LM-002 ́ Hydraulic (brake lines/fittings)	1x wheel 6" RA-009 1x tire 4.00-6"		Tools	
		tions : Wheel cap 6" : BCH-003 st types : different axles, please contact us	1x axle av-COMC-004/0	00	BERINGER Technology	
	NOLE : TI	2022 Catalogue	Page 19		They trust us	
		Ŭ				

Complete wheel/brake kits (Tires are indicated in the kits but they are not included in the price of the kit)

History Values	Carbon Cub (CubCrafters)	L	Wheels / Brakes	Tailwheel Option	Landing gear Option
Contacts SensAIR		CCF05	2x wheels 6.00-6" RF-015.1 2x brakes EA-003.8 2x brake master cylinders	AV-CUBC-120(A) - GLR anti- groundloop tailwheel 1x wheel 3.50-4" RA-003.1	Original LG
			+ reservoirs AV-CUBC-041 2x adapters for 1.25" axle	1x tire 4.00-4" 1x tailwheel support	
Complete Kits	- HAR		Brake lines and fittings	1x lever/cable (not included) or SST10 (Matco mounting)	
Landing Gear		CCF07	2x wheels 10" RF-024	or SST11 (Scott mounting Idem	Original LG
Wheels Brakes			2x brakes EA-010.1 2x brake master cylinders	licent	
Nose wheel Tailwheel			+ reservoirs AV-CUBC-041 2x adapters for 1.25" axle Brake lines and fittings		
Tires		CarbonCUB-018.3 W/B kit	2x wheels 6.00-6" RF-015.2 2x brakes EA-003.2	Idem	ALG landing gear AV-CUB-020
Axles		for ALG	2x kit axle LG-K-001		AV COD 020
Master Cylinders			2x brake master cylinders +reservoirs AV-CUBC-041 Hydraulic (brake lines/fittings)		
Limiters Anti-skid			BL-CCB-001 Additional fitting kit HYD		
Parking Brake Valve		CarbonCUB-018.2 W/B kit for ALG	2x wheels 10" RF-024 2x brakes EA-010.1N 2x kit axle LG-K-003	ldem	ALG landing gear AV-CUB-020
Brake lines Fittings			2x brake master cylinders + reservoirs AV-CUBC-041		
Spare Parts			Hydraulic (brake lines/fittings) BL-CCB-001 Additional fitting kit HYD		
Tools		Other options : Reg	ulator RE-001 - Parking brake valv	e kit PKG01 - DUAL brakes	
BERINGER Technology					

They trust us ...

Parking Brake Valve

Brake lines Fittings

BERINGER Technology

They trust us ...

Spare Parts

Tools

Cessna 180/182		Wheels / Brakes	Nose wheel Option	Sens'AIR Option	History Values
Cessna 180/182 with fairings	STC-022.1 Wheels/brakes	2x Wheels 6.00-6" RF-006 2x brakes EA-003.3 2x axles FUS-007.4 2x brake master cylinders MP-003.12 3x reservoirs RV-XXX Hydraulic (brake lines/fittings)	STC-022.3 1x nose wheel 5" RA-014 1x axle AXP-005.2	TP-006 2x Sens'AIR - 6" wheel TP-005 1x Sens'AIR - 5" wheel	Contacts SensAIR Complete
Cessna 180/182 without fairings	STC-022.2 Wheels/brakes	2x Wheels 6.00-6" RF-006 2x brakes EA-003.3 2x axles FUS-007.4 2x brake master cylinders MP-003.12 3x reservoirs RV-XXX Hydraulic (brake lines/fittings)	STC-022.4 1x nose wheel 5" RA-014 1x axle AXP-005.2 CSTC	TP-006 2x Sens'AIR - 6" wheel TP-005 1x Sens'AIR - 5" wheel	Kits Landing Gear Wheels Brakes
Cessna 182 tube LG	STC-022.5 Brake line set	2x brake lines AV-CESS-410.1 1x bracket ZGA01			Nose wheel Tailwheel Tires
Cessna 182 spring LG	STC-022.6 Brake line set	2x brake lines AV-CESS-410.2 1x bracket ZGA01		Senser Senser	Axles Master Cylinders
		and the second sec			Limiters Anti-skid







History Values	Cirrus SR20/22/22T		Wheels / Brakes	Nose wheel included	Sens'AIR option
Contacts SensAIR Complete Kits	RINGER	STC-010 Single brake	2x wheels 6.00-6" RF-006 2x brakes EA-003.3 2x tires 15x6.00-6" 2x axles AV-CIRR-002 4x brake master cylinders MP-003N Hydraulic (brake lines/fittings)	1x nose wheel 5" RA-014 1x tire 5.00-5" 1x axle AV-CIRR-003	TP-006 2x Sens'AIR - 6" wheel TP-005 1x Sens'AIR - 5" wheel
Landing Gear Wheels Brakes		STC-004 Dual brake	2x wheels 6.00-6" RF-006 2x brakes EA-003.4 2x tires 15x6.00-6" 2x axles AV-CIRR-002	1x nose wheel 5" RA-014 1x tire 5.00-5" 1x axle AV-CIRR-003	TP-006 2x Sens'AIR - 6" wheel TP-005 1x Sens'AIR - 5" wheel
Nose wheel Tailwheel	Contraction of the second	CSTC	4x brake master cylinders MP-001.2 1x anti-lock regulator RE-001N Hydraulic (brake lines/fittings)		CSTC
Tires			he and and from Cirror Direct		Senser 2
Axles		Note : STC-010 to	o be ordered from Cirrus Direct		
Master Cylinders		•		-	
Limiters Anti-skid					
Parking Brake Valve					
Brake lines Fittings	A A A A A A A A A A A A A A A A A A A				
Spare Parts			6		
Tools					
BERINGER Technology		2 and the second	the states of the		
They trust us			RINGER 2022 Catalogue Page 22		

Cherry BX2 (Brandli)		Nose Wheel		History Values			
	AV-CHER-031 1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AV-CHER-001/002	1x wheel 3.50-4" RA-003 1x tire 4.00-4"					
				SensAIR			
	-			Complete Kits			
Citius/Landafrika/Okavango (BRM)	Wheels / Brakes	Nose wheel / Tailwheel Option	Landing gear Option	Landing Gear			
	SSV01 2x wheels $6.00-6"$ RF-009 tires $\leq 26"$ 2x brakes EA-006	SSV01A (Nose wheel kit - large fork) or SSV02A (narrow fork)	2x AV-SVNA-320 Shock Wheel kit	Wheels Brakes			
R	udder pedal 2x tires 15x6.00-6" brakes 2x axle/special parts 2x brake m.cylinders MP-002.	1x wheel 4.00-6" RA-009 1x tire 15x6.00-6" (large fork) 3 or 4.00-6" (narrow fork)	(nose wheel) SPEED'AIR fai- rings	Nose wheel Tailwheel			
	2x reservoirs HFA01E 1x anti-lock regulator RE-001	1x axle special parts or TW-002 (GLR anti-groundloop tailwheel)	0	Tires			
	Hydraulic (brake lines/fittings	1x tire 4.00-4"		Axles			
		1x tailwheel support 1x lever to lock/unlock		Master Cylinders			
_				Limiters Anti-skid			
	SSV02 Idem SSV01 except : tires > 26" 1x brake m. cylinder MM-001	SSV01A (Nose wheel kit - large fork)	2x AV-SVNA-320 Shock Wheel kit SPEED'AIR fai- rings	Parking Brake Valve			
	Hand brake (reservoir + pkg brake FP-004 1x pressure limiter LM-002			Brake lines Fittings			
			atime and	Spare Parts			
		ner options : Wheel cap 6" BCH-002 - Parking brake valve kit PKG01E - Rudder pedal co-pilot brakes te : the ALG can be mounted only on taildragger. Nose wheel Aircraft use Shock Wheels.					
				BERINGER Technology			
		Catalogue Page 23		They trust us			

History Values	Cozy Mark IV (Rutan)		Wheels / Brakes			Nose wheel Option	
Contacts SensAIR Complete						AV-COZ-030 (fork internal width = 5.12") 1x wheel 3.50-4" RA-003 1x tire 2.80/2.50-4" 1x axle AXP-003.5	
Kits		Other o	otions : Wheel cap 5" BCH-002 - Co-p	ilot brake kit - Parking	brake	kit PKG01	
Landing Gear							
Wheels Brakes							
Nose wheel Tailwheel	CT (Flight Design/LiftAir)		Wheels / Brakes	Nose Wheel Opt	tion	Landing gear Option	
Tires	CTSW 2007	SFD01	2x wheels 4.00-6" RF-004 2x brakes EA-006	SFD01A 1x wheel 6" RA-009		Shock Wheel : contact us	
Axles	P		2x tires 4.00-6" 2x axles FUS001.1 + bracket	1x tire 4.00-6" 1x axle AV-FDES-003	8/004		
Master Cylinders			1x brake master cylinder MP-003 1x reservoir HFA01 1X limiter LM-002				
Limiters Anti-skid			Hydraulic (brake lines/fittings)				
Parking Brake Valve	CTLS	SFD02	2x wheels 4.00-6" RF-004 2x brakes EA-006.5L / EA-006.5R 2x tires 15x6.00-6"	AV-FDES-0301 1x wheel 4.00-6" RA 1x tire 4.00-6"	-009		
Brake lines Fittings			2x axles FUS001.5 1x brake master cylinder MP-003.1	1x axle AV-FDES-003	8/004		
Spare Parts			1x reservoir HFA01 1X limiter LM-002 Hydraulic (brake lines/fittings)				
Tools		Other op	ntions : Wheel cap 6" BCH-003				
BERINGER Technology			Rudder pedal co-pilot brakes Parking brake kit PKG01				
They trust us			NERINGER 2022 Catalogue Page 2	4			

Diamond		Wheels / Brakes	Nose wheel kit included	SensAIR option	History Values
DA40	STC-009.3 Сsтс	2x wheels 6.00-6" RF-006 2x brakes EA-004N 2x axles AV-DIAM-703 4x brake macter adjudger MD 002 2N	1x wheel 5.00x5" RA-014 1x axle AV-DIAM-701/702	TP-006 2x SensAIR - 6" wheel TP-005 1x SensAIR - 5" wheel	Contacts
		4x brake master cylinders MP-003.3N 2x reservoirs RV-003N		C _{STC}	SensAIR
		Hydraulic (brake lines/fittings)			Complete Kits
DA42	STC-013.1	2x wheels 6.00-6" RF-006 2x brakes EA-003.7N 2x tires 15x6.00-6"	Nose wheel kit included 1x wheel 5.00-5" RA-014 1x tire 5.00-5"	TP-006 2x SensAIR - 6" wheel TP-005	Landing Gear
· · / AST		2x axles AV-DIAM-401 4x brake master cylinders MP-003.3N	1x axle AV-DIAM-404	1x SensAIR - 5" wheel	Wheels Brakes
TX		2x reservoirs RV-003N Hydraulic (brake lines/fittings)		Sic	Nose wheel Tailwheel
DA42NG	STC-013.2	2x wheels 6.00-6" RF-006 2x brakes EA-003.7N	Nose wheel kit included : 1x wheel 5.00-5" RA-014	TP-006 2x SensAIR - 6" wheel	Tires
	Сѕтс	2x tires 15x6.00-6" 2x axles AV-DIAM-401/402/403 4x brake master cylinders MP-003.3N 2x reservoirs RV-003N	1x tire 1x axle	TP-005 1x SensAIR - 5" wheel	Axles
					Master Cylinders
		Hydraulic (brake lines/fittings)			Limiters Anti-skid
DA62	STC-021	2x wheels 6.00-6" RF-0017.2	Nose wheel kit included :	TP-006	Parking Brake Valve
	C _{STC}	2x brakes EA-004.3N 2x tires 6.00-6"	1x wheel 6.00-6" RA-016.1	3x SensAIR - 6" wheel	Brake lines Fittings
Soppose .		2x axles FUS-007.7 4x brake master cylinders MP-001.5N	1x axle AXP-006.2/BGE-046	GSTC	Spare Parts
		2x reservoirs RV-003N Hydraulic (brake lines/fittings)			Tools
		el cap BCH-004 NG : Tundra wheels available PL-STC-009	9	Ver Sens	BERINGER Technology
		BERINGER 2022 Catalogue Pa	age 25		They trust us
			-		

History Values	Discus / Ventus 2A (Schempp Hirth)			Wheel/B	rake	
Contacts			STC-007	1x Wheel 4.00-5" RF-020 1x Brake EA-006 1x Tire 11X4.00-5"		
SensAIR			STC	1x Special parts for wheel axle 1x Brake master cylinder cable	actuated MI	И-002 + reservoir
Complete Kits			Contraction of the second	Hydraulic (brake lines/fittings)		
Landing Gear						
Wheels Brakes		the second of	and the second			
Nose wheel Tailwheel						
Tires	Dominator (Rotor Flight Dynamics)		Whe	eels / Brakes		Nose Wheel Option
Axles		2x brak	els 4.00-6" es EA-006.1		ask	us
Master Cylinders		2x axle	s 4.00-6" s AV-DOMI-(ce master cv	001/002 linder MM-001/FPK FP-004/Re	servoir	
Limiters Anti-skid		1x limit	ter LM-002 Ilic (brake lin			
Parking Brake Valve						
Brake lines Fittings						
Spare Parts						
Tools						
BERINGER Technology						
They trust us			2022 Cata	alogue Page 26		
		\smile				

DR400 (Robin)	Wheel/Brake	History Values
	STC-006 Brake EA-007 + EA-007.1 Special flange/brake support	Contacts SensAIR
		Complete Kits
		Landing Gear
Dragon Fly (Rutan)	Wheels / Brakes Nose wheel Option	Wheels Brakes
	SDF01 2x wheels 5.00-5" RF-019 SDR01A 2x brakes EA-006 1x wheel 3.50-4" RA-003 2x tires 5.00-5" 1x tire 10x3.5x4"	Nose wheel Tailwheel
L Et	2x axles FUS-001.1 1x axle AXP-003.1 2x brake master cylinders MP-002 2x reservoirs RV-001	Tires
	Hydraulic (brake lines/fittings)	Axles
4	Options : Wheel cap 5" BCH-002 - Co-pilot brake kit - Parking brake kit PKG01 Anti-lock regulator kit RE-001	Master Cylinders
		Limiters Anti-skid
Duo Discus (Schempp Hirth)	Wheel/Brake	Parking Brake Valve
	SCH02 1x Wheel 5.00-5" RF-018.3 and Brake EA-002 1x Tire 380X150X-5" - Special parts for wheel axle 1x Brake master cylinder MM-002 + reservoir	Brake lines Fittings
RD	Hydraulic (brake lines/fittings)	Spare Parts
(r-\$77)	Note : Kit available only from Schempp Hirth	Tools
		BERINGER Technology
	BERINGER 2022 Catalogue Page 27	They trust us

History Values	Dynamic (Aerospool)		Wheels / Brakes	Nose wheel Option	Landing gear Option
Contacts	WT9 fixed LG	SAE02	2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 15X6.00-6"	SAE02A 1x wheel 4.00-6" RA-009 1x tire 13X5.00-6"	2x AV-SPOOL-320 Shock Wheel
SensAIR			2x axles FUS-001.3 1x brake master cylinder MP-002.3	1x axle	
Complete Kits			1x reservoir HFA01 1x pressure limiter LM-001 Hydraulic (brake lines/fittings)		Carl Carl
Landing Gear				C d	6
Wheels Brakes	WT9 retractable LG	SAE01	2x wheels 4.00-6" RF-004	SAE01A	
Nose wheel Tailwheel			2x brakes EA-006 2x tires 15X6.00-6" 2x axles AV-SPOOL-101	1x wheel 4.00-6" RA-009 1x tire 13X5.00-6" 1x axle AV-	
Tires			1x brake master cylinder MP-002.5 1x reservoir HFA01	SPOOL-101/102/103	
Axles			1x pressure limiter LM-001 Hydraulic (brake lines/fittings)		
Master Cylinders					
Limiters Anti-skid	WT10	SAE03	2x main wheels 5.00-5" RF-018 2x brakes EA-002 2x tires 11X4.00-5"		
Parking Brake Valve			2x thes 11x4.00-5 2x Axles (special parts) 1x brake master cylinder MP-002.5		
Brake lines Fittings			1x reservoir RV-004.1 1x pressure limiter LM-004		
Spare Parts			Hydraulic (brake lines/fittings) Nose wheel : 1x wheel 4.00-6" RA-009 1x tire 13X5.00-6"		
Tools	(1x axle AV-SPOOL-101		
BERINGER Technology		ther opti	ons : Wheel cap 6" BCH-003		
They trust us			CRINGER 2022 Catalogue Page 28		

Edge 540 (Zivko)	v	Vheels / Brakes		History Values		
	 SED01 2x Wheels 5.00-5" RF-018 - 2x Brakes EA-002.2 - 2x Tires 5.00-5" 2x wheel axles FUS-009.2 2x Brake master cylinders MP-003.1 - 2x Reservoirs RV-001 Hydraulic (brake lines/fittings) 					
ELA Eclipse (ELA Aviacion)	Wheels / Brakes	Nose Wheel Option	Landing gear Option	Complete Kits		
N. S.	SEL02 2x wheels 4.00-6" RF-004 2x brakes EA-006.1 2x tires 4.00-6" 2x axles AV-ELA-001/002/003 1x master cylinder MP-002.5/BRACKE 1x reservoir HFA01 - 1x limiter LM-002 Hydraulic (brake lines/fittings)		Shock Wheel ask us SPEED'AIR fairings	Landing Gear Wheels Brakes Nose wheel Tailwheel		
AND CONTRACTOR				Tires		
Elfe S4 (Neukom)		Wheel / Brake		Axles		
LF Diffee	Kit wheel 5" 1x Wheel 5.00-5" RF-018.3 - 1x Tire 380X150X-5" 1x Special parts for wheel av 1x Brake master cylinder HA Hydraulic (brake lines/fitting	de C01 + reservoir		Master Cylinders Limiters Anti-skid		
				Parking Brake Valve		
Ellipse (A2CZ)	Wheels / Brake		Nose wheel Option	Brake lines Fittings		
	SEL01 2x wheels 4.00-6" RF-004 - 2x 2x tires 15X6.00-6" 2x axles FUS-001.3 + AV-SPOO	1> L-006 1>	AE01A < wheel 4.00-6" RA-009 < tire 13X5.00-6"	Spare Parts		
	1x brake master cylinder MP-0 1x reservoir HFA01 1x pressure limiter LM-002 - H		(axle	Tools		
	Other options : Wheel cap 6" BCH-003					
	⇒ERINGER⇒ 2022 Catalogu	ie Page 29		They trust us		

History Values	Emeraude CP301 (Claude Piel)		Wheels / Brakes	Rudd	'AIR pedal option
Contacts SensAIR		SEM01	2x wheels 4.00-6" RF-004.1 - 2x brakes 2x tires 6.00-6" 2x axles AV-EME-001/002/003 2x brake master cylinders MP-003.1 2x reservoirs HFA01 1x anti-lock regulator RE-001	EA-006	
Complete Kits		1	Hydraulic (brake lines/fittings)		THE STATE
Landing Gear		Other opt	ons : Wheel cap 6" BCH-003 -Parking br Original landing gear = Ø50mm : ot		
Wheels Brakes					
Nose wheel Tailwheel	Eurofox (Aeropro)		Wheels / Brakes	Rudd'AIR pedal option	Landing gear Option
Tires		SEF01	2x wheels 6.00-6" RF-009 2x brakes EA-006		Shock Wheel 2x AV-ERF-120
Axles			2x tires 15X6.00-6" 2x axles AV-ZLIN-011/ERF-001 (now axle + AV/ERF-002)		1
Master Cylinders			(new axle +AV-ERF-003) 2x brake master cylinders MP-002.2E 2x reservoirs HFA01		
Limiters Anti-skid			1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		
Parking Brake Valve		Bush tires	SEF01 with 6.00-6" or with 22" tires		
Brake lines Fittings		Other option	s : Wheel cap 6" BCH-002 Rudder pedal co-pilot brakes COP03 Parking brake valve kit PKG01		
Spare Parts			Axles FUS-015.2 for DATUM ski mounting		
Tools			ildragger the GLR anti-grounloop tailwhe 1 (with 2.80/2.50-4" tires) or TW-002 (wi		
BERINGER Technology			,,	,	
They trust us			RINGER= 2022 Catalogue Page 30		

Europa monowheel (Europa Aircra	aft)		W	neel / Brake		History Values
		1x a 1x l	axle/special parts AV-ERP-0 brake master cylinder MP-	001 - 2x reservoirs	5" or 8.00-6"	Contacts
	1	Нус	oarking brake FP-004 - 1x draulic (brake lines/fittings			SensAIR
	Not	es : Europa no	se wheel : ask us			Complete Kits
From store (From Laters)			(Burlay	New york and Oaking		Landing Gear
Eurostar (Evektor)			/ Brakes	Nose wheel Option	Landing gear Option	
A AND THE	SEU01		006 - 2x tires 15X6.00-6"	SEU01A 1x wheel 4.00-6" RA-009	Shock Wheel AV-EURO-120L/120R	Wheels Brakes
		2x axles FUS- 2x brake mas 2x reservoirs	ter cylinders MP-002.3	1x tire 13X5.00-6" 1x axle/special parts	SPEED'AIR fairings	Nose wheel Tailwheel
		1x anti-lock r	egulator RE-001 ake lines/fittings)			Tires
o	ther optio	ns : Wheel cap 6" : BCH-003 - Rudder pedal co-pilot brakes Parking brake valve kit PKG01				Axles
						Master Cylinders
Extra (Extra Aircraft)			W	/heels / Brakes		Limiters Anti-skid
and and a second second		STC-012.1 Extra	2x Wheels 5.00-5" RF-018 2x Tires 5.00-5" - 2x whee			Parking Brake Valve
Con V		0	2x Brake master cylinders 2x Reservoirs RV-001		and the second	Brake lines Fittings
		STC-012.2	Hydraulic (brake lines/fitt 2x Wheels 5.00-5" RF-01	• ·	N THERE -	Spare Parts
Hamilton	IRIN TON	Extra Two seater	2x Tires 5.00-5" - 2 x whe 4x Brake master cylinders	el axles FUS-009.3		Tools
	•	CSTC	2x Reservoirs RV-001 Hydraulic (brake lines/fitt	ings)		BERINGER Technology
V. Menger			R ≡ 2022 Catalogue I	Page 31		They trust us
		Ŭ				

History Values	Falco F8L		Wheels / Brakes	Nose wheel Option
Contacts SensAIR Complete Kits		SFA02 Axle ø 30	2x Wheels 5.00-5" RF-021.1 2x Brakes EA-002 2x Tires 5.00-5" 2x Axle/special parts 2x Brake master cylinders MP-003 2x Reservoirs RV-001 Hydraulic (brake lines/fittings)	SFA01A (scheme AV-FALC-030) 1x wheel 4.00-5" RA-015 1x tire 11x4.00-5" 1 axle AV-FALC-001/002
Landing Gear	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SFA01 Axle ø 31.75	2x Wheels 5.00-5" RF-022 2x Brakes EA-002 2x Tires 5.00-5"	SFA01A
Wheels Brakes	Cut the original score		2x Axles AV-FALC-009 + AV-VANS-002 2x Brake master cylinders MP-003 2x Reservoirs RV-001	
Nose wheel Tailwheel	The screw mult not control the disc		Hydraulic (brake lines/fittings)	
Tires	400 ((() · · · · · · · · · · · · · · · ·		Other options : • Rudder pedal co-pilot brakes • Parking brake valve kit PKG01	
Axles		Ċ.	 Anti-lock regulator kit RE-001 (for S 	FA01 kit)
Master Cylinders			Genuine part/ Réce d'origine —	Genuine part/ Pidce d'origine
Limiters Anti-skid	$\begin{bmatrix} \textcircled{0} \\ 1x \end{bmatrix} = \begin{bmatrix} \textcircled{0} \\ 1x \end{bmatrix} = \begin{bmatrix} \textcircled{0} \\ 3x \end{bmatrix} = \begin{bmatrix} \textcircled{0} \\ 1x \end{bmatrix}$			D D Genuine part/
Parking Brake Valve			Tightening torque as per aircraft documentation / Couple de serrage	Piéce d'origine
Brake lines Fittings			sulvant documentation avion	The second secon
Spare Parts	j VIII V			
Tools			@	-Tire / Pinou: 151x4,00x5"
BERINGER Technology	B IX IX Reprine AV-CUBC 002(3) Reprine AV-CUBC 002(3)	s sur chaque via 0.5mm	[4 sri]	
They trust us			022 Catalogue Page 32	

F1 Rocket (F1 Aircraft)		Wheels / Brakes		History Values
	SRO02	Contacts		
		2x axles FUS-009.2 2x brake master cylinders MP-002.6 Hydraulic (brake lines/fittings)	5	SensAIR
	Other opti	, , , , , , ,	ti-skid regulator RE-001	Complete Kits
				Landing Gear
Fascination (BK)		Wheels / Brakes	Nose wheel Option	Wheels Brakes
	SFB01	2x brakes EA-006 2x tires 11x4.00-5"	AV-FASC-030 (fork width 4.92'' 125mm) 1x wheel 4.00-6'' RA-009	Nose wheel Tailwheel
		2x axles AV-FAS-001 + AV-HPH-002 1x brake master cylinder MM-001 1x reservoir + parking brake FP-004	1x tire 4.00-6" 1x axle AV-FASC-004/002 AV-FASC-03	Tires
		1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	(fork width 4.72" 120mm) 1x wheel 4.00-5" RA-015	Axles
			1x tire 11x4.00-5" 1x axle AV-FASC-005/006	Master Cylinders
	Other opt	i ons : Wheel cap 5" : BCH-002 - Rudder pe	edal co-pilot brake kit	Limiters Anti-skid
Furio (Falcomposite)		Wheels / Brakes	Nose wheel Option	Parking Brake Valve
	Axle ø 30	2x Wheels 5.00-5" RF-018 2x Brakes EA-002.2	SFU01A 1x wheel 4.00-5" RA-015	Brake lines Fittings
		2x Axle FUS-009 4x Brake master cylinders MP-002.1 2x Reservoirs HFA-01	1x tire 11x4.00-5" 1 axle AV-FURI-001/002/003	Spare Parts
		1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		Tools
				BERINGER Technology
		2022 Catalogue Page 33		They trust us

History Values	FK (FK Aircraft)		Wheels / Brakes	Nose wheel/Tailwheel Option	Landing gear Option
Contacts	FK9 Mark III-IV-V-ELA	SFK01 6" wheels	2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 4.00-6"	SFK01A 1x wheel 4.00-4" RA-003	2x AV-FUNK-220 Shock Wheel
SensAIR			2x axles FUS-001.1 + AV-FUNK-001 1x brake master cylinder MP-004.5+MP-002.8	1x tire 4.00-4" 1x axle AV-FUNK-002/003	SPEED'AIR fairings
Complete Kits			1x reservoir HFA01 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)		
Landing Gear		SFK04	2x wheels 3.50-4" RF-013		
Wheels Brakes		4" wheels	2x brakes EA-009 2x axles AV-FUNK-004/005 1x master cylinder MP-004.5 + MP-002.8		
Nose wheel Tailwheel	F ST		1x reservoir HFA01 Hydraulic (brake lines/fittings)		
Tires	WCARE A	3			
Axles	FK12	SFK03	2x wheels 4.00-6" RF-004	AV-FUNK-130	2x AV-FUNK-220
Master Cylinders		-	2x brakes EA-006 2x tires 4.00-6"	1x tailwheel 200x500 1x rubber tire 150mm	Shock Wheel
Limiters Anti-skid			2x axles FUS-001.1 + AV-FUNK-001 1x hand master cylinder MM-001 1x reservoir + parking brake FP-004		SPEED'AIR fairings
Parking Brake Valve			1x pressure limiter LM-002 Hydraulic (brake lines/fittings)		
Brake lines Fittings					
Spare Parts			cap 6" BCH-003		
Tools		 Parking 	Rudder pedal co-pilot brakes g brake valve kit PKG01		
BERINGER Technology	or Contraction		he brake lever is special one for FK9 can be equipped with pedal brakes (modificatior	15)	
They trust us			DERINGER 2022 Catalogue Page 34)	
			~		

Fourn	ier		Wheels / Brakes	History Values
RF3		SRF01 Ultralight type	1x wheel 4.00-6" RF-004 1x brake EA-006 1x tire 4.00-6" 1x axle/special parts 1x brake master cylinder MM-001	Contacts
			1x reservoir + parking brake FP-004 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	Complete Kits
RF3	FONT	SRF03	1x wheel 5.00-5" RF-019 1x brake EA-006	Landing Gear
		Standard type	1x brake EA-006 1x tire 5.00-5 1x axle/special parts	Wheels Brakes
	And the second sec		1x brake master cylinder MM-001 1x reservoir + parking brake FP-004	Nose wheel Tailwheel
			1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	Tires
RF5		SRF04	1x wheel 5.00-5" RF-022 1x brake EA-002	Axles
			1x tire 380x150-5" 1x axle/special parts	Master Cylinders
	F-COPP		1x brake master cylinder MM-001 1x reservoir + parking brake FP-004 1x pressure limiter LM-002	Limiters Anti-skid
			Hydraulic (brake lines/fittings)	Parking Brake Valve
RF9		SRF05	1x wheel 4.00-5" RF-020 1x brake EA-006 1x tire 11x4.00-5"	Brake lines Fittings
	E-CAHJ		1x axle AV-FOUR-101/102 1x brake master cylinder MP-002.3	Spare Parts
	h		1x reservoir HFA01 + parking brake FP-004 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	Tools
		Note : non certified	, , , , , , , , , , , , , , , , , , , ,	BERINGER Technology
			Catalogue Page 35	They trust us

History Values	G1 SPYL (G1 Aviation)		Wheels / Brakes	Nose wheel Option	Landing gear Option
Contacts		SGA01	2x wheels 6.00-6" RF-009 2x brakes EA-006 2x tires 15x6.00-6"	SGA01A (narrow fork) 1x wheel 4.00-6" RA-009 1x tire 15x6.00-6"	2x AV-GUN-320 Shock Wheel
SensAIR			2x axles FUS-010.5 1x brake master cylinder MM-001	1x axle AV-SPOOL-001/AV-GUN-002 or	B'FleX landing gear 2x LGT-017(L/R)
Complete Kits			(reservoir + parking brake FP-004) 1x pressure limiter LM-002	SGA02A (large fork) 1x wheel 4.00-6" RA-009	
Landing Gear		The second s	Hydraulic (brake lines/fittings)	1x tire 6.00-6" 1x axle AV-SPOOL-001/AV-GUN-001	
Wheels Brakes)	 Whee 	neels for DURO 21" /27.5" Aero Class el cap 6" BCH-002		
Nose wheel Tailwheel)	• Co-pi	lot hand brake SGA01C with specific	brake lines	
Tires					
Axles	GAZ'Aile		Wheels / Brakes	Nose wheel Option	Landing gear Option
Axles Master Cylinders	GAZ'Aile	SGZ01	2x wheels 4.00-5" RF-020 2x brakes EA-006	SGZ01A 1x wheel 3.50-4" RA-003	Landing gear Option Ask us
Master	GAZ'Aile	SGZ01	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1	SGZ01A	
Master Cylinders Limiters	GAZ'Aile	SGZ01	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1 1x brake master cylinder MM-001 (reservoir + parking brake FP-004) 1x pressure limiter LM-002	SGZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AXP-003.1 AV-GAZA-030 (fork width 3.94" 100mm) 1x wheel 3.50-4" RA-003	Ask us
Master Cylinders Limiters Anti-skid Parking	GAZ'Aile	SGZ01	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1 1x brake master cylinder MM-001 (reservoir + parking brake FP-004)	SGZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AXP-003.1 AV-GAZA-030 (fork width 3.94" 100mm)	Ask us
Master Cylinders Limiters Anti-skid Parking Brake Valve Brake lines	GAZ'Aile	SGZO1	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1 1x brake master cylinder MM-001 (reservoir + parking brake FP-004) 1x pressure limiter LM-002	SGZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AXP-003.1 AV-GAZA-030 (fork width 3.94" 100mm) 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AV-LEG-007+AV-GAZA-001+AV- DYNA-009 or AV-GAZA-031 (5" wheel) 1x wheel 4.00-5" RA-015	Ask us
Master Cylinders Limiters Anti-skid Parking Brake Valve Brake lines Fittings Spare	GAZ'Aile	SGZO1	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1 1x brake master cylinder MM-001 (reservoir + parking brake FP-004) 1x pressure limiter LM-002	SGZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AXP-003.1 AV-GAZA-030 (fork width 3.94" 100mm) 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AV-LEG-007+AV-GAZA-001+AV- DYNA-009 or AV-GAZA-031 (5" wheel)	Ask us
Master Cylinders Limiters Anti-skid Parking Brake Valve Brake lines Fittings Spare Parts		Other options	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axles FUS-005.1 1x brake master cylinder MM-001 (reservoir + parking brake FP-004) 1x pressure limiter LM-002	SGZ01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AXP-003.1 AV-GAZA-030 (fork width 3.94" 100mm) 1x wheel 3.50-4" RA-003 1x tire 4.00-4 " 1x axle AV-LEG-007+AV-GAZA-001+AV- DYNA-009 or AV-GAZA-031 (5" wheel) 1x wheel 4.00-5" RA-015 1x tire 11x4.00-5" 1x axle AXP-007.2	Ask us

Genev 01 (Genevation)			Wheels / Brakes		History Values	
SERVICE STREET	SGE01	L 2x wheels 5.00-5" RF-018 2x brakes EA-002.2 2x tires 5.00-5" 2x axles FUS-009.2 2x brake master cylinders MM-002.3				
		2x reser 1x anti-l	voirs RV-001 lock regulator RE-001 ic (brake lines/fittings)		Complete Kits	
	Other options :		p 6" BCH-002 - Rudder pedal co-pilot b	orakes - Parking brake valve kit PKG01	– Landing Gear	
					Wheels Brakes	
Glasair (Glasair Aviation)			Wheels / Brakes	Nose wheel Option	Nose wheel Tailwheel	
Glasair III RLG	-	SGL02	2x wheels 5.00-5" RF-018 2x brakes EA-002.2N 2x tires 5.00-5"	SGL01A 1x wheel 4.00.5" RA-015 1x tire 11x4.00-5"	Tires	
All			2x axles FUS-007 4x brake master cylinders MP-003.2N 2x reservoirs RV-001N 1x anti-lock regulator RE-001N Hydraulic (brake lines/fittings)	1x axle AV-GLAS-002/AV-GLAS-001	Axles	
					Master Cylinders	
Sportsman		SGL03	2x wheels 6.00-6" RF-006		Limiters Anti-skid	
			2x brakes EA-003 2x tires 5.00-5"		Parking Brake Valve	
	-		2x axles FUS-009 2x brake master cylinders MP-003 2x reservoirs RV-001		Brake lines Fittings	
	and the second s		1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		Spare Parts	
		Other options : GLASAIR III : Rudder pedal co-pilot brakes Note : non certified kits				
	Note					
		ER	NGER= 2022 Catalogue Page 37		They trust us	

History Values	Highlander (Just Aircraft)		Wheels / Brakes	Landing Gear Option
Contacts		SSJ01 (original LG) SSJ02 (ALG)	2x wheels 6.00-6" RF-014 2x brakes EA-006.2 Dual (tires >29") or EA-006 (tires <29")	AV-JUST-120 ALG kit
SensAIR			2x axles FUS-012 (original LG) or FUS-010.1 (ALG)	
Complete Kits			4x brake master cylinders MP-003.9N 2x reservoirs RV-001 1x anti-lock regulator RE-001	
Landing Gear		Other options :	Hydraulic (brake lines/fittings)	
Wheels Brakes			for DURO 21" /27.5" Aero Classic tires CH-002	
Nose wheel Tailwheel		Parking brake va	Ive kit PKG01	
Tires		Notes : Rudder pedal Superstol : se	co-pilot brakes are included in the kit e pages S	
Axles	НРН 304S (НРН)		Wheel/Brake	
Master Cylinders	2	1x B	/heel 5.00-5" RF-019 rake EA-006	
Limiters			re 5.00-5"	
Anti-skid		1x A 1x B	xle/special parts rake master cylinder MP-002.5	
Anti-skid Parking Brake Valve		1x B 1x R 1x P	rake master cylinder MP-002.5 eservoirs HFA01 ressure limiter LM-003	
Anti-skid Parking		1x B 1x R 1x P	rake master cylinder MP-002.5 eservoirs HFA01	
Anti-skid Parking Brake Valve Brake lines		1x B 1x R 1x P	rake master cylinder MP-002.5 eservoirs HFA01 ressure limiter LM-003	
Anti-skid Parking Brake Valve Brake lines Fittings Spare	SH DATU	1x B 1x R 1x P	rake master cylinder MP-002.5 eservoirs HFA01 ressure limiter LM-003	

They trust us ...

Ibis (Ibis Aircraft)		Nose wheel kit	History Values		
PH-ISIS	1x Tire 15x6.00-6	AV-IBIS-030 1x Wheel 4.00-6" RA-009 1x Tire 15x6.00-6" 1x Axle AV-IBIS-001/002			
A PROVIDE OF			SensAIR		
			Complete Kits		
			Landing Gear		
Jabiru Aircraft		Milanda / Parkas	Wheels Brakes		
	CI1102	Wheels / Brakes 2x wheels 4.00-6" RF-004 - 2x brakes EA-006	Nose wheel		
Jabiru 170	SJU03	2x wheels 4.00-6 "RF-004 - 2x brakes EA-006 2x tires 4.00-6" - 2x axles AV-JAB-001 1x brake master cylinder MM-001 (reservoir + parking brake FP-004)	Tailwheel		
Jan		1x pressure limiter LM-002	Tires		
		Hydraulic (brake lines/fittings)			
Jabiru 400/430	SJU01	2x wheels 5.00-5" RF-018 - 2x brakes EA-002.2	Master Cylinders		
	5" wheels	2x tires 5.00-5" - 2x Axle/special parts 1x brake master cylinder BR14-2R (parking brake FP-004) 1x reservoir HFA01	Limiters Anti-skid		
	K	1x pressure limiter LM-003 - Hydraulic (brake lines/fittings)	Parking Brake Valve		
AS (P)	SJU05 6" wheels	2x wheels 6.00-6" RF-006 - 2x brakes EA-003 2x tires 6.00-6" - 2x Axles FUS-007.23 (leg to be drilled for a fifth hole) 1x brake master cylinder BR14-2R (parking brake FP-004)	Brake lines Fittings		
Contraction of the second	Sec.	1x brake master cylinder brite-2R (parking brake rr-604) 1x reservoir HFA01 1x pressure limiter LM-003 - Hydraulic (brake lines/fittings)	Spare Parts		
	Other options :	Wheel cap 6" BCH-003 and wheels 5" BCH-002	Tools		
			They trust		

History Values	Jodel (Avions Jodel)		Wheels / Brakes	Tailwheel Option
Contacts SensAIR	Jodel D20 ULM	SJD01	2x wheels 4.00-5" RF-020 - 2x brakes EA-006 2x tires 5.00-5" - 2x axles FUS-005.1 2x brake master cylinders MP-002.5 2x reservoirs HFA01 - x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	TW-001 (GLR anti-groundloop tailwheel) 1x wheel 3.50-4" RA-003 1x tire 2.80/2.50-4" 1x tailwheel support 1x lever to lock/unlock
Complete Kits			heel cap 5" BCH-002 - Parking brake valve kit PKG01 axle fitting requires to weld a T1 bracket - Fitting the	
Gear Wheels Brakes	Jodel axle 1.97" (50mm)	SJD03 6" wheels	2x wheels 6.00-6" RF-015 - 2x brakes EA-003.2N 2x tires 6.00-6" with fairings : 2x axles FUS-014.1+ spacer to weld	GLR anti-groundloop tailwheel : ask us
Nose wheel Tailwheel Tires		SJD05 (with fairings)	AV-JOD-202 + AV-JOD-401 without fairings : 2x axles FUS-014.1+ spacer to weld AV-JOD-202 Brake controls and hydraulic : ask us	
Axles		SJD04 5" wheels	2x wheels 5.00-5" RF-019 - 2x brakes EA-006.1N 2x tires 6.00-6" 2x axles FUS-001.1+spacer to weld AV-JOD-201 Brake controls and hydraulic : ask us	- MGT -
Master Cylinders		Other options : spe	ecial parts for Datum skis mounting	
Limiters Anti-skid Parking Brake Valve	Jodel D112	SJD06	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1 2x tires 4.00-6" - 2x axles FUS-001.1 Master cylinders/Reservoir/PKG/Anti-skid Hydraulic : please contact us	GLR anti-groundloop tailwheel : ask us
Brake lines Fittings	Jodel D140 Mousquetaire	SJD02	2x wheels 6.00-6" RF-006 - 2x brakes EA-004N 2x tires to be chosen	GLR anti-groundloop tailwheel : ask us
Spare Parts		11 T	2x axle parts to weld AV-JOD-306+AV-DIAM-223 2x brake master cylinders MP-002.1N	
Tools			2x reservoirs RV-001N 1x anti-lock regulator RE-001N Hydraulic (brake lines/fittings)	
BERINGER Technology			Other options : Parking brake valve kit PKG01 - Co	p-pilot brakes : ask us
They trust us			ERNGER 2022 Catalogue Page 40	

Joker J300	Wheels / Brakes	Tailwheel Option	Landing gear Option	History Values
OLS	2x wheels 6.00-6" RF-009 2x brakes EA-006 2x tires 15x6.00-6" 2x axles FUS-010.1+ pièces 1x brake master cylinder MM-001	TW-001 (GLR anti-groundloop tailwheel) 1x wheel 3.50-4" RA-003 1x tire 2.80/2.50-4" 1x tailwheel support 1x lever to lock/unlock	Ask us	Contacts SensAIR
·	(reservoir + parking brake FP-004) 1x pressure limiter LM-002E			Complete Kits
	Hydraulic (brake lines/fittings) options :	Note : fitting the GLR tailwheel may requ	uire some modification	Landing Gear
	Wheel cap 6" BCH-002 Co-pilot hand brake			Wheels Brakes
JS1 (Jonker)		Wheel / Brake		Nose wheel Tailwheel
				Tires
HI STATE		led pilots (brake on the control stick)		Axles
Junior (EKOLOT) Report to Topaz	z Wheels / Brakes	Nose wheel Option	anding gear Option	Master Cylinders
[Limiters Anti-skid
Kristen Eagle (Report to Pitts S2)		Wheels / Brakes		Parking Brake Valve
KR2 (Rand Robinson)		Wheels / Brakes		Brake lines Fittings
	SKR01 2x wheels 3.50-4" RF-0 2x brakes EA-009	13		Spare Parts
FyRCo	2x tires 4.00-4" 2x axles AV-KR2-001+A) Braking controls and hy			Tools
				BERINGER Technology
		atalogue Page 41		They trust us

History Values	KitFox (KitFox Aircraft)		Wheels / Brakes	Tailwheel Option	Landing gear Option
Contacts	Courses of the	SKT01 Shock Monster LG	2x wheels 6.00-6" RF-014 - 2x brakes EA-006.2 2x axles FUS-012 4x brake master cylinders MP-003	1x wheel 200x500 1x rubber tire 150	
SensAIR			2x reservoirs RV-004 Hydraulic (brake lines/fittings)	1x axle AV-KIT-601 or TW-001 (GLR tailwhee	n
Complete Kits				1x wheel 3.50-4" RA-00 1x tire 2.80/2.50-4"	
Landing Gear				1x tailwheel support 1x lever to lock/unlock	
Wheels Brakes		SKT02 Leaf Gear	2x wheels 6.00-6" RF-009 - 2x brakes EA-006.2 2x axles FUS-010.22 Other parts : Idem SKT01	0 Idem	AV-KIT-220 Shock Wheel
Nose wheel Tailwheel		SKT03	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1	Idem	
Tires			2x tires depending on use - 2x axles AV-KIT-301 2x brake master cylinders MP-002.3 (to be valid ted when ordering) - 2x reservoirs RV-001		
Axles			Hydraulic (brake lines/fittings)		
Master Cylinders			Wheel cap 6" BCH-003 8" wheel kit available, ask us	Note : fitting the GLR tail some modification	wheel may require
Limiters Anti-skid	L19 Bird Dog (Cessna)		Wheels / Brakes	Tailwheel Option	Landing gear Option
Parking Brake Valve		SBD01	2x wheels 6.00-6" RF-006 2x brakes EA-003		Shock Wheel kit : in progress, stay
Brake lines Fittings	The second state	· Tr · ·	2x tires (several types available) 2x axles FUS-007		tuned
Spare Parts	24539 FAVE	de la	2x brake m. cylinders MP-003 + extenders 2x reservoirs RV-001 Hydraulic (brake lines/fittings)	, ,	
Tools			ptions : Wheel cap 6" BCH-004 udder pedal co-pilot brakes COP02	Notes : • Non certified kit	and the second second
BERINGER Technology		• Pa	irking brake valve kit PKG01 nti-lock regulator kit RE-001	 Tires available : 8.50-6' 	' or 6.00-6"
They trust us		(BERINGER 2022 Catalogue Page 42		

LAK (UAB)		Wheel / Brake		History Values
LAK 17A	STC-011	1x Wheel 5.00-5" RF-019 1x Brake EA-006 1x Tire 5.00-5"		Contacts
		1x Axle/special parts 1x Brake master cylinder MM-001		SensAIR
		(parking brake and reservoir) 1x Pressure limiter LM-003 Hydraulic (brake lines/fittings)		Complete Kits
LAK 17B	SLA02	Idem STC-011 for Lak17A except tire	es : 336x115x5"	Landing Gear
	SLA03	1x Wheel 3.50-4" RF-013 1x Brake EA-009 1x Tire 4.00-4"		Wheels Brakes
and the second s		1x Brake master cylinder MM-002 (parking brake and reservoir)		Nose wheel Tailwheel
AVOID TR		1x Pressure limiter LM-003 Hydraulic (brake lines/fittings)		Tires
				Axles
Lambada (Distar)		Wheels / Brakes		Master Cylinders
All the second second	2x bral	eels 4.00-6" RF-004 xes EA-006 s 4.00-6"		Limiters Anti-skid
and the second s	2x axle	/special parts ke master cylinder MM-001		Parking Brake Valve
a state	1x pres	oir + parking brake FP-004) ssure limiter LM-001 Jlic (brake lines/fittings)		Brake lines Fittings
	er options :			Spare Parts
	 Wheel cap 6" B Co-pilot hand bit 		ERINGER	Tools
				BERINGER Technology
(022 Catalogue Page 43		They trust us

History Values	Lancair		Wheels / Brakes	Nose wheel Option
Contacts	Lancair 320/360 RLG	SLC02	2x wheels 4.00-5" RF-021 - 2x brakes EA-002.2 2x tires 11x4.00-5" - 2x axles FUS-005 2x brake master cylinders MP-003.1 - 2x reservoirs RV-001	SLC01A 1x wheel 4.00.5" RA-015 1x tire 11x4.00-5"
SensAIR			1x anti-lock regulator RE-001 - Hydraulic (brake lines/fittings)	1x axle/special parts
Complete Kits		SLC08	Idem SLCO2 except : 2x wheels 5.00-5" RF-018 2x brakes EA-002.2 (special drilling) - 2x tires 5.00-5" 2x axles AV-LANC-005	
Landing Gear	Lancair Legacy / Barracuda	SLC01	2x wheels 5.00-5" RF-018 - 2x brakes EA-002.2	SLC01A
Wheels Brakes	NIP69L transf		2x tires 5.00-5" - 2x axles FUS-009 2x brake master cylinders MP-003.1 2x reservoirs RV-001 - 1x anti-lock regulator RE-001N	1x wheel 4.00.5" RA-015 1x tire 11x4.00-5" 1x axle/special parts
Nose wheel Tailwheel			Hydraulic (brake lines/fittings)	
Tires	Lancair IV	SLC06	2x wheels 6.00-6" RF-006 - 2x brakes EA-003.3 2x tires 6.00-6" - 2x axles FUS-007.3 2x brake master cylinders MP-003	SLC06A 1x wheel 5.00-5" RA-014 1x tire 5.00-5"
Axles			2x reservoirs RV-001 - 1x parking brake FP-003 1x anti-lock regulator RE-001 - Hydraulic (brake lines/fittings)	1x axle special parts
Master Cylinders	Lancair IV P (Turbine)	SLC07	2x wheels 6.00-6" RF-006 - 2x brakes EA-003.4 2x tires 15x6.00-6" - 2x axles FUS-007.2	AV-LANC-230 1x wheel 5.00-5" RA-014
Limiters Anti-skid			2x brake master cylinders MP-003 2x reservoirs RV-001 - 1x parking brake FP-003	1x tire 5.00-5" 1x axle AV-LANC-201
Parking Brake Valve			1x anti-lock regulator RE-001 - Hydraulic (brake lines/fittings)	+ AV-LANC-202/203
Brake lines Fittings	Calima T90			AV-LANC-430 1x wheel 4.00-5" RA-015 1x axle AV-LANC-001/002
Spare Parts		Others		+ AV-LANC-401
Tools	327	•	tions : Lancair 320/360 : Wheel cap BCH-002 Lancair 320/360 - Legacy - IV : Rudder pedal co-pilot brake	es - Parking brake valve kit
BERINGER Technology			ancair 320/360 earliest types, please contact us S, IV and IVP : Nose wheel kit : fork internal width = 5.5" (139.7m	m)
They trust us		(ERINGER 2022 Catalogue Page 44	

Legend 540 (Aeropilot)		Wheels / Brakes	Nose wheel Option	History Values		
Call and the second second	SLG01 2x w 2x b 2x ti	Contacts				
		xles FUS-001.1+ AV-LEG-003/004 ever MP-004.7 + brake master cylinder MP-	1x special axle 002.8	SensAIR		
	1x p	eservoir RV-004.1 ressure limiter LM-002 raulic (brake lines/fittings)		Complete Kits		
	,			Landing Gear		
Libelle H201 (Glasflügel)	SLI01	Wheel / Brake 1x Wheel 4.00-5" RF-020		Wheels Brakes		
		1x Brake EA-006 1x Tire 11x4.00-5" 1x Axle/special parts		Nose wheel Tailwheel		
		1x Brake master cylinder MM-002 (parking brake FP-004 and reservoir) 1x Pressure limiter LM-002		Tires		
		Axles				
	Note : non ce	Master Cylinders				
Long'Ez (Rutan)		Wheels / Brakes	Nose wheel Option	Limiters Anti-skid		
	SLE01	2x wheels 5.00-5" RF-018 2x brakes EA-002.2 2x tires 5.00-5"	SLE01A 1x wheel 3.50-4" RA-003 1x tire 2.80/2.5-4"	Parking Brake Valve		
		2x axles FUS-009 2x brake master cylinders MP-002.5	1x axle AXP-003+BGE-007	Brake lines Fittings		
		2x reservoirs RV-001 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		Spare Parts		
	Other options : • Wheel cap BCH-002					
	Rudde	r pedal co-pilot brakes g brake valve kit PKG01		BERINGER Technology		
		GCR= 2022 Catalogue Page 45		They trust us		

History Values	LS4 (DG Flugzeugbau)				Wheel / Brake	
Contacts SensAIR			STC-015 1x Wheel 4.00-5" RF-020 - x Brake EA-006 1x Tire 11x4.00-5" - 1x Axle/special parts 1x Brake master cylinder MM-002.1 (Reservoirs and parking brake FP-004) 1x Pressure limiter LM-002 - Hydraulic (brake lines/fittings)			
Complete Kits	Luciole MC30 (Colomba	n)		Whe	eels / Brakes	
Landing Gear		SLU01		els 3.50-4" RF-013 - 2x bra 3 4.00-4" - 2x axles AV-LUCI-		
Wheels Brakes	G·LUCL		Braking	g controls and hydraulics : a	sk us	
Nose wheel Tailwheel	-P					
Tires	M16-22-24 (Magni)		Wheels /	Brakes	Nose wheel Option	Landing gear Option
Axles Master Cylinders Limiters Anti-skid Parking Brake Valve		M16-22 : SMG01 M24 : SMG04	2x brakes E 2x tires 4.0 2x axle + sp 1x lever + b MP-002.2 1x reservoi	0-6" becial parts brake master cylinder frein	SMG01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AXP-003.1 + AV-MAGN-003 (if internal width=123mm) or SMG02A 1x axle AXP-003.1 + AV-MAGN-002 (if internal width=143mm)	2x AV-MAGN-140 Shock Wheel SPEED'AIR fairings
Brake lines Fittings		Tundra M16-22 : SMG02 M24 : SMG05	SMG01 / SI	MG04 with 6.00-6" tires	SMG03A 1x wheel 4.00-6" RA-009 1x tire 4.00-6"	2x AV-MAGN-140 Shock Wheel SPEED'AIR fairings
Spare Parts	*				1x AV-MAGN-003/004/005	
Tools	0			CH-003 - Pressure limiter kit re 6" wheel kit : M16-22 : S		
BERINGER Technology		Note: If the Shoc must be installed	k Wheel is ir on the fron	nstalled on the main gear, th t (higher nose) and the whe	he 6" nose wheel kit SMG03A eel fairings must be cut (we deliver a	template).
They trust us		(- 2022 Catalogue Page	e 46	

MCR (Dynaero)	Wh	eels / Brakes		No	Nose wheel Option	
	SDY03 (standard LG) SDY01 (oleo LG)	2x wheels 4.00-5" RF-020 2x brakes EA-006 2x tires 11x4.00-5" 2x axle + special parts 2x brake master cylinders MP-002.1 2x reservoirs HFA01 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		SDY02A 1x wheel 3.50-4" RA-003 1x tire 3.00-4" 1x special axle + special parts or		Contacts SensAIR
				1x tire 11>		
	SDY02 (standard LG / brakes between the seats)	2x tires 11x4.00-	5"	1x tire 3.0	-	Gear Wheels Brakes
		2x axle + special parts 2x brake master cylinders MP-002.1 2x reservoirs HFA01		1x special axle + special parts or SDY01A		Nose wheel Tailwheel
		1x anti-lock regu Hydraulic (brake	lator RE-001	1x tire 11>	4.00.5" RA-015 (4.00-5" axle + special parts	Tires
	Other options : Wheel cap BCH				· · ·	Axles
	Notes : nose 4" wheel and 5" w MCR01 standard LG and 6	oleo gear have dif	ferent axles			Master Cylinders
	 Brake master cylinders ca 	in be moutend on	the pedal or close to the	ne nands		Limiters Anti-skid
Menestrel (Henri Nicollier)	Wheels / Brakes		Rudd'AIR pedal opt	tion	Tailwheel Option	Parking Brake Valve
	SMES01 2x wheels 4.00-6" R 2x brakes EA-006 2x tires 15x6.00-6"	+ axle acier inders MP-004.4		1x wheel 3	001 (GLR tailwheel) /heel 3.50-4" RA-003 /re 2.80/2.50-4"	Brake lines Fittings
FPRMK	2x axles FUS-001.1 + 2x brake master cyli 2x reservoirs HFA01				ailwheel support ever to lock/unlock	Spare Parts
	1x anti-lock regulato Hydraulic (brake line					Tools
C	Other options : Wheel cap 6" BCH	I-003 - Parking bra	ke valve kit PKG01			BERINGER Technology
		= 2022 Catalog	gue Page 47			They trust us

History Values	MTO Sport 2010-2017 (AutoGyro)		Wh	eels / Brakes	Nose wheel Opt	ion Landing Gear Option
Values Contacts SensAIR			01 2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 4.00-6" 2x axles FUS-001.1		SAG02A 1x wheel 6" RA-009 1x tire 4.00-6" 1x axle AV-AUTO-001/002/	Shock Wheel : ask us SPEED'AIR fairings
Complete Kits			+AV-AUT 1x reserve 1x limiter	bir HFA01		
Landing Gear		Other op		(brake lines/fittings) eel cap 6" BCH-003		
Wheels Brakes				·		
Nose wheel Tailwheel	Murphy (Rebel)			Wheels / Brakes		Landing Gear Option
Tires		C-F810	SMU01	2x Wheels 6.00-6" RF-009 2x Brakes EA-006 2x wheel axles FUS-010+A		AV-MAV-120 ALG kit
Axles		-		Braking controls and hydra		
Master Cylinders						
Limiters Anti-skid						
Parking Brake Valve	MXS (MX Aircraft)		SMX01	Wi 2x Wheels 5.00-5" RF-018	heels / Brakes	
Brake lines Fittings			SWINDI	2x Brakes EA-002.2 2x Tires 5.00-5" 2x wheel axles FUS-009.2		
Spare Parts				2x Brake master cylinders I 2x Réservoirs RV-001		
Tools		Ot	her option	Hydraulic (brake lines/fittir s : Wheel cap BCH-002 - Parl	••	KG01
BERINGER Technology						
They trust						

BERINGER 2022 Catalogue Page 48

Roko NG4 (Roko Airplanes)		l	Nheels / Brakes	Nose wheel Option	History Values		
	SMS01	2x tires 15x6.00-	5" RF-004 - 2x brakes EA-006 6" - 2x axles FUS-001.2 cylinders MP-003 + 2x reservoirs HFA01	Ask us	Contacts		
		1x anti-lock regu	ator RE-001 - Hydraulic (brake lines/fitting	(s)	SensAIR		
	-		BCH-002 - Parking brake valve kit PKG01 co-pilot brakes		Complete Kits		
A Real Providence of the second se					Landing Gear		
Nimbus 3/4S (Schempp Hirth)			Wheel/Brake		Wheels		
		SCH03	1x Wheel 5.00-5" RF-019 - 1x Brake EA-0 1x Axle/special parts	006	Brakes		
	954		1x Brake master cylinder MM-002 (reservoir and parking brake FP-004)		Nose wheel Tailwheel		
6-CF20			1x Pressure limiter LM-002 Hydraulic (brake lines/fittings)		Tires		
	100	Note : Kit availabl	1	Axles			
					Master Cylinders		
Nord 1200/1201/1202/1203 (Norécrin)			Wheels / Brakes	Nose wheel Option	Limiters Anti-skid		
1 400		SNR01	2x wheels 6.00-6" RF-006 2x brakes EA-003.12 - 2x tires 6.00-6"	AV-NOR-030 1x Wheel 5.00-5" RA-014	Parking Brake Valve		
AND ANY			1x tire 5.00-5" 1x axle AV-NOR-005/003	Brake lines Fittings			
			1x parking brake FP-003 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		Spare Parts		
Other options : Wheel cap BCH-004 - Parking brake valve kit PKG01							
Note : non certified kit							
Norden (Zlin Aviation) See S	avage table		2022 Catalogue Page 49		They trust us		
			2022 catalogue Tage 40				

B

Spare Parts

Tools


BERINGER Technology They trust us ...

History Values	NYNJA/SWIFT/ SKYRANGER (Flylight)		Wheels / Brakes	Nose wheel Option	Landing gear Option
Contacts	31 - W W "	SSK01	2x wheels 4.00-6" RF-004 2x brakes EA-006	SSK01A 1x wheel 4.00-6" RA-009	Shock Wheel 2x AV-SKY-320
SensAIR	- ELV		2x tires 4.00-6" 2x axles FUS-001.1 + AV-SKY-001	1x tire 4.00-6" 1x axle AV-SKY-002	B'FleX LG
Complete Kits	000		1x brake master cylinder MM-001 (reservoir + parking brake FP-004) 1x pressure limiter LM-002		2x AV-SKY-420
Landing Gear			Hydraulic (brake lines/fittings)		
Wheels Brakes		6" Bush tires	SSK01 with tires 6.00-6"	SSK01A	ldem
Nose wheel Tailwheel		22" Bush tires	SSK01 with changes : 2x wheels 6.00-6" RF-009	SSK02A (large fork) 1x wheel 6.00-6 RA-009	Idem 🧳
Tires			2x tires 22x8.50-6" 2x axles FUS-010	1x tire 6.00-6 1x axle AV-SKY-005/006 Fork extender	B
Axles		SSK04	2x wheels 3.50-4" RF-013	4" Nose wheel kit	Idem
Master Cylinders			2x brakes EA-009 2x tires 4.00-4"	1x nose wheel 3.50-4" RA-003 1x tire 4.00-4"	
Limiters Anti-skid			2x axle + special parts 1x brake master cylinder MM-01 (reservoir + parking brake FP-004)	1x special axle	
Parking Brake Valve			1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	a	
Brake lines Fittings		Other options	Wheel cap 6" BCH-003		

8" wheels for DURO 21" and 27.5" tires available Notes : If leaf gear is zicral, axles are special. Main wheel kit P/N is SSK03

=ERINGER= 2022 Catalogue Page 50

PA-18 (Piper)		Wheels / Brakes		History Values
PA-18 original LG 1.25" or 1.50"	STC-020.2 PA-18 1.25" original axle Kit 6" wheels	2x wheels 6.00-6" RF-015.1 2x brakes EA-003.8 2x adaptation parts for the LG 1.25" AV- CUB-332 2x heel brake master cylinders /levers/reservoirs AV-CUB-124	Cstc	Contacts
	STC-019.2 PA-18 1.25" original axle Kit 10" wheels	2x wheels 10" RF-024 2x brakes EA-010.1 2x adaptation parts for the LG 1.25" AV- CUB-331 2x heel brake master cylinders/levers/reservoirs AV-CUB-124	Cstc	Complete Kits Landing Gear
	STC-020.1 PA-18 1.50" original axle Kit 6" whe els	2x wheels 6.00-6" RF-016 2x brakes EA-003.2 2x adaptation parts for the LG 1.50" AV- CUB-333 2x heel brake master cylinders /levers/reservoirs AV-CUB-124	Cstc	Wheels Brakes Nose wheel Tailwheel
	STC-019.1 PA-18 1.50" original axle Kit 10" wheels	2x wheels 10" RF-024 2x brakes EA-010.1 2x adaptation parts for the LG 1.50" AV- CUB-330 2x heel brake master cylinders/levers/reservoirs AV-CUB-124	C _{STC}	Tires Axles
PA-18 BERINGER ALG LG	STC-018.3 Kit 6" wheels ALG landing gear	2x wheels 6.00-6" RF-015.2 2x brakes EA-003.2 2x kits Axles LG-K-001 2x heel brake master cylinders /levers/reservoirs AV-CUB-124 1x ALG LG	Cstc	Master Cylinders Limiters Anti-skid Parking Brake Valve
	STC-018.2 Kit 10" wheels ALG landing gear	2x wheels 10" RF-024 2x brakes EA-010.1 2x kit axle LG-K-003 2x heel brake master cylinders /levers/reservoirs AV-CUB-124 1x ALG LG	C _{STC}	Brake lines Fittings Spare Parts
				Tools BERINGER Technology



PA-28 180/181 (Piper)		Wheels / Brakes		Nose WI	neel Option	History Values
PA-28 180/181	STC-014.2	2x wheels 6.00-6" RF-0 2x brakes EA-003 2x axle/special parts		1x nose wheel 6.00-6" RA-016.1 1x axle/special parts		Contacts
	Cstc	4x brake master cylinde Hydraulic (brake lines/f				SensAIR
	CTC 014.4		000			Complete Kits
PA-28 150/151/160/161	STC-014.1	2x wheels 6.00-6" RF-0 2x brakes EA-003 2x axle/special parts		x nose wheel 5.0 x axle/special pa		Landing Gear
with wheel fairings	Cstc	4x brake master cylinde Hydraulic (brake lines/f				Wheels Brakes
	STC-014.3	2x wheels 6.00-6" RF-0 2x brakes EA-003		x nose wheel 5.0 x axle/special pa		Nose wheel Tailwheel
PA-28 150/151/160/161 Without wheel fairings	Cstc	Cstc 2x axle/special parts 4x brake master cylinder Hydraulic (brake lines/fit				Tires
	Note : the 3 kits in	clude pilot and co-pilot bi	• ·			Axles
PA-46 (Piper)	Wheels /	Brakes	Nose Wheel Op	ption Se	ens'AIR option	Master Cylinders
PA-46 310P/350P/350T ST	C-017.1 2x wheels 6 2x brakes EA	5.00-6" RF-017 A-004.2	1x wheel 5.00-5" F 1x tire 5.00-5"		S'AIR - 6" wheel	Limiters Anti-skid
× / (2x tires 6.00 2x axle/spec	cial parts		TP-005 1x Sens	s'AIR - 5" wheel	Parking Brake Valve
		ster cylinders MP-001.2 rake lines/fittings)		Сѕто		Brake lines Fittings
ST	2x brakes EA	5.00-6" RF-017 A-004.2L + EA-004.2R	1x wheel 5.00-5" F 1x tire 5.00-5"	2x Sens	s'AIR - 6" wheel	Spare Parts
PA-46 500TP	2x tires 6.00 STC 2x axle/spec	-			S'AIR - 5" wheel	Tools
	Hydraulic (b	rake lines/fittings)		Сѕтс		BERINGER
Note	: the 2 kits include pilo	ot and co-pilot brakes		(Technology They trust
		2022 Catalogue	Page 53			us

History Values	Pataplume (JC Léger)	Wheels / Brakes						
Contacts		SPA01 2x wheels 4.00-6" RF-004 with wheel caps 2x brakes EA-006 2x tires 6.00-6" 2x axles AV-PATA-001						
SensAIR	T	Brake master cylinders / reservoirs / anti-skid / hydraulic : contact us						
Complete Kits		Other options : Parking brake kit PKG01						
Landing Gear								
Wheels Brakes	Pégase (Centrair)	Wheel / Brake						
Nose wheel Tailwheel		STC-003 1x Wheel 5.00-5" RF-019 1x Brake EA-006 1x Tire 5.00-5"						
Tires		USTC 1x Axle/special parts 1x Brake master cylinder MM-001						
Axles	Central Control of Con	(parking brake FP-004 and reservoir) 1x Pressure limiter LM-003 Hydraulic (brake lines/fittings)						
Master Cylinders	and the second sec							
Limiters Anti-skid								
Parking Brake Valve	Pelican (Ultravia)	Wheels / Brakes						
Brake lines Fittings	June Rolling	SPE01 2x wheels 6.00-6" RF-009 - 2x brakes EA-006 2x axles AV-ZLIN-011+AV-PELI-001 2x brake master cylinders MP-003.2 - 2x reservoirs HFA-01						
Spare Parts	C-8 10	1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)						
Tools		Other options : Wheel cap : ask us - Parking brake valve kit FP-001 - Co-pilot brakes : COP03 Note : several types of tires available : ask us						
BERINGER Technology								
They trust us		BERINGER 2022 Catalogue Page 54						

PC-6 (Pilatus)	Whe	els/Brakes	Tailwheel	History Values
	STC-002.1 12" wheels (pilot brakes)	2x wheels 12" RF-003 2x brakes EA-001 2x special axles 2x brake master cylinders MP-001	1x wheel 5.00-4" RA-001 1x special axle	Contacts
		1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		Complete
9	STC-002.2 12" wheels + co-pilot brakes	Idem STC-002.1 and in addition : 2x brake master cylinders MP-001	1x wheel 5.00-4" RA-001 1x special axle	Landing Gear
	Сѕтс			Wheels Brakes
11 Martin	STC-002.4	2x wheels 10" RF-011 2x brakes EA-001	1x wheel 5.00-4" RA-001	Nose wheel Tailwheel
e co	10" wheels (pilot brakes)	2x brakes EA-001 2x special axles 2x brake master cylinders MP-001 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	1x special axle	Tires
P LOAL	STC			Axles
	STC-002.3	Idem STC-002.4 +	1x wheel 5.00-4" RA-001 1x special axle	Master Cylinders
		2x brake master cylinders MP-001		Limiters Anti-skid
	Сѕтс			Parking Brake Valve
A CONTRACT OF A	Note : to switch from pilot STC	C to co-pilot STC is possible		Brake lines Fittings
				Spare Parts
				Tools
				BERINGER Technology
		2 Catalogue Page 55		They trust us

History Values	Pietenpol		Wł	neels / Brakes		
Contacts SensAIR		2x AV-PIET-020 2x wheels 5.00-5" RF-019.4 /Aluminum wheel / stainless steel spokes 6" spoke wheel 2x brakes EA-006 Vintage 2x tires 3.50-19" (vintage style) For airplane < 500kg Weight : 9.12 kg (wheel+brake+tire+tube+spokes)				
Complete Kits	0~0	Options : Whe	el cap 6" BCH-003			
Landing Gear				,		
Wheels Brakes	Pioneer (Alpi Aviation)	W	neels / Brakes	Nose wheel Option	Landing gear Option	
Nose wheel Tailwheel	Pioneer P200/300 Kite	2x bra	eels 4.00-6" RF-004 kes EA-006 5 4.00-6"	SPI01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4"	Shock Wheel Ask us	
Tires		1x bra	s AV-ALPI-001/002 ke master cylinder MP-002.5 ervoir HFA01	1x axle/special parts		
Axles		1x pre	ssure limiter LM-002 lic (brake lines/fittings)			
Master Cylinders	Pioneer P300 retractable LG	SPI03 Idem S	PI01	Idem SPI01A		
Limiters Anti-skid	1 The second					
Parking Brake Valve						
Brake lines Fittings		11 1200				
Spare Parts	Pioneer P400	2x EA-	eels 5.00-5" RF-018 002 s 5.00-5"	4" Nose wheel kit 1x nose wheel 3.50-4" RA-003 1x tire 4.00-4"		
Tools		2.5 (1) C		1x axle AXP-003.1		
BERINGER Technology	U. Co	Other options :	Wheel cap 6" BCH-003 - Co	-pilot hand brake		
They trust us			2022 Catalogue Page 5	6		

Pitts		Wheels / Brakes	Rubber Tailwheel Option	History Values	
S1	SPT02	2x wheels 5.00-5" RF-019 2x brakes EA-006 2x tires 5.00-5"	AV-PIT-230 1x wheel RA-004.1 1x rubber tire 5.9" (150mm) interchangeable	Contacts	
		2x axles FUS-001.2 2x brake master cylinders MP-003.1	Spacers	SensAIR	
		2x reservoirs RV-001 Hydraulic (brake lines/fittings)		Complete Kits	
S2/ Kristen Eagle	SPS01	2x wheels 5.00-5" RF-018	AV-PIT-230	Landing Gear	
	0.001	2x brakes EA-002.2 2x tires 5.00-5" 2x axles FUS-009.2	1x wheel RA-004.1 1x rubber tire 5.9" (150mm) interchangeable	Wheels Brakes	
		2x brake master cylinders MP-003.3 2x reservoirs RV-001	Spacers	Nose wheel Tailwheel	
	1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)			Tires	
	Other option	ns : Wheel cap 5" BCH-002	Axles		
	Parking brake valve kit PKG01 Anti-lock regulator kit RE-001 for Pitts S1 (included in the kit for Pitts S2/ Kristen Eagle)				
		risten Eagle)	Limiters Anti-skid		
Quarau		Wheels / Brakes	Nose wheel Option	Parking Brake Valve	
Quercy	SQU01	2x wheels 4.00-6" RF-004	AV-QUE-030	Brake lines Fittings	
		2x brakes EA-006.2 - 2x tires 15x6.00-6" 2x axles FUS-001.2 2x brake master cylinder MP-003	1x nose wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AV-QUE-001/002/003	Spare Parts	
Freed		2x reservoir RV-004.1 1x anti-lock regulator RE-001	IN ANE AV-QUE-001/002/005	Tools	
	Other artic	Hydraulic (brake lines/fittings)		BERINGER Technology	
	Other options : Parking brake valve kit FP-003				
		ERINGER 2022 Catalogue Page 5	·	us	

History Values	Coyote S6 / S7 (Rans)		Wheels / Brakes	Nose wheel or Tailwheel Option	Landing Gear Option
Contacts	Coyote S6 recent type	SRA02	2x wheels 6.00-6" RF-009 2x brakes EA-006	AV-RANS-030 (fork= 3.87"/97.6mm) 1x wheel 4.00-6" RA-009	2x AV-RANS-320 Shock Wheel
SensAIR	DYM		2x axles FUS-008 2x brake master cylinders MP-003 2x reservoirs RV-001	1x tire 1x axle AV-RANS-002 ar (for original axle coroured)	SPEED'AIR fairings
Complete Kits			1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	or (for original axle screwed) AV-RANS-031 (fork= 6.14"/156mm) 1x wheel 4.00-6" RA-009	
Landing Gear		SRA04	Idem SRA02 except :	1x tire 1x axle AV-RANS-006/005	
Wheels Brakes		Dual Brakes	2x brakes EA-006.11	or TW-002 (GLR anti-groundloop tailwheel) 1x wheel 3.50-4" RA-003	
Nose wheel Tailwheel		SRA05 8" wheels	Idem SRA02 except : 2x wheels 7.00-8" RF-028 2x brakes EA-006 - 2x axles FUS-008	1x tire 4.00-4" 1x tailwheel support 1x lever to lock/unlock	
Tires	Coyote S6 1er type	SRA01	2x wheels 6.00-6" RF-009		
Axles			2x brakes EA-006 2x axles AV-ZLIN-011/AV-RANS-001 2x brake master cylinders MP-003		
Master Cylinders	a contraction of the second se		2x reservoirs RV-001 1x anti-lock regulator RE-001		
Limiters Anti-skid		SRA03	Hydraulic (brake lines/fittings)	{()}())	
Parking Brake Valve	0	311403	2x brakes EA-006 2x tires 5.00-5"		
Brake lines Fittings			2x axles FUS-001.2 2x brake master cylinders MP-003		
Spare Parts			2x reservoirs HFA01 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)		
Tools			ions : Wheel cap 6" BCH-002 pedal co-pilot brakes (except S7)	Note : GLR anti-groundloop tailwheel inst some modifications. A GLR type with sma	
BERINGER Technology			brake valve kit PKG01	available (tire 2.80/2.50-4").	
They trust us			BERINGER 2022 Catalogue	Page 58	

Savage Classic/Cub/Bobber/ Norden (Zlin Aviation)		Wheels / Brakes	Tailwheel Option	Landing gear Option	History Values	
Savage / Norden original Axle = Ø 0.98" (25mm)	SSA01 6" wheels	2x wheels 6.00-6" RF-009 2x brakes EA-006	TW-002 (GLR tailwheel) 1x wheel 3.50-4" RA-003	ALG kit AV-ZLIN-120	Contacts	
	For tires ≤ 29"	2x axles FUS-010.1/AV-ZLIN-301 2x brake master cylinders MP-002.1 2x reservoirs HFA01	1x tire 4.00-4" 1x tailwheel support 1x lever to lock/unlock	BOBBER : AV-ZLIN-220	SensAIR	
		1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)			Complete Kits	
	SSA02 6" wheels	Idem SSA01 except DUAL brakes : 2x DUAL brakes EA-006.10	ldem	Idem	Landing Gear	
	For tires > 29"	2X DUAL DIAKES EA-000.10			Wheels Brakes	
	SSA10 8" wheels	ldem SSA01 except 2x wheels 7.00-8" RF-028 2x brakes EA-006	Idem	Idem	Nose wheel Tailwheel	
		2x axles AV-ZLIN-301/FUS-010			Tires	
	SSA07 8" wheels DUAL	Idem SSA01 except 2x wheels 7.00-8" RF-028 2x brakes EA-006.10	Idem	Idem	Axles	
	DUAL	2x axles AV-ZLIN-301/FUS-010			Master Cylinders	
26.	S10C 10" wheels	2x wheels 8.50-10" RF-024 2x brakes EA-010.1	Idem	Idem	Limiters Anti-skid	
		2x axles FUS-014.3 2x wheel caps BCH-001			Parking Brake Valve	
	This 10" wheel kit can equipp a Savage already fitted with BERINGER brake master cylinders. Caution : you must make sure that the steel axle is T3 pattern as well as any other leaf gear.					
	Other options : Whe Parking brake valve k on the location)	el cap 6" BCH-002 xit PKG01 (to be confirmed depending	Note : The diameter of the must be check.	ote : The diameter of the original axle uust be check.		
	Rudder pedal co-pilo	t brakes COP03 .is : SD2000 (FUS-015+AV-ZLIN-020)			Tools	
More types following page					BERINGER Technology	
		BERINGER 2022 Catalogue Page 59			They trust us	

History Values	Savage Classic/Cub/Bobber/ Norden (Zlin Aviation)		Wheels / Brakes	Tailwheel Option	Landing gear Option
Contacts	Savage original Axle = Ø 0.77" (19.5mm)	SSA05 6" wheels	2x wheels 6.00-6" RF-009 2x brakes EA-006	TW-002 (GLR tailwheel) 1x wheel 3.50-4" RA-003	ALG kit AV-ZLIN-120
SensAIR		For tires ≤ 29"	2x axles AV-ZLIN-010/011 2x brake master cylinders MP-002.1	1x tire 4.00-4" 1x tailwheel support	BOBBER : AV-ZLIN-220
Complete Kits			2x reservoirs HFA01 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	1x lever to lock/unlock	
Landing Gear		SSA06	Idem SSA05 except :	Idem	Idem
Wheels Brakes		6" wheels For tires > 29"	2x DUAL brakes EA-006.10		
Nose wheel Tailwheel		SSA9 8" wheels	ldem SSA05 except : 2x wheels 7.00-8" RF-028	ldem	Idem
Tires		DUAL	2x brakes EA-006.10		
	Savage with ALG landing gear	SSA03 6" wheels	Idem SSA05 except : 2x axles FUS-010.1	ldem	Idem
Axles	and the second	For tires ≤ 29 "	2x axies F03-010.1		
Master Cylinders		SSA04	Idem SSA05 except :		100
Limiters Anti-skid		6" wheels For tires > 29"	2x DUAL brakes EA-006.10 2x axles FUS-010.1		
Parking Brake Valve		SSA08 8" wheels	Idem SSA05 except : 2x wheels 7.00-8" RF-028		
Brake lines Fittings)	For tires > 29"	2x brakes EA-006.10		
Spare Parts		Other options : Whe Parking brake valve I Budder pedal co-pilo	kit PKG01 (to be confirmed depending c	on the location)	

Tools

BERINGER Technology





Rudder pedal co-pilot brakes COP03 Axle kit for Datum skis : SD2000 (FUS-015+AV-ZLIN-020)

Note : The diameter of the original axle must be check.

2022 Catalogue Page 60

Savannah Ventura (ICP)		Wheels / Brakes	Nose wheel or Tailwheel Option	Landing gear Option	History Values	
	SSV01 Tires < 26"	2x wheels 6.00-6" RF-009 2x brakes EA-006	SSV01A (fork 210mm) or SSV02A (fork 156mm) or AV-SVNA-032 (fork 146mm)	2x AV-SVNA-320 Shock Wheel kit	Contacts	
	brakes	2x tires 15x6.00-6" 2x axles/special parts	1x wheel 4.00-6" RA-009		SensAIR	
- AND	2000	2x brake m. cylinders MP-002.3 2x reservoirs HFA01E 1x anti-lock regulator RE-001	1x tire 15x6.00-6" (large fork) or 4.00-6" (narrow fork) 1x axle special parts	AV-SVNA-120 ALG kit + AV-SVNA-130	Complete Kits	
	THIN.	Hydraulic (brake lines/fittings)	AV-SVNA-032 = Axle AV-SVNA-012/013 or TW-002 (GLR anti-groundloop tailwheel)	fuselage kit	Landing Gear	
	-		1x wheel 3.50-4" RA-003 - 1x tire 4.00-4" 1x tailwheel support 1x lever to lock/unlock		Wheels Brakes	
	SSV02 Tires < 26"	Idem SSV01 except : 1x brake m. cylinder MM-001	SSV01A (Nose wheel kit - large fork)	2x AV-SVNA-320 Shock Wheel kit	Nose wheel Tailwheel	
	Hand brake	(reservoir + park. brake FP-004) 1x pressure limiter LM-002			Tires	
	SSV03 Tires >26"	SSV01 - SSV03 DUAL brakes 2x EA-006.11	SSV01A (Nose wheel kit - large fork)		Axles	
	DUAL brake			KO I	Master Cylinders	
Ventura VLA	SSV05	2x wheels 6.00-6" RF-015.2 2x brakes EA-003.2 2x tires 6.00-6"	SSV01A (6" wheel) 1x wheel 4.00-6" RA-009 1x tire 15x6.00-6"	0	Limiters Anti-skid	
Let 1	201	2x axles AV-SVNA-006.3/007.3 2x brake m. cylinders MP-002.10	1x axle AV-SVNA-001/002 or		Parking Brake Valve	
	2x rese 1x anti-	2x reservoirs RV-001 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	AV-SVNA-430 (5" wheel) 1x wheel 5.00-5" RA-014 1x tire 5.00-5" - 1x axle AV-SVNA-401/402		Brake lines Fittings	
_		, , , , , , , , , , , , , , , , , , , ,		Verslag Dursla lavar	Spare Parts	
NEW : 8" wheels and different types of tires now available (same axle) Yankee Brake lever Other options : Yankee lever for pilot/co pilot brakes (hand brake) AV-SVNA-040 Wheel cap 6" BCH-002 or BCH-004 - Parking brake valve kit Image: Comparison of the pilot of th						
Rudder pedal co-pilot brakes Notes : the ALG can be mounted only on taildragger. Nose wheel Aircraft use Shock Wheels.						
DATUM skis can be fitted with special axles.						

History Values	Samba XXL (Urban Air)		Wheels / Brakes						
Contacts	SBA01 2x wheels 4.00-6" RF-004 - 2x brakes EA-006.4 - 2x tires 4.00-6" 2x axles FUS-001.4 - 1x brake master cylinder MM-001 (reservoir + parking brake FP-004)								
SensAIR	1x pressure limiter LM-002 - Hydraulic (brake lines/fittings)								
Complete Kits)ther optior	is : Co-pilot hand brake						
Landing Gear	Seamax M22 (Seamax)		Wheels / Brakes						
Wheels Brakes		SSEAC	2x axles FUS-005.1 + AV-SEAM-001 2x brake master cylinders MP-003.1E + 2x r						
Nose wheel Tailwheel		Othor cott	Hydraulic (brake lines/fittings)	kit DKC01E					
Tires			ons : Wheel cap 5" BCH-002 - Parking brake valve inless steel bearings	NUTROOTE					
Axles	Sherwood Ranger (TLAC)		Wheels / Brakes						
Master Cylinders		SSH01 2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1 - 2x tires 21x8.00-6" 2x axles AV-SHEW-001/002 - 1x brake master cylinder MM-001							
Limiters Anti-skid			(reservoir + parking brake FP-004) 1x pressure limiter LM-002 - Hydraulic (brake lines/fittings)						
Parking Brake Valve)ther optior	ns : Co-pilot hand brake						
Brake lines Fittings									
Spare Parts	Sila UL450 (Aero East Europe)	SLI01	Wheels / Brakes 2x wheels 4.00-6" RF-004 - 2x brakes EA-006	Nose wheel Option Nose wheel kit 6"					
Tools	D-MSPR		2x tires 15x6.00-6" - 2x axles FUS-001.1 1x brake master cylinder MP-004.3 1x reservoir RV-001 - 1x pressure limiter LM-002	1x wheel 4.00-6" RA-009 1x tire 15x6.00-6" 1x axle AV-SPOOL-001 / AV-GUN-001					
BERINGER Technology		<u></u>	Hydraulic (brake lines/fittings)						
They trust us			tions : Wheel cap 6" BCH-003						
		ER	NGER 2022 Catalogue Page 62						

Sinus/Virus (Pipistrel)	Wheels / Brake	es	Nose wheel / Taily	wheel Option	Landing gear Option	History Values
SPP01	2x brakes EA-006	1x v	1A (<u>nose wheel kit</u>) vheel 3.50-4" RA-003 - 1	x tire 4.00-4"	AV-PIP-320 Shock Wheel	Contacts
	2x tires 4.00-6" 2x axles AV-PIP-1	02 or AV	xle AXP-003.1 -PIP-631 (fork=5.12"/130		SPEED'AIR	SensAIR
10	2x brake master 002.5 2x reservoirs HFA	1x a A01 or AV	vheel 3.50-4" RA-003 - 1 xle AXP-003.1+AV-PIP-60 -PIP-930 (fork=4.45"/11	01 3mm)	fairings	Complete Kits
	1x anti-lock regu Hydraulic (brake	lines/fittings) 1x a	vheel 3.50-4" RA-003 - 1 ixle AV-PIP-901/902	x tire 4.00-4"		Landing Gear
		1x v	01 <u>Tailwheel kit</u> vheel and tire 200x50 -1			Wheels Brakes
		5" BCH-003 - Parking b	orake valve kit SPP01P - I	Rudder pedal co-pilo	t brakes	Nose wheel Tailwheel
Sirocco MJ5 (Marcel Jurka Aviat	ion) SSI01	2x wheels 6.00-6" RF	Wheels / Brakes	- 2x tires 15x6.00-6"		Tires
No.	Filper	2x axles FUS-007.22 - 1x brake master cylin	+ support to weld der MP-003 / Parking br	ake valve FP-001		Axles
		Hydraulic (brake lines	 1x anti-lock regulator F fittings) 	(E-001		Master Cylinders
						Limiters Anti-skid
Skylane (Air Lony)		Vheels / Brakes		se wheel Option	Landing gear Option	Parking Brake Valve
and the second s	Recent plane 2x br	heels 4.00-6" RF-004 rakes EA-006 - 2x tires JS001.13 (SSK05)		el 3.50-4" RA-003	AV-SKYN-120 Shock Wheel	Brake lines Fittings
the state	2x bi	axles FUS-001.1 (SSK rake master cylinders servoirs HFA01		AXP-003.1/BGE-007	SPEED'AIR fairings	Spare Parts
	1x ar	nti-lock regulator RE-0 aulic (brake lines/fitti			SKYLANE	Tools
Ot		cap 6" BCH-003 - Par er pedal co-pilot brake	king brake valve kit SPPC	01Р-Е		BERINGER Technology
				and the second se	and the second se	They trust

History Values	Skylark (Dova Aircraft)		Wheels / Bra	akes		Nose Wheel Option
Contacts SensAIR		SDO01	2x brakes EA-006.1 2x tires 15x6.00-6" 2x axles FUS001.1 + AV-A 1x brake master cylinder	TEC-001/002	1x w 1x ti 1x a	00V-030 heel 4.00-6" RA-009 re 4.00-6" de AV-DOV-003/004
Complete Kits	2		brake valve FP-004 1x limiter LM-002 Hydraulic (brake lines/fit	tings)		
Landing Gear	A A	Other op	tions : Wheel cap 6" BCH-00	03 - Co-pilot bra	akes COP04	
Wheels Brakes						
Nose wheel Tailwheel	Skyleader 150/200 (Skylea	•	Wheels / Brakes eels 4.00-5" RF-020 - 2x brak	kes EA-006	SSL01A	vheel Option
Tires	ATEM.	2x axle	s 11x4.00-5" e/special parts ke master cylinder MM-001		1x wheel 3.50-4" 1x tire 4.00-4" 1x axle AV-SKYL-0	RA-003 03/AXP-003.1/BGE-007
Axles	5 6 6	1x pre	voir + parking brake FP-004 ssure limiter LM-002 ulic (brake lines/fittings)		1	1
Master Cylinders		Other options : Wi	neel cap 5" BCH-002 - Rudde	er pedal co-pilo	t brakes	
Limiters Anti-skid		Note : SL400 : cont	act us			
Parking Brake Valve	Souris Bulle MB-04 (Avions Michel Barry)	Whe	els / Brakes	No	ose wheel Option	Landing gear Option
Brake lines Fittings		Kit 2x wheels 6. 6" wheels 2x brakes EA- 2x tires 22"		1x wheel	groundloop tailwhe 3.50-4" RA-003	ALG : ask us el)
Spare Parts	FJYYF		ter cylinder cable MM-002		eel support	
Tools			HA01 egulator RE-002E/AV-SCHE-2 ake lines/fittings)		o lock/unlock	
BERINGER Technology		Other options : Wheel ca	p 6" BCH-002 - Differential b	orake on rudder	pedal is available	
They trust us			🛫 2022 Catalogue Pag	e 64		

Sparviero (Freccia)	Wheels / E	Brakes	History Values						
SPRO01 2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 15x6.00-6" - 2x axles AV-PROM-002 2x brake master cylinders MP-002/PGT-002 - 2x reservoirs HFA-01 1x anti-lock regulator RE-001									
	Hydraulic (brake lines/fittings)		Complete						
n el tracto actividado actividad	Other options : Wheel caps : BCH-003 - Co-pilot ru	ldder brakes : COP03	Kits						
Speed Cruiser (BOT Aircraft)	Wheels / Brakes	Nose wheel Option	Landing Gear						
S	TO1 2x Wheels 4.00-6" RF-004 - 2x brakes EA-006.1 2x tires 4.00-6" - 2x axles AV-BOT-001+FUS-001.1 1x brake master cylinders MM-001/reservoirs/park	SBT01A 1x wheel 4.00-5" RA-015 sing valve 1x tire 11x4.00-5"	Wheels Brakes						
TRIPAN A	FP-004 1x limiter LM-002 - Hydraulic (brake lines/fittings)	1x axle AV-DYNA-001/006/007	Nose wheel Tailwheel						
			Tires						
Sportcruiser (Czech Sport Aircraft)	Wheels / Brakes	Nose wheel Option	Axles						
BOX 3	SSC02 2x wheels 5.00-5" RF-019 - 2x brakes EA-006 2x tires 5.00-5" - 2x axles FUS-001.2 2x brake master cylinders MP-002.3	AV-CZE-030 1x wheel 5.00-5" RA-014 1x tire 5.00-5"	Master Cylinders						
The second se	2x reservoirs HFAÓ1 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	1x axle AXP-005/AV-CZE-001/AV-CIRR-004	Limiters Anti-skid						
	Other options : Wheel cap 5" BCH-002 - Rudder pedal c	o-pilot brakes - Parking brake valve kit PKG01	Parking Brake Valve						
Sportstar (Evektor)	Wheels / Brakes	Nose wheel Option Landing gear Option	Brake lines Fittings						
	1 2x wheels 4.00-6" RF-004 - 2x brakes EA-006 Nose	e wheel kit 4" SEU01A Ask us heel 4.00-6" RA-009	Spare Parts						
		re 13X5.00-6" de special parts	Tools						
Othe	• options : Wheel cap 6" : BCH-003 - Rudder pedal co-pil	ot brakes - Parking brake valve kit PKG01	BERINGER Technology						
	DERINGER 2022 Catalogue Page 65		They trust us						
	\sim								

History Values	SQ (Backcountry)			Wheels / Brakes	
Contacts			(10") 2x brake (1.5" ori	ls 8.50-10 RF-024 s EA-010.1 ginal axles)	JAN /
SensAIR				master cylinders MP-003 voirs RV-001	
Complete Kits			2x whee Hydraul	l cap c (brake lines/fittings)	
Landing Gear		and the second second	Note : 6" wheel kit also ava	ilable. Ask us	
Wheels Brakes		and the second			
Nose wheel Tailwheel	Stowns SV4				
Tires	Stampe SV4 (Ultralight Concept)		Wheels / Brakes	Tailwheel Option	Landing Gear Option
Axles	2	STA01	2x wheels 4.00-6" RF-0004.1 2x brakes EA-006 2x tires 4.00-6"	AV-STAMP-030 1x wheel 200-500 RA-004 1x tire 200x50 (tire +tube)	AV-STAM-120 ALG landing gear
Master Cylinders			2x axle av-stamp-001/002 1x brake master cylinder MM-00	Special parts	
Limiters Anti-skid	0		(reservoir + parking brake FP-004 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)		
Parking Brake Valve	Contractor and Contractor		Other options : Wheel cap 6" I	3CH-003 - Co-pilot hand brake COP DURO tires 21" or 27.5" : contact u	204 IS
Brake lines Fittings			and the second		
Spare Parts		2	The state of the s	Jan 10	
Tools					
BERINGER Technology			- A		
They trust us		(BERINGER 2022 Catalogue	Page 66	
			-		

Sting Carbon (TL Ultralight)		Wheels / Brakes	Nose wheel Option	History Values
	SSC01	2x wheels 4.00-5" RF-020 - 2x brakes EA-006 2x tires 11x4.00-5" 2x axle/special parts 2x brake master cylinders MP-002.5 2x reservoirsHFA01 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	SCC01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle/special parts or AV-STING-032 (fork 145mm) 1x wheel 3.50-4" RA-003 1x axle AV-STING-011/012	Contacts SensAIR Complete Kits
	SSC03 or SSC04 (leaf gear=36mm)	2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 4.00-6" 2x axles/special parts or 2x FUS001.1 + spacer (leaf gear = 36mm) 2x brake master cylinders MP-002.5 2x res. HFA01 - 1x anti-lock regulator RE-001		Landing Gear Wheels Brakes
	SSC05 (leaf gear : spe- cial drilling)	Hydraulic (brake lines/fittings) 2x wheels 4.00-6" RF-004 - 2x brakes EA-006.7 e- 2x tires 4.00-6" - 2x axles FUS-001.7	AV-STING-031	Tailwheel
			1x wheel 4.00-6" RA-009 1x tire 4.00-6"	Tires
here the			1x axle AV-STING-008/009 + AV-STING-006.1	Axles
	SSC06 (leaf gear 31mm	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1	AV-STING-031 1x wheel 4.00-6" RA-009	Master Cylinders
	+ fairings)	2x axles AV-AUTO-007+FUS-001.1 2x brake master cylinders MP-002.5	1x tire 4.00-6" 1x axle AV-STING-008/009	Limiters Anti-skid
		2x reservoirs HFA01 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	+ AV-STING-006.1	Parking Brake Valve
TL 3000-Sirius	SSC07	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.7	AV-STING-031	Brake lines Fittings
		2x tires 15x6-00-6" - 2x axles FUS-001.7 2x brake master cylinders MP-002.7	1x wheel 4.00-6" RA-009 1x tire 4.00-6"	Spare Parts
TIAL		2x res. HFA01 - 1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)	1x axle AV-STING-008/009 + AV-STING-006.1	Tools
23		heel cap 5" or 6" BCH-002 - Rudder pedal co-pilot nension and drawing of the spring leaves must be		BERINGER Technology
				They trust

History Values	Storch (Fly Synthesis)		Whe	eels / Brakes		ſ	Nose wheel Option	
Contacts SensAIR Complete Kits Landing		2x brakes EA-006 1 2x tires 13x5.00-6" 1 2x axles FUS-001.5 1 1x lever+brake master cylinder MP-004.6 + MP-002.8 1 (parking brake) 1 1x reservoir RV004.1 1					AV-FLIG-031 1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AXP-003.1/BGE-007 or 6" wheel kit 1x wheel 4.00-6" RA-009 1x tire 6.00-6" 1x axle AV-FLIG-001/002/003	
Gear		Other op	tions : Wheel cap 6"	BCH-003			ell us if original brakes are	
Wheels Brakes						drum br	akes	
Nose wheel Tailwheel	Storch (Fieseler)				Wheels / Brakes			
Tires	CONTRACTOR CONTRACTOR		SSTO01 1" axle 25.4mm	2x brakes E	4.00-6" RF-004 A-006.1 S-001.1+AV-STOR-001			
Axles			Note : tires : ask us					
Master Cylinders	605							
Limiters Anti-skid								
Parking Brake Valve	Storm (Century)		Wheels / Brake	S	Nose wheel Op	otion	Landing gear Option	
Brake Valve Brake lines Fittings		STR01	2x wheels 4.00-6" R 2x brakes EA-006 2x tires 4.00-6" 2x axles FUS-001.1	F-004	STR01A 1x wheel 4.00-6" RA- 1x tire 4.00-6" 1x axle AV-SPOOL-10		Shock Wheel : ask us	
Spare Parts			1x brake master cylii 1x reservoir HFA01	nder MP-002.5	+ AV-DYNA-006/007	Ŧ		
Tools			1x pressure limiter L Hydraulic (brake line					
BERINGER Technology		Other opt	ions : Wheel cap 6" E	CH-003				
They trust us		(Catalogue Pa	ge 68			

Super Guépard (Aero Super Guépard)		Wheels / Brak	es	Nose wheel Option	Landing gear Option	History Values
SGL	2x tire	es 4.00-6"	004 - 2x brakes EA-006 US-001.1/AV-GUE-001	TL-003.1+AV-GUE-001 B'FleX landing Gear	Contacts	
	🗧 🛛 🛚 1x bra	ake master cylind	er MM-001		Shock Wheel : ask us	SensAIR
	1x pre	voir + parking bra essure limiter LM- oulic (brake lines/	-002			Complete Kits
			cap 6" BCH-003 - Co-pilo are several original LG : asl		f the correct dimensions.	Landing Gear
			_			Wheels Brakes
Superstol / Superstol XL (Just Aircra	ift)	66104	2x wheels 6.00-6" RF-01	els / Brakes		Nose wheel Tailwheel
A State of the second s	All and a second	SSJ01 6" wheels	EA-006.2 servoirs RV-001	Tires		
		1x anti-lock regulator RE-001 Hydraulic (brake lines/fittings)				Axles
		SSJ03 8" wheels				Master Cylinders
	\square	Other options : Note : Rudder p	kit PKG01	Limiters Anti-skid		
Swift S1 Glider (M&M)			Whe	el / Brake		Parking Brake Valve
		SWI02	1x Wheel 4.00-5" RF 1x Brake EA-002 1x Tire 336x115-5"	-021		Brake lines Fittings
Je concer from	1		1x Axle/special parts 1x Lever MP-004.1 a	nd brake master cy	linder MP-002.3	Spare Parts
Kee Bull	F		1x Reservoir RV-004 1x Pressure limiter L Hydraulic (brake line	M-002		Tools
- AND THE AND T	-	Hydraulic (brake lines/fittings) Note : non certified kit				BERINGER Technology
			2022 Catalogue Page	69		They trust us

History Values	Tecnam		Wheels / Brakes	Nose Wheel Option	Landing gear Option
Contacts	P2002	STP05	2x wheels 5.00-5" RF-019 2x brakes EA-006	STP02A 1x nose wheel 5.00-5" RA-014	, <u> </u>
SensAIR	-1-00		2x tires 5.00-5" - 2x axles FUS-001.5 1x brake m. cylinder MP-003 +extender	1x tire 5.00-5" 1x axle AV-TECN-005/006	
Complete Kits			1x reservoir HFA01 1x pressure limiter LM-002 Hydraulic (brake lines/fittings)		
Landing Gear	P2008	STP02	2x wheels 5.00-5" RF-019 2x brakes EA-002N	STP02A 1x nose wheel 5.00-5" RA-014 1x tire 5.00-5" - 1x axle AV-TECN-005/006	
Wheels Brakes	1.000		2x tires 5.00-5" 2x axles AV-TEC+200	or AV-TEC-231 fork = 5.06" (128.5mm) 1x wheel 4.00-6" RA-009 - 1x tire 6.00-6"	
Nose wheel Tailwheel		E-HDBZ	1x brake master cylinder MP-003 Hydraulic (brake lines/fittings)	1x axle AV-TEC-205/206 or AV-TEC-232 fork=5.41" (140mm) 1x wheel 4.00-6" RA-009 - 1x tire 4.00-6"	
Tires		and the second		1x axle AV-TEC-203/207/208	
Axles	P92	STP01 (5" school use) or	2x wheels 5.00-5" RF-019 or 2x wheels 4.00-6" RF-004 2x brakes EA-006	STP02A (5") 1x nose wheel 5.00-5" RA-014 1 tire 5.00-5" - 1x axle AV-TECN-005/006	Shock Wheel kit 2x AV-TEC-520
Master Cylinders		STP03 (6" private use)	2x tires 5.00-5" or 4.00-6" 2x axles FUS-001.5	STP03A (6") - ask us 1x wheel 4.00-6" RA-009	SPEED'AIR fairings
Limiters Anti-skid			1x reservoir HFA01 1x pressure limiter LM-002	1x tire 4.00-6" - 1x axle AV-TECN-001/002 or AV-TEC-231 fork = 5.41" (137.5mm) 1x wheel 4.00-6" RA-009	
Parking Brake Valve				1x tire 4.00-6" - 1x axle AV-TEC-601/602 or AV-TEC-630 fork = 5.41" (137.5mm)	
Brake lines Fittings	- 9	3		1x wheel 3.50-4" RA-003 1x tire 4.00-4" - 1x axle AV-TEC-610/611	C
Spare Parts	P96	STP04	2x wheels 5.00-5" RF-019 - 2x brakes EA-006 - 2x tires 5.00-5" 2x axles FUS-001.5	STP04A 1x nose wheel 5.00-5" RA-014 1x tire 5.00-5"	Shock Wheel kit 2x AV-TEC-520
Tools	ATEL CONTRACTOR		1x brake master cylinder MP-003/AV- TECN-004 + 1x reservoir HFA01	1x axle AV-TEC-201/202/203	SPEED'AIR fairings
BERINGER Technology			1x pressure limiter LM-002 Hydraulic (brake lines/fittings)	Other options : wheel cap 6"and 5" BCH-002	
They trust us			BERINGER 2022 Catalogue P	age 70	

Tetras (Humbert Aviation)		Wheels / Brakes		Tail wheel option	ı	Landing gear Option	History Values
S	TE01	2x wheels 6.00-6" RF-009 - 2x brakes E 2x tires 15x6.00-6" - 2x axles AV-HUM- 1x brake master cylinder MM-001 (rese	001	AV-HUM-030 1x wheel 3.50-4 1x axle AXP-003.12		Shock Wheel Ask us	Contacts
		parking brake FP-004) 1x pressure limiter LM-002 - Hydraulic		Tire : ask us			SensAIR
	TE03	lines/fittings) Idem STE01 except :		Idem	A	 Idem	Complete Kits
-	ew LG	2x brakes EA-006.1 2x axles AV-HUM-007/009		and and			Landing Gear
Not	t es : For	ons : Wheel cap 6" BCH-002 - Co-pilot h Datum skis installation, order the whee Or DURO 21" and 27.5" tires also availal	l/brake	kit STE02 with special as	des.	1	Wheels Brakes
	wheels i			us			Nose wheel Tailwheel
Texan (Fly Synthesis)	_	Wheels / B SFS02 2x wheels 4.00-6" RF-004				lose wheel Option XA-030	Tires
		Fixed LG 2x tires 13x5.00-6" - 2x ax 1x lever +brake master cyl 1x reservoir RV-004.1 - 1x	001.5 1x wheel 4.0 1P-004.6 + MP-002.8 1x tire 11x4		heel 4.00-5" RA-015 re 11x4.00-5"	Axles	
630		Hydraulic (brake lines/fitti	+BGE-042.2			Master Cylinders	
		Other options : Wheel cap 6" BCH-003			Limiters Anti-skid		
Topaz/Junior (EKOLOT)		Wheels / Brakes	Ν	lose wheel Option	La	nding gear Option	Parking Brake Valve
	SEK01	2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 4.00-6"	1x whe	K02A (narrow fork) wheel 4.00-6" RA-009 tire 4.00-6"	Shock Wheel AV-EKOL-120 (If already equipped BERINGER wheels, a must be changed)		Brake lines Fittings
3.2		2x axles AV-EKOL-001/002 1x brake master cylinder MM-001 (reservoir + parking brake FP-004)	or SEK	e AV-EKOL-003 01A (large fork) eel 4.00-6" RA-009		be changed)	Spare Parts
the second second		1x pressure limiter LM-001 Hydraulic (brake lines/fittings)		4.00-6" AV-EKOL-009	SPEE	D'AIR fairings	Tools
A CONTRACTOR OF A CONTRACTOR O	Other	options : Wheel cap 6" : BCH-003 Co-pilot brake kit					BERINGER Technology
							They trust us

History Values	Trail/G70 (Nando Groppo)		Wheels / Brakes	5 <u> </u>	Tailwheel Option	Landing gear Option
Contacts		6" wheels 2x bral 2x axle 2x bral	els 6.00-6" RF-00 xes EA-006 - 2x tire s FUS-010.5 xe master cylinders ervoirs HFA01	es 15x6.00-6" s MP-003.2	TW-001 (GLR tailwheel) 1x wheel 3.50-4" RA-003 1x tire 2.80/2.50-4" 1x tailwheel support 1x lever to lock/unlock	Shock Wheel 2x AV-GROP-220 ALG landing gear: AV-GROP-120 + fuselage kit
Complete Kits		1x anti	-lock regulator RE- llic (brake lines/fit	001		AV-GROP-130
Landing Gear		8" wheels 2x whe	NG01 except : els 6.00-6" RF-02 tires 21" or 27.5" (
Wheels Brakes		Notes : Bigger ma	in wheel tires are		03) - Parking brake valve kit e, the GLR tailwheel kit must	
Nose wheel Tailwheel		TW-002 (4.00-4" Leaf gear		and some adaptation	must be done. Ask us.	
Tires	Twin Otter DHC-6 (Viking A	ir)			Wheel Option	
Axles			STC-008	Nose wheel kit 1x wheel 8.9x12.5 1x axle AV-DEH-00		
Master Cylinders	0 50				,,	
Limiters Anti-skid	Vampire Century (Flying N	lachine)	Wheel	s / Brakes	Nose w	vheel Option
Parking Brake Valve Brake lines		SVA	2x brakes EA 2x tires 4.00 2x axles AV-F	-6" -001.4+AV-SPOOL		4-009 01/AV-DYNA-006/007
Fittings Spare Parts	DUFUL MARCE		(parking bral 1x pressure l	ster cylinder MM-001 ke FP-004 and reserve imiter LM-002 rake lines/fittings)		
Tools	A A A A A A A A A A A A A A A A A A A	• V	options : Vheel cap 6" BCH- o-pilot brake kit	, , ,	Note : drilling of the validated	e spring leaf must be
Technology			arking brake valve	kit PKG01		
They trust us				Catalogue Page 72	2	

Van's	Brake cont	rols - Wheels / Brakes	Nose wheel / Tailwheel Option	History Values
RV3	SRVCO03 5" Wheel /brake complet kit	2x wheels 5.00-5" RF-022 2x brakes EA-002	AV-VANS-030 1x tailwheel RA-004.1	Contacts
- DE		2x tires 11x4.00-5" 2x brake master cylinders frein MP-002.6	1x rubber tire 5.9" (150mm) 1x spacer set	SensAIR
and the second s		2x axles AV-VANS-002/005/003 Hydraulic (brake lines/fittings)		Complete Kits
RV4/6/7/8/9/10/12/14	Notes : for a complete installati	on (with rudder pedal brakes), you must or	rder a fuselage kit + a finish kit	Landing Gear
(including A types)		elage kit are described underneath.		Wheels Brakes
	SRVFU01 Fuselage kit	2x brake master cylinders MP-002.5 Hydraulic (brake lines/fittings)		Nose wheel Tailwheel
	SRVFU02 Fuselage kit + co-pilot brakes	4x brake master cylinders MP-002.5 Hydraulic (brake lines/fittings)		Tires
	SRVFU03 Fuselage kit + parking brake	2x brake master cylinders MP-002.5 1x parking brake SRVFU07	MICA	Axles
		Hydraulic (brake lines/fittings)		Master Cylinders
	SRVFU04 Fuselage kit + co-pilot brakes + parking brake	4x brake master cylinders MP-002.5 1x parking brake SRVFU07 Hydraulic (brake lines/fittings)		Limiters Anti-skid
RV4/6-6A/7-7A/8-8A/9-9A	SRVFI02 Wheel/brake finish kit	2x wheels 5.00-5" RF-022 2x brakes EA-002	SRV02A (nose wheel kit) 1x nose wheel 4.00-5" RA-015	Parking Brake Valve
	wheely brake mish kit	2x tires 5.00-5" 2x axles AV-VANS-002/003/005	1 tire 11x4.00-5" 1x axle AV-VANS-006	Brake lines Fittings
		Hydraulic (brake lines/fittings)	AV-VANS-030 (Rubber tai-	Spare Parts
			lwheel kit) 1x wheel RA-004.1 1x rubber tire 5.91" (150mm)	Tools
More types following page			(Tire is interchangeable) 1x spacer set	BERINGER Technology
		2022 Catalogue Page 73		They trust us

History Values	Van's	Brake co	ntrols - Wheels / Brakes	Nose wheel Option
Contacts	RV8 Grove LG	SRVFI03 5" Wheel/brake finish kit	2x wheels 5.00-5" RF-018 2x brakes EA-002 2x tires 5.00-5"	SRV02A 1x nose wheel 4.00-5" RA-015 1 tire 11x4.00-5"
SensAIR	A STRAN		2x axles FUS-009.2 Hydraulic (brake lines/fittings)	1x axle AV-VANS-006
Complete Kits		SRVFUI9	2x wheels 6.00-6" RF-006	ldem
Landing Gear		6" Wheel/brake finish kit	2x brakes EA-003 2x tires 6.00-6" 2x axles AV-VANS-402	
Wheels Brakes)	SRVFI05	Hydraulic (brake lines/fittings) 2x wheels 6.00-6" RF-016	SRVFI01
Nose wheel Tailwheel		Wheel/brake finish kit	2x brakes EA-003.3 2x tires 15X6.00-6" 2x axles AV-VANS-011/012/014/016L+R	1x nose wheel 5.00-5" RA-015 1 tire 5.00-5" 1x axle AV-VANS-010/004
Tires			Hydraulic (brake lines/fittings)	
Axles	RV14	RV14A SRVFI04	2x wheels 5.00-5" RF-018	SRVFI01
Master Cylinders		RV14 SRVFI06 5"Wheel/brake finish kit	2x brakes EA-002.2 - 2x tires 5.00-5" 2x axles AV-VANS-200 + special parts Hydraulic (brake lines/fittings)	1x nose wheel 5.00-5" RA-015 1 tire 5.00-5" 1x axle AV-VANS-010/004
Limiters Anti-skid		RV14A SRVFI07	2x wheels 6.00-6" RF-006	RV15 kit will be soon available, stay
Parking Brake Valve		RV14 SRVFI08 6"Wheel/brake finish kit	2x brakes EA-003 - 2x tires 6.00-6" 2x axles AV-VANS-201 Hydraulic (brake lines/fittings)	tuned
Brake lines Fittings) Other options :			
Spare Parts	RV4/6/7/8/9/10/12/14 (including A types)	SRVFU06 Anti-lock regulator kit	1x anti-lock regulator RE-001 1x spacer AV-VANS-006 Hydraulic (brake lines/fittings)	Contraction of the second seco
Tools]	SRVFU07	1x parking brake FR-001	
BERINGER Technology	All types when finish kit does not mention it	Parking brake valve kit	Hydraulic (brake lines/fittings)	<u> </u>
They trust us)		2022 Catalogue Page 74	

VariEze (Rutan)		Wheels / Brakes	Nose wheel Option	History Values			
	2x tires 11x	4.00-5" RF-021 - 2x brakes EA-002 4.00-5" - 2x axles FUS-005.1 aster cylinders MP-002.5 - 2x reservoirs RV-00	Ask us	Contacts			
	1x anti-lock regulator RE-001N - Hydraulic (brake lines/fittings)						
Contraction of the second seco	Other options : Wheel	Wheel cap BCH-002 - Rudder pedal co-pilot brakes - Parking brake valve kit PKG01					
				Landing Gear			
Velocity		Nose wheel		Wheels Brakes			
Velocity		-020 Fork width = 4.2" (106.68mm) el 4.00-5" RA-015 - 1x tire 11x4.00-5" - 1x axle	e AXP-007.2	Nose wheel Tailwheel			
Velocity XL		Fork width = 5.77" (146.5mm) el 5.00-5" RA-014 - 1x tire 5.00-5" - 1x axle AV		Tires			
		1x wheel 5.00-5" KA-014 - 1x tire 5.00-5" - 1x axie AV-CIKK-003+AV-CIKK-004					
				Master Cylinders			
Ventus (Schempp Hirth)		Wheel / Brake		Limiters Anti-skid			
Ventus 2A	STC-007	Wheel 4.00-5" RF-020 - Brake EA-006 - Tir Special parts for wheel axle	e 11X4.00-5"	Parking Brake Valve			
	Сѕтс	Brake master cylinder cable actuated MM Hydraulic (brake lines/fittings)	-002 + reservoir	Brake lines Fittings			
Ventus 2C	SCH01	Wheel 4.00-5" RF-020 - Brake EA-006 - Tir Special parts for wheel axle		Spare Parts			
- Martin		Brake master cylinder cable actuated MM Hydraulic (brake lines/fittings) Note : that kit is available only from Schen		Tools			
		· ·	· · ·	BERINGER Technology			
				They trust			

us ...

History Values	VL3 (JMB Aircraft)		Wheels / Brakes	Nose wheel Option	Landing gear Option
Contacts SensAIR Complete Kits		SVK01	2x wheels 4.00-6" RF-004 2x brakes EA-006 2x tires 4.00-6" 2x axles FUS-001.3 2x brake master cylinders MP-002.1 2x reservoirs HFA01 1x anti-lock regulator RE-001	SVK01A 1x wheel 3.50-4" RA-003 1x tire 4.00-4" 1x axle AV-VL3-001/003 2x AV-VL3-004	SPEED'AIR fairings
Landing			Hydraulic (brake lines/fittings)		
Gear		Other op	tions : Co-pilot brake kit - Parking brak	ke valve kit PKG01	
Wheels Brakes	Wild Thing (Ulbi)		Wheels / Brakes	Tailwheel Opti	on Landing gear Option
Nose wheel Tailwheel			2x wheels 6.00-6" RF-009 2x brakes EA-006 - 2x tires 15x6.00-6"	TW-002 (roulette G 1x wheel 3.50-4" R	
Tires			2x axles AV-ERF-001 + AV-ZLIN-011 1x brake master cylinder MM-001 (parking brake FP-004 and reservoir)	1x tire 4.00-4" 1x tailwheel support 1x lever to lock/unl	
Axles	1000		1x pressure limiter LM-002 Hydraulic (brake lines/fittings)		OCK
Master Cylinders	And Annal Andrews Andrews Annaly		tions : Wheel cap 6" BCH-002 - Rudder ner tires are available. Ask us	pedal co-pilot brakes	
Limiters Anti-skid		Note . Oti	ier thes are available. Ask us		
Parking Brake Valve	Zlin Z50 LX (Zlin Aircraft)		Wheels / Brakes		Tailwheel Option
Brake lines Fittings Spare		SZLO	2x tires 380*150x5" - 2x axles FUS 2x brake master cylinders MP-003 2x reservoirs RV-001N	S-009.1	Ask us
Parts	and and a		Hydraulic (brake lines/fittings)		
Tools	•	Other	options : Rudder pedal co-pilot brakes Parking brake valve kit PKG01		
BERINGER Technology	6	Note :	Anti-lock regulator RE-001 non certified kit		
They trust us		$\left(\right)$	ERNGER 2022 Catalogue Page	76	

Zenair		Wheels / Brakes	Nose Wheel Option	Landing gear Option	History Values
CH650E	SZH06	2x wheels 6.00-6" RF-009 -2x brakes EA-006 2x tires 15x6.00-6" - 2x axle/special parts 1x brake master cylinder MM-001+Res+PKG FP-004 1x pressure limiter LM-002-Hydraulic	SZH06A 1x wheel 6.00-6" RA-009 1x tire 4.00-6" 1x axle AV-SVNA-001/002	Shock Wheel kit 2x AV-ZENI-620	Contacts
Amilist		· · · · ·	·		SensAIR
CH601	SZH05 or SZH08	2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires 15x6.00-6" - 2x axle/special parts 1x brake master cylinder MM-001+Res+PKG FP-004	Ask us	Ask us	Complete Kits
		1x pressure limiter LM-002-Hydraulic			Landing Gear
CH601 Spring leaf	SZH10	2x wheels 4.00-6" RF-004 - 2x brakes EA-006 2x tires (ask us) 2x axles AV-ZENI-504+FUS-001.1	AV-ZENI-031 1x wheel 6.00-6" RA-009 1x tire 15X6.00-6"		Wheels Brakes
		Brake controls : ask us	1x axle / set of parts		Nose wheel Tailwheel
CH601 HD Mains = fork width 6.77" (172mm)	SZH09	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1 2x tires 15x6.00-6" 2x axles AV-ZENI-004/5/6/7+AV-SCHE-001	AV-ZENI-031 Fork internal width = 6.77" (172mm) 1x wheel 4.00-6" RA-009		Tires
		1x brake master cylinder MM-001+Res+PKG FP-004 1x pressure limiter LM-002 - Hydraulic	1x tire 15x6.00-6" 1x axle/parts		Axles
CH601 XL	SZH05	2x wheels 4.00-6" RF-004 -2x brakes EA-006 2x tires 15x6.00-6"	SZH06A Fork internal width = 8.27" (210mm)	Ask us	Master Cylinders
		2x axles AV-ZENI-002/3+AV-SCHE-001 2x brake master cylinders MP-002.5 2x reservoirs HFA01	1x wheel 4.00-6" RA-009 1x tire 15x6.00-6"		Limiters Anti-skid
		1x anti-lock regulator RE-001 - Hydraulic	1x axle AV-SVNA-001/002		Parking Brake Valve
CH750/701	SZH07	2x wheels 4.00-6" RF-004 - 2x brakes EA-006.1 2x tires 4.00-6"	SZH07A 1x wheel 6.00-6" RA-010	Ask us	Brake lines Fittings
		2x axles AV-FUS-001.1+AV-ZENI-401 1x brake master cylinder MM-001+Res+PKG FP-004 1x pressure limiter LM-002 - Hydraulic	1x tire 6.00-6" 1x axle AV-ZENI-201/202		Spare Parts
(Change and the second		pptions : Wheel cap 6" BCH-002 or BCH-003 H601 : Co-pilot hand brake	Notes : Ask us upfront to c the original leaf gear and t		Tools
	C	H601 XL : Rudder pedal co-pilot brakes H601 XL : Parking brake valve kit PKG01	Bush tire are available on t	BERINGER Technology	
L'AN		BERINGER 2022 Catalogue Pa	ge 77		They trust us

History Values Contacts SensAIR Complete Kits Landing Gear Wheels Brakes Nose wheel Tailwheel

Alaskan Landing Gear ™ / Rough terrain ... Are-you ready?

Designed to improve the safety of STOL airplanes during delicate landings off airport and on unpaved runways, the oleo pneumatic BERINGER landing gear absorbs gravels, rocks, trees (tested !) and holes...

Bench tests have demonstrated that the ALG divides by three the amount of stress on the airframe !

ALG

The ALG replaces the original landing gear in place and includes :

- 2 energy-dissipating oleo-pneumatic dampers, anti rebound and anti roll
- 2 traction legs with articulated fork and axle

• 2 stiffening legs

Technical data :

- 30 cm / 12" of travel
- Light and high strength aluminum (2024)
- Solid design for off-airport use (tested at 3G)

Combined with the light BERINGER wheels and a powerful and progressive BERINGER brake, as well as the Ground Loop Resistant tailwheel, the Alaskan Landing Gear can be considered as the ULTIMATE SOLUTION for Bushplanes.



Axles Master

Tires

Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...



Remarks:

The ALG landing gear is available for many airplanes and ultralight aircraft. Please report to the pages describing the kits (alphabetic list). If you do not find your airplane, please contact us. The cabane is not included in the ALG kit.





2022 Catalogue Page 78

Landing Gear ALG / Shock Wheel / B'FleX / SPEED'Air fairings



ALG P/N	Airplane/Ultralight Aircraft
AV-CUB-020	Cubcrafters Carbon Cub
AV-JUST-120	Just Aircraft Highlander
AV-SAF-120	Kitplanes for Africa Safari/BRM XL8
AV-SVNA-120	Savannah Taildragger
AV-GROP-120	Trail Nando Groppo
AV-MAV-120	Maverick
AV-ZLIN-120	Zlin Savage
STC-018/019/020	Piper PA-18 SuperCub







→ Youtube BERINGER AERO technical support

















The patented ALG landing gear had to go through several tests for the certification process (FAA-EASA)

Nose wheel Tailwheel

Wheels Brakes

History Values


Contacts

SensAIR Complete Kits Landing Gear



 \rightarrow Drop test video





Master Cylinders Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology



Landing Gear ALG / Shock Wheel / B'FleX / SPEED'Air fairings



The Shock Wheel preserves your aircraft

→Off-airport :

• Landing off-airport on unpaved surfaces (rocks, holes, ...)





History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

→Flight school :

 \rightarrow Glider towing :

Frequent landingsUnpaved runways

- Hard landings
- Frequent landings
- Allows more freedom to the student





Master Cylinders Limiters

Anti-skid Parking Brake Valve

Brake Valve

Brake lines Fittings

Spare Parts

Tools


BERINGER Technology

They trust us ...





→ Youtube BERINGER AERO technical support



Landing Gear ALG / Shock Wheel / B'FleX / SPEED'Air fairings

History Values
Contacts
SensAIR
Complete Kits
Landing Gear
Wheels Brakes
Nose wheel Tailwheel
Tires
Tires Axles
Axles Master
Axles Master Cylinders Limiters
Axles Master Cylinders Limiters Anti-skid Parking

.

B'FleX LG : preserve your Aircraft

Designed for Aircraft with leaf LG, B'FleX will absorbe shocks on rough terrains. B'FleX is made of three elements : one Zicral leg for central absorption and two fixing and connecting pieces (axle and cabin).

It is twice as strong as steel LG and much lighter.

- + Evolving profile : B'FleX gear has a specific profile (width-thickness) allowing an excellent stress distribution all along the landing gear
- + No more parasisitic movements : from front to back of the LG leg at braking
- + Absorption is better as well as airframe preservation

Technical datas :

- Tested at 1 350 lbs (600 kg) and 3G without permanent deformation
- Made of aluminum and Zicral, CNC machined from aluminum billet
- Weighs only 6.8 Lbs (3.1kg) per side





B²**F**_{LE}×

Remarks :

Page 82

Available for LSA, Ultralight / experimental Aircraft, kits ... with tricycle or taildraggers configuration and with max takeoff weight of 1,350 Lbs (600kg).

Please refer to the Kit pages (sorted alphabetically).

If your aircraft is not listed, please contact us.

	Steel Gear	Aluminium Gear	Composite Gear	B'FleX BERINGER
Weight	Ø	QQ	(C) (C)	QQQQQ
Resistance	88	QQQ	88	<u> </u>
Flexibility	<u> </u>	SS	88 8	<u> </u>
Look	88	©©	- SSS - SSSS - SSSS - SSS - SSS - SSS - SSS - SSS - SSS - SSS - SSS - SSS - SS	SSSS

They trust us ...

Tools BERINGER Technology



SPEED'Air fairings

Available for original LG (5.00-5"/4.00-6" tires)

SPEED'Air fairings offer excellent aerodynamic performance with increased speed, less mass and compatibility with our Beringer Shock Wheel.

Internal structural reinforcements accommodate the mounting brackets (supplied) for excellent resistance in flight, on the ground ... and over time.

- + **Elegant and aerodynamic**
- **Rigid and strong**
- Shock Wheel compatible +

Technical datas :

- Carbon/epoxy or glass fiber/polyester available
- Carbon : 1.3 lbs (540 grams) each Polyester : 2 lbs (940 grams) each
- Overall dimension : 31.5"x12.6"x7" (80x32x18 cm)
- Both models can be painted with the colors of your choice! (RAL on request)







Remarks :

Available for LSA, Ultralight Aircraft, Gyrocopter, experimental, kits ... with tricycle or taildragger configuration. Please refer to the Kit pages (sorted alphabetically). If your aircraft is not listed, please contact us.

Master

History Values

Contacts

SensAIR

Complete

Landing Gear

Wheels Brakes

Nose wheel

Tailwheel

Tires

Axles

Kits

Anti-skid

Parking Brake Valve


Brake lines Fittings

Tools

BERINGER Technology

They trust us ...






Page 83

Cylinders

Limiters

Spare Parts



They trust us ...

Wheels with brakes - 4" 5" 6" 8" 10" 12" Diameter

6.00-5" wheel 5" . • 1 Lb <--> 0.45 kg 1 kg <--> 2,2 Lbs Notes : C_{STC} C_{STC} \rightarrow Youtube BERINGER AERO technical support How to remove a tubeless tire \rightarrow → How to mount a tubeless tire How to change the wheel clips \rightarrow 2022 Catalogue

General technical data :

- Wheel in 2 halves
- Made of high strength aluminum, machined from billet
- Sulfuric anodizing
- Tubeless for safety (O-ring and rigid valve)
- Waterproof bearings \rightarrow no repack (stainless steel available in option)
- Patented brake calipers, Aeroteco with stainless steel pistons
- Sintered metallic brake pads, bounded on a backplate (not riveted)
- Floating disc
- Steel or aluminum axles (see Axle tab)
- Tubeless tires (see Tire tab)
- Stainless steel bearings optional

Depending on the aircraft specifications (weight, landing speed, engine horse power, tire diameter, ...) and its use, you can refer to the following pages for the wheel and brake choice.

Contact us and we will help you.

- Finish : the red anodizing is the standard color for all parts. Other colors are available for the wheels, with an addition charge and leadtime. The brake calipers always remain red. ATTENTION colors may vary from one wheel to another.
- Wheel cap optional

Page 84

The first types of 5" and 6"wheels were made of 3 flanges instead of two with 3 O'ring seals instead of 2 (2 between the flanges and 1 for the valve).



4" Whee RF-013	For lig Single Ultrali Tires a Alumi	ght Airo e brake ight sta availab inum a	: 4" wheel/bra craft up to 110 caliper with a ainless steel d ole : see tire p axle : see axle g dimensions a	.02 Lb (500kg Aerotec® pat disc pages pages	g) MTOW tent : stainles	s steel piston	- sintered pads				Contacts SensAIR Complete Kits
Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)	Landing Gear Wheels
RF-013.1	3.50-4"	4"	ø25-ø15	528 (230)	1848 (838)	1.48 (0.672)	EA-009.1 (DSC-013)	1400	105000	1.17 (0.530)	Brakes
RF-013	3.50-4"	4"	ø20-ø15	528 (230)	1848 (838)	1.54 (0.697)	EA-009 (DSC-013)	1400	105000	1.17 (0.530)	Nose wheel
<mark>heel / Bra</mark> 5" Whee Standard	akes 5" di I For LS J Width	5A, exp ns avail	perimental an lable : 4.00 an	nd 5.00	·ent · stainles	s steel niston -	- cintered nads	(6) (Tailwheel Tires Axles Master
5" Whee	akes 5" di I For LS Width Single Stainle Tires a Alumin	5A, exp Ins avail Ins brake Ins ste Ins ste Inum o	perimental an lable : 4.00 an	nd 5.00 Aerotec® pat sc bages see axle page		s steel piston -	- sintered pads				Tires Axles Master Cylinders Limiters Anti-skid Parking
5" Whee	akes 5" di I For LS Width Single Stainle Tires a Alumin	5A, exp Ins avail Ins brake Ins ste Ins ste Inum o	berimental an lable : 4.00 an caliper with A tel floating dis ble : see tire pa or steel axle : s	nd 5.00 Aerotec® pat sc pages see axle page 002 Static load	es Limit load	Wheel weight	- sintered pads Caliper (Disc) P/N	Braking torque	Max RTO energy	Brake weight Lbs (Kg)	Tires Axles Master Cylinders Limiters Anti-skid
5" Whee Standard Wheel P/N	akes 5" di For LS Width Single Stainle Tires a Alumi Optior Dimen-	5A, exp ns avail brake ess ste availab num o n : whe	berimental an lable : 4.00 an caliper with A rel floating dis ble : see tire pa or steel axle : s eel cap BCH-0 Bearings	nd 5.00 Aerotec® pat sc pages see axle page 002	es	Wheel	Caliper (Disc)			Brake weight Lbs (Kg)	Tires Axles Axles Limiters Anti-skid Parking Brake Valve Brake lines Fittings Spare
5" Whee Standard Wheel	akes 5" di For LS Width Single Stainle Tires a Alumi Optior Dimen-	5A, exp ns avail brake ess ste availab num o n : whe	berimental an lable : 4.00 an caliper with A rel floating dis ble : see tire pa or steel axle : s eel cap BCH-0 Bearings	nd 5.00 Aerotec® pat sc pages see axle page 002 Static load	es Limit load	Wheel weight	Caliper (Disc)	torque	energy		Tires Axles Master Cylinders Limiters Anti-skid Parking Brake Valve Brake lines Fittings

History Values	5" Who HL			eater Aircra ailable : 4.0		up to high la	nding speed Air	rcaft Lancaiı	r, Glasair, <i>I</i>	Aerobatic ty	pe	
Contacts		Diff	• Si	ngle HE 2 pi	iston caliper	ig on the requ or Dual 4 pist	uired energy on caliper Aerot	ec® patent ,	/ cooling f	ins		
SensAIR		Tire	• S		strength float		eel axle : see axl					
Complete Kits				wheel cap B								
Landing Gear	Wheel P/N	Dimen sion	ø	Bearing (Axle)	s Static loa Lbs (Kg			Caliper (P/N	Disc)	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)
Wheels Brakes	RF-018	5.00-5	" 5"	420 421	- 1510/00	2) (220 (200)	2) 2 27 (1 405)	EA-002 (D	SC-008)	4500	210000	2.34 (1.060)
	C _{STC}	5.00-5	5	ø30-ø2	5 1518 (68	3) 6820 (3093	3) 3.27 (1.485)	EA-002.2 (D	SC-008.2)	4500	361000	2.89 (1.310)
Nose wheel Tailwheel	RF-022	5.00-5	-	P P	5 1518 (68	3) 6820 (3093	3) 3.27 (1.485)	EA-002 (D	SC-008)	4500	210000	2.34 (1.060)
Tires	RF-021	4.00-5	" 5"	ø30-ø2	5 1518 (68	3) 6820 (3093	3) 3.27 (1.485)	EA-002 (D	SC-008)	4500	210000	2.34 (1.060)
Axles Master Cylinders Limiters Anti-skid		5" SL Wh spoke wi		rake Dime Single Stain	nsions 5.00-5 e brake calipe ess steel floa	r - Aerotec® ting disc - Sin	wheel - stainles patent : stainles	ss steel spok s steel pisto	æs n			
Parking Brake Valve		B								P	- And	SI.
Brake lines Fittings											KIVI.	
Spare	[1			in the second se	
Parts				B	Static load	Limit load	Caliper (Disc)	Braking	Max RTO		Complete s	-+
Parts Tools	Wheel P/N	Dimen- sion	Ø	Bearings (Axle)	Lbs (Kg)	Lbs (Kg)	P/N	torque InchLbs	energy ft-Lbs	(wheel	/brake/spoke Weight lbs (s/tire/tube)
Parts			Ø 5"		Lbs (Kg)	Lbs (Kg)	EA-006 (DSC-006)	InchLbs	energy ft-Lbs 140000	(whee	/brake/spoke	s/tire/tube) Kg)


SL	Width Whee Whee	hs avai el RF-0 el RF-0	09 : Dual calij 14 6.00-6 SL :	nd 6.00 - Ult per EA-006.2 : bigger bear	2 for tires >29 ring in the bra	ess steel foati " (higher bral ake wheel flar I axle : see axl	king torque). nge		Austr		Contacts SensAIR
	Optio	n : wh	eel cap BCH-	002 (6.00-6") or BCH-003	(4.00-6")	μαβεσ		S		Complete Kits
										A CO	Landing Gear
Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)	Wheels Brakes
RF-004	4.00-6"	6"	ø30-ø25	968 (439)	3388 (1536)	3.14 (1.426)	EA-006 (DSC-006)	2450	140000	1.50 (0.682)	Nose whe
25.000	6.00-6"	6"		068 (420)	, , ,		EA-006 (DSC-006)	2450	140000	1.50 (0.682)	Tailwheel
RF-009	6.00-6	Ъ	ø30-ø25	968 (439)	3388 (1536)	3.48 (1.580)	EA-006.2 (DSC-006) Dual	4900	140000	3.48 (1.58)	Times
RF-014	6.00-6"	6"	ø40-ø25	968 (439)	3388 (1536)	3.45 (1.563)	EA-006 (DSC-006) EA-006.2 (DSC-006) Dual	2450 4900	140000 140000	1.50 (0.682) 3.45 (1.56)	Tires
											Axles
6" Whe LE	Brak Floa	e calip ting di		- Aerotec® p	atent / coolin	g fins	6			ì	Master Cylinders
	Brak Floa Tires	ke calip ting di s availa	er : 2 piston ·	- Aerotec [®] pages	atent / coolin	ig fins					Master Cylinders Limiters Anti-skid Parking Brake Valu
	Brak Floa Tires	ke calip ting di s availa ion : w	er : 2 piston - sc able : see tire	- Aerotec [®] pages	-	wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)	Master Cylinders Limiters Anti-skid Parking Brake Valu Brake line Fittings
LE Wheel P/N RF-015.1	Brak Floa Tires Opti	e calip ting di s availa ion : w	er : 2 piston - sc able : see tire heel cap BCH Bearings (Axle)	- Aerotec® pages - 006 Static load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	D/N	torque	energy		Master Cylinders Limiters Anti-skid Parking Brake Valv Brake line
LE Wheel P/N	Brak Floa Tiree Opti Dimen- sion	e calip ting di s availa ion : w	er : 2 piston - sc able : see tire heel cap BCH Bearings	- Aerotec® pages - Pages -006 Static load	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	P/N	torque InchLbs	energy ft-Lbs	Lbs (Kg)	Master Cylinders Limiters Anti-skid Parking Brake Valu Brake line Fittings Spare
LE Wheel P/N RF-015.1 CSTC	Brak Floa Tires Opti	<pre>ce calip ting di s availa ion : w - Ø " 6"</pre>	er : 2 piston - sc able : see tire heel cap BCH Bearings (Axle)	- Aerotec® pages - 006 Static load Lbs (Kg)	Limit load Lbs (Kg) 5005 (2270)	Wheel weight Lbs (Kg) 4.37 (1.980)	P/N EA-003.2 (DSC-014)	torque InchLbs 5130	energy ft-Lbs 250000	Lbs (Kg) 2.47 (1.120)	Master Cylinders Limiters Anti-skid Parking Brake Valu Brake line Fittings Spare Parts

	Wheels /	Brakes									
History Values	6" Whe HE		erent	aft between 1 types of brake	es dependir	ng on the re	quired ener	gy		30	
Contacts			• S	ingle HE 2 pis intered pads everal high st	•		ston callper	Aerotec [®] patent / cooling fins			1
SensAIR	Tires available : see tire pages - Aluminum axle : see axle pages Option : wheel cap BCH-004										
Complete Kits	Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static Ioad Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)
Landing Gear							,	EA-003 (DSC-009)	4900	355000	3.31 (1.500)
								EA-003.3 (DSC-009.3)	4900	500000	4.22 (1.914)
Wheels Brakes								EA-003.4 (DSC-009.3) Dual	9800	510000	6.11 (2.770)
	RF-006							EA-003.5 (DSC-009.4) Dual	9800	550000	6.81 (3.090)
Nose wheel Tailwheel	C	6.00-6"	6"	ø40-ø35	2080	7480	4.99	EA-003.7 (DSC-009.4)	4900	558000	4.72 (2.140)
	CSTC TSO				(943)	(3392)	(2.262)	EA-004 (DSC-009.3)	4900	500000	4.14 (1.880)
Tires	130							EA-004.1 (DSC-009.5) Dual	9800	975000	7.63 (3.460)
								EA-004.2 (DSC-009.5) Dual	9800	975000	7.56 (3.430)
Axles								EA-004.3 (DSC-009.5) Dual	9800	980000	7.65 (3.470)
, Mics	RF-016	c 00 cll	6"		1870	6545	4.81	EA-003.2 (DSC-014)	5130	250000	2.47 (1.120)
Master Cylinders	CSTC	6.00-6"	6	ø45-ø45	(848)	(2968)	(2.180)	EA-003.3 (DSC-009.3)	4900	500000	4.22 (1.914)
Limiters Anti-skid Parking	6" Wł HL		fferen •	raft up to 2.5 It types of bra Single HL 2 pi Sintered pads	kes depend ston calipe	ing on the r	equired ene viston calipe	ergy r Aerotec® patent / cooling fins			
Brake Valve			٠	Several high s	trength flo	ating discs					Car 1
Brake lines Fittings				ailable : see ti : wheel cap Bo		luminum ax	de : see axle	e pages			
Spare Parts	Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)
Tools	RF-017				. 5/		,	EA-004.1 (DSC-009.5) Dual	9800	975000	7.63 (3.460)
	Сятс		ø40-ø35	\$35 2310 (1047) 9460 (4291)	5.75	EA-004.2 (DSC-009.5) Dual	9800	975000	7.56 (3.430)		
BERINGER Technology	TSO		-				(2.067)	EA-004.3 (DSC-009.5) Dual	9800	980000	7.63 (3.460)


They trust us ...

8" Whee	8" Wheel For Ultralight Aircraft and LSA SL Ultralight stainless steel foating disc Single or dual brakes available Tires available : see tire pages - Aluminum or steel axle : see axle pages Option : wheel cap BCH-002										Contacts SensAIR	
HE	el For A Brake	Aircra e cali	aft > 2,5 tonn iper : 2 pistor	nes (5,500 L ns or Dual	4 pistons	s - Aerotec®	patent / coc	oling fins			SCANGERAN	Complete Kits
			disc - Tires ava m or steel axle				eel cap BCH-	-001				Landing Gear Wheels
Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)		Caliper (Disc) P/N Braking Max RTO Brake torque energy weight InchLbs ft-Lbs Lbs (Kg)				
					2200		E,	A-006 (DSC-006)	2450	140000	1.50 (0.682)	Nose whee Tailwheel
RF-028	7.00-8"	8"	ø30-ø25	968 (439)	(1536)	5.56 (2.52)		EA-006.2 (DSC-006) Dual		140000	3.48 (1.58)	Tires
RF-010	10.7 5"	8"		3058	9625	7.94	EA-008.1+E/	EA-008.1+EA-008.2 (DSC-012) PQT-012		1115000	9.04(4.100)	
Стѕо	18x5.5"	×	ø38.1-ø38.1	(1387)	(4365)	(3.600)	EA-008.1+EA	EA-008.1+EA-008.2 (DSC-012) PQT-013		1200000	9.04(4.100)	Axles
RF-010.1	18x5.5"	8"	ø38.1-ø38.1	5507 (2497)	19275 (8743)	8.31 (3.768)	EA-00	8.7 (DSC-012.2) Dual	18600	1452538	12.81(5.812)	Master Cylinders
/heel / B	akes 10	" dia	imeter									Limiters Anti-skid
LO" Whee C ^{LE} STC		e cali	for two seat iper: 2 pistor		ec® pater	ıt / cooling f	ïns			RIPA	N	Parking Brake Valve
STC TSO	Tires	avai	ilable : see tire irs de wheel		uivant l'a	xle)					2 200	Brake lines Fittings
										Carbone Contraction		Spare Parts
Wheel P/N	Dimen- sion	Ø	ð Bearings (Axle)	s Static Lbs (Limit load Lbs (Kg)	Wheel weight Lbs (Kg) Caliper (Disc) P/N Braking torque InchLbs Max RTO energy ft-Lbs Brake Weight Lbs (Kg)				Brake weight Lbs (Kg)	Tools
	8.50-10	" 10	0" ø40-ø40) 1460 (010 (2272)	8.64 (3.918)	EA-010.1 (DSC-015)	8721	303000	3.50 (1.587)	BERINGER

History Values	10" W 12" W				vere designed					10	
Contacts	12 W	neei	•	Sintered pad Long life floa	ls (two types o ating discs (tw	depending on	Aerotec [®] pate the use) nding on the u				Bennue a
SensAIR	C s	тс	•	wheel caps i	ncluded						
Complete Kits								See 1			
Landing Gear											
Wheels Brakes	Wheel	Wheel Dimen- A Bearings Static load Limit load Wheel Caliper (Disc) Braking Max RTO Brake									
Nose wheel Tailwheel	P/N	sion	ø	(Axle)	Lbs (Kg)	Lbs (Kg)	weight Lbs (Kg)	Caliper (Disc) P/N	torque InchLbs	energy ft-Lbs	weight Lbs (Kg)
Tires	RF-011 RF-003	24x7.7" 11.00-12'	10" " 12"	ø50-ø35 ø50-ø35	3080 (1397) 3080 (1397)	8160 (3701) 15820 (8160)		EA-001 (DSC-011 or DSC-011.2) PQT-008 or PQT-016	16900	623977	11.06 (5.015)
Axles	10" W	heel Br	ake ca		1 pistons - Aer						
Master Cylinders		14/		ap BCH-001					_	- A	,
Limiters Anti-skid	C _s	тс									
Parking Brake Valve											
Brake lines Fittings											
Spare Parts											
Tools	Wheel P/N	Dimen- sion	ø	Bearings (Axle)	Static load Lbs (Kg)	Limit load Lbs (Kg)	y Wheel weight Lbs (Kg)	Caliper (Disc) P/N	Braking torque InchLbs	Max RTO energy ft-Lbs	Brake weight Lbs (Kg)
BERINGER Technology	RF-027	4.4x10"	10"	ø38.1-ø38.1	4520 (2050)	15820 (717	75) 14.11 (6.40	0) EA-011.2 (DSC-017.2) Dual	22350	1700000	15.64 (7.096)



Nose wheels - Tailwheels - 4" 5" 6" 12.5" Diameter



Conversion Lbs/kg

1 Lb <--> 0.45 kg 1 kg <--> 2.2 Lbs

Certification indication



→ Youtube BERINGER AERO technical support

Wheel features :

- Wheel in 2 halves
- Made of high strength aluminum, machined from billet
- Sulfuric anodizing
- Tubeless for safety (O-ring and rigid valve)
- Waterproof bearings \rightarrow no repack (stainless steel available in option)
- Steel or aluminum axles (see Axle tab) •
- Tubeless tires (see Tire tab)
- Stainless steel bearings optional

Contact us and we will help you.

Notes :

- Finish : the red anodizing is the standard color for all parts. Other colors are available for the wheels, with an addition charge and leadtime. The brake calipers always remain red. ATTENTION colors may vary from one wheel to another.
- Wheel cap optional
- The first types of 5" and 6"wheels were made of 3 flanges instead of two with 3 O'ring seals instead of 2 (2 between the flanges and 1 for the valve).

History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...





How to mount a tubeless tire -

 \rightarrow How to remove a tubeless tire



Nose wheels / Tailwheels

4"

ø20-ø15 539 (245)

RA-003 3.50-4"

History Values	Tailwheel						Rubber Tailv	
Contacts	Wheel 2 with t RA-0	ube De	livered m	or Pipistrel Sinus ounted with tir 6" (see axle pag	e 200x50/tub	e	Wheel Ø 5 (150mm	
SensAIR	KA-U		RA-004.1					
Complete Kits					1			
Landing Gear	Wheel P/N	Dimension	ø mm	Ball bearings	Static Load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	
	RA-004	200X500	200	ø10-ø10	337 (153)	1349 (612)	0.59 (0.268)	
Wheels Brakes	RA-004.1 6x2.00x3.7 150 Ø10-Ø10 337 (153)						0.59 (0.268)	
Nose wheel Tailwheel	RA-004.2	6x2.00x3.7	150	Ø8-ø8	337 (153)	1349 (612)	0.59 (0.268)	

bber Tailwheel

Vheel Ø 5.91" Designed for Vans RV, Pitts, Aerobatic, Jodel (150mm) Delivered mounted with tire for axle 5/16" Weight : 9.45 oz / 268g RA-004.1/.2 Tire is interchangeable

Tires											_
Axles	Wheels	4" diame	ter								1
Axies	4" W							or bush taily			
Master Cylinders	Ultra	light		h load - Ca s available			unting (so	ee axle pages			
Limiters Anti-skid										≥	
Parking Brake Valve								A DET SY			
Brake lines Fittings	Wheel	Dimen-	ø	Ball	Static Load	Limit load	Wheel	Axle P/N (fork moun-	Axle dimensions (standard sizes - Other dimen-		
Spare Parts	P/N	sion	Ψ	bearings	Lbs (Kg)	Lbs (Kg)	weight Lbs (Kg)	ting)	sions available - ask us)	T	

AXP-003

AXP-003.1

AXP-003.2

AXP-003.3

AXP-003.4



Technology They trust us ...

BERINGER

Tools



1.36

(0.620)

1888

(856)

Page 92


X=111 / Z=6.4

X=111 / Z=8.2

X=89 / Z=8.2

Z=80 / Z=12.8

X=89 / Z=6.2



4" Wheel Fork mounting (Axle dimensions in the table) RA-001 : for TT tire - RA-012 : for TL tire

Wheel P/N	Dimen- sion	ø	Ball bearings	Static Load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Axle P/N (fork mounting)	Axle dimensions (fork mounting)
RA-012	5.00-4"	4"	ø30-ø25	1034 (469)	2810 (1274)	2.43 (1.1)	AV-PIL-001	X=135 / Z=12
RA-001 CSTC	5.00-4"	4"	ø30-ø25	1034 (469)	2810 (1274)	2.43 (1.1)	AV-PIL-001	X=135 / Z=12

Wheels 5" diameter

5" Wheel Widths available : 4.00 and 5.00 - Cantilever or fork mounting (see axle pages) (Axle dimensions in the table) - Tires available (see tire pages)

Wheel P/N	Certifica- tion	Dimen- sion	Ø	Ball bearings	Static Load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Axle P/N (fork moun- ting)	Axle dimensions (fork mounting)
RA-015	Стѕо	4.00-5"	5"	ø30-ø25	1140 (517)	5130 (2326)	3.10 (1.41)	AXP-007.1 AXP-007.2	X=107 / Z=9.8 X=138 / Z=9.8
RA-014	Стѕо	5.00-5"	5"	ø30-ø25	1551 (703)	6968 (3160)	3.28 (1.490)	AXP-005 AXP-005.1	X=146.5 / Z=9.8 X=146.5 / Z=10

Wheels 6" diameter

6" Wheel Cantilever or fork mounting (see axle pages) - Widths available : 4.00 and 6.00 SL Tires available (see tire pages) Note : other axle dimensions available. Contact us.

Wheel P/N	Dimen- sion	ø	Ball bearings	Static Load Lbs (Kg)	Limit load Lbs (Kg)	Wheel weight Lbs (Kg)	Axle P/N (fork mounting)	Axle dimensions (fork mounting)	
RA-009	4.00-6"	6"	ø30-ø25	970 (440)	3396	2.93	AV-JAB-003	X=130 / Z=6.5	
				. ,	(1540)	(1.327)		-	
RA-010	6.00-6"	6"	ø30-ø25	970 (440)	3396	3.26	AXP-004	X=210 / Z=8.1	
NA-010	KA-010 6.00-6	0	\$30-\$Z5	570 (440)	(1540)	(1.48)	MAF-004	X=210/Z=8.1	

BERINGER 2022 Catalogue

Page 93



Spare Parts

Tools

BERINGER Technology

Nose wheels / Tailwheels

History Values Contacts	6" Wh LE	(A)	de din	nensio	ork mount ons in the t (see tire p		pages)									Se		-
SensAIR	Wheel P/N	Dimen- sion	ø	Ball be	earings	Static Load Lbs (Kg)	Limit lo Lbs (Kg		Wheel v Lbs (I	veight Kg)		e P/N ounting)		imension nounting		20		
Complete Kits	RA-016	6.00-6"	6"	ø40-	-ø30	1430 (660)	5005 (23	310)	4.45 (1	.830)		·006.1 ·006.2	1	6 / Z=38. 7 / Z=31		Ć		
Landing Gear					<u> </u>										_			
Wheels Brakes	6" W HE-				fork moun e (see tire	iting (see axle pages)	pages)						ſ					
Nose wheel Tailwheel	Whe								r]							
Tires	P/1	N Dir	nensio	n Ø	Ball bear	ings Static I Lbs (I	Load Kg)	Limit l Lbs (H		Wheel v Lbs (veight Kg)				8			
Axles	RA-0	6.0	00-6" H	E 6"	ø40-ø3	5 2135 (968) 7	7642 (3	466)	4.56 (2	.070)							
Master Cylinders	RA-0)0-6" H	L 6"	ø40-ø3	2360 (1	1070) 9	9665 (4	383)	5.41 (2	.455)			х		02	9	
Limiters Anti-skid																		
Parking Brake Valve	Wheel	L2.5" dia			l for DHC-	6 Twin Otter												
Brake lines Fittings			No co	rrosio	n	h grade alumii [,] low maintena		nes mo	ore res	istant t	than Ma	gnesium				F		
Spare Parts	Wheel				0- (- 0-)											E		
Tools	P/N	Dimensi	on	ø	Ball beari		c Load (Kg)		nit load os (Kg)	w	/heel we Lbs (Kg			T			in in the second	
BERINGER Technology	RA-008	8.90-12.	5" 12	2.5"	ø41.28-ø4:	1.28 2023	8 (917)	910	3 (4128) 1	L6.43 (7.4	15)						
They trust us							202	2 Cata	alogue	Page	94							

2022 Catalogue Page 95

Nose wheels / Tailwheels

Crosswind... Are you ready ? Ground-Loop Resistant tailwheel, safety for taildraggers

Two-pivot system, locking lever in the cockpit :

- Unlocked : the tailwheel is free castering for parking. Steering is done with the brakes. ٠
- Locked : the tailwheel is locked with a freedom of +/- 20° for take off. landing and taxiing. Steering is • done with the rudder pedals.

For taildraggers with a MTOW up to 750 kg / 1650 lbs. Solid design for off-airport use.


The GLR tailwheel, combined with the ALG landing gear, can be considered as the ULTIMATE SOLUTION for Bushplanes.

Bring a whole new dimension of freedom to your STOL with BERINGER equipments !



Unlocked : the wheel is free. Castering (steering is done with the brakes)





Remark : available in two sizes (tire dimension)

P/N	Description	Wheel Ø	Tire	Lbs	kg
TW-001	Complete kit : wheel/tire	4"	2.80/2.50-4"	8.31	3.77
TW-002	Complete kit : wheel/tire	4"	4.00-4"	9.08	4.12
AV-CUB-210	Control lever to unlock	-	-	-	-

AV-CUB-210





History

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles Master Cylinders

Limiters Anti-skid

Parking Brake Valve


Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

Tires



Dimension of a tire

A : Tire external diameter (inches) B : Tire width (inches) C: Tire internal diameter (inches)

Notes :

- We highly recommand the tire installation by BERINGER for all new wheels and tires bought at BERINGER. This service includes a
- pressure test after 24h of inflation to ensure the conformity of the installation.
- We recommend the tire changing to be done by a BERINGER Service Center, with the specific BERINGER tool.
- Dimensions and weight can vary. BERINGER AERO is not liable for the load or speed rating variations.

The tire choice can lead to a different wheel size. The following chart lists all the wheel sizes and their matching tire sizes. Do not hesitate to contact us for more information.



 \rightarrow Youtube BERINGER AERO technical support

How to remove a tubeless tire \rightarrow





\rightarrow How to mount a tubeless tire

Brake lines Fittings	Tire P/N	Description	ø A Inch	Width B Inch	Static load Lbs	Wei Lbs	ght Kg	Wheel correspondance
Spare	PAR-002	Rubber tire 6x2.00-3.7	6"/ 150mm	-	-	1.05	0.475	RA-004.1/.2/.11/.12
Spare Parts	PAG05	tire and tube 200x50 6PLY TT	7.90	2.00	-	1.10	0.50	RA-004
	PAG07	Tire 2.80/2.50-4'' 4PLY Kenda TL	9.00	2.80	411	1.32	0.60	3.50-4
Tools	PAG02	Tire 3.00-4" 4PLY Veloce TL	10.30	3.50	-	1.32	0.60	3.50-4
BERINGER	S-317	Tire 11x4.00-5 " 4PLY Deli TL	11.60	3.80	-	2.65	1.20	4.00-5
Technology		·						

BERINGER 2022 Catalogue

Page 96

Tires

Tire P/N	Description	ø A Inch	Width B Inch	Static load Lbs	Wei Lbs	ight Kg	Wheel correspondance	History Values
PAG01	Tire 4.00-4" 4PLY Kenda TL	11.90	3.90	-	2.20	1.00	3.50-4	Contacts
PAG10	Tire 4.00-4" 4PLY Secura TL	11.90	3.90	-	3.09	1.4	3.50-4	SensAIR
505T08-1	Tire 5.00-5" 10PLY FE LT Goodyear TL	14.20	4.95	2150	6.80	3.08	5.00-5	
070-310-0	Tire 5.00-5" 8PLY Michelin Air TL	14.20	4.70	1800	5.73	2.60	5.00-5	Complete Kits
PAD01	Tire 4.00-6" 6PLY Mitas TT	14.50	4.40	-	2.87	1.30	4.00-6	Landing
PAD03	Tire 4.00-6" 6PLY Aero Classic TL	14.50	4.40	-	3.75	1.70	4.00-6	Gear
TK2077A	Tire 4.00-6" 6PLY MDO	13.80	4.10	570	4.20	1.90	4.00-6	Wheels Brakes
TK107A	Tire 4.00-6" 8PLY AeroClassic	13.30	4.13	849	5.50	2.50	4.00-6	Nose wheel
PAC03	Tire 13x5.00-6" 4PLY Deli TT	13.40	4.70	-	2.87	1.30	4.00-6	Tailwheel
PAC04	Tire 13x5.00-6" 8PLY Mitas TL	13.40	4.70	-	3.30	1.50	4.00-6	Tires
PAC08	Tire 15x6.00-6" 10PLY Flight Custom II GoodYear TL	14.50	5.30	3200	9.70	4.40	4.00-6	
PAC02	Tire 15x6.00-6" 6PLY Mitas TL	14.80	5.10	-	4.85	2.20	4.00-6	Axles
PAC10	Tire 15x6.00-6" 4PLY Kenda TL	14.80	5.10	-	5.69	2.58	3.50-4	Master
PAC05	Tire 15x6.00-6" 6PLY Air Trac TT	15.00	5.30	1950	6.17	2.80	4.00-6	Cylinders
PAB01	Tire 380x150-5" 6PLY Michelin Air TT	15.00	5.50	1598	6.61	3.00	5.00-5	Limiters Anti-skid
025-501-1	Tire 15x6.00-6" 6PLY Michelin Air TL	15.00	5.30	1950	7.27	3.30	4.00-6/6.00-6	Parking Brake Valve
PAB03	Tire 6.00-6" 4PLY AirTrac TT	17.50	6.30	1150	6.83	3.10	4.00-6/6.00-6	Brake Valve
070-317-1	Tire 6.00-6" 8PLY Michelin Air TL	17.50	6.30	2350	9.26	4.20	4.00-6/6.00-6	Brake lines Fittings
606T86-3	Tire 6.00-6" 8PLY Flight Custom III GoodYear TL	17.50	6.30	2350	13.00	5.90	4.00-6/6.00-6	Spare
PAF03	Tire 21x8.00-6" 4PLY Aero Classic TL	20.50	7.10	800	10.80	4.90	6.00-6	Parts
076-325-0	Tire 8.50-6" 6PLY Michelin TL	21.00	7.50	2275	15.43	7.00	6.00-6	Tools
PAF05	Tire Bush 22x8.50-6" 4PLY Aero Classic TT	22.00	8.10	1600	8.82	4.00	6.00-6	BERINGER
HF237-1	Pneu Bush 21x12.00-8" 6PLY DURO	21.00	7.95	-	8.60	3.90	7.00-8	Technology



Axles

Master

Cylinders Limiters Anti-skid Parking Brake Valve

Brake lines

Fittings

Spare

Parts

Tools



Conversion Lbs/kg
1 Lb <> 0,45 kg
1 kg <> 2,2 Lbs

Axle features :

Made of high grade aeronautical aluminum, red anodized or made of steel, nickel coated. Different types of axles are available:

- fork mounting : the axle is fitted both sides (nose wheel)
- cantilever mounting : the axle is fixed on one side only (often main wheel)

BERINGER axles for main wheels are tapered for strength optimization : the offset is reduced and the two ball bearings have different sizes.

Axles are FEM calculated for optimized weight and stress distribution.

Notes :

You will find in the following tables :


- the axle list with dimensions, strength and weight
- the correspondance axles/wheels according to the diameters of the wheel ball bearings
- the hole patterns available

The calipers are delivered fixed to the axles, in accordance with the drilling.

Some axles are mounted with spacers, other not

Do not hesitate to contact us.





Technology They trust us ...

BERINGER




RINGER 2022 Catal


2022 Catalogue Page 98

Axle P/N	Description	Dimension of axle thread	Static loa Lbs	ad/Axle kg	Limit loa Lbs	Limit load/Axle Lbs kg		ght kg	History Values	
FUS-001+BGE016	Conical aluminum axle	M25X1.5	780	354	2714	1231	8.8	0.25	Contacts	
FUS-004	Conical steel axle (Nickel coated)	M25X1.5	1430	649	4976	2257	21.92	0.62		
FUS-005	Conical aluminum axle	M25X1.5	950	431	3306	1499	8.16	0.23		
FUS-006.4	Conical aluminum axle	M15X1	660	300	2310	1050	0.288	0.13	SensAIR	
FUS-007.1	Conical steel axle	M35X1.5	2090	948	7315	3317	45.12	1.28		
FUS-007.2	Conical aluminum axle	M35X1.5	1700	770	5950	2700	17.92	0.51	Complete	
FUS-007.7	Conical steel axle	M35X1.5	2295	1040	8030	3640	41.27	1.17	Kits	
FUS-008	Conical aluminum axle	M25X1.5	700	317	2450	1111	15.36	0.44	Landing	
FUS-009	Conical aluminum axle	M25X1.5	860	390	2993	1357	8.8	0.25	Gear	
FUS-010	Conical aluminum axle	M25X1.5	832	377	2894	1313	11.84	0.33		
FUS-011	Conical aluminum axle	M25X1.5	780	354	2714	1231	10.24	0.29	Wheels	
FUS-012	Conical aluminum axle	M25X1.5	832	377	2894	1313	8.32	0.24	Brakes	
FUS-013+ BGE026	Conical aluminum axle	3/4" -16	780	354	2714	1231	12.64	0.36	Nessuches	
FUS-014.1	Conical aluminum axle	M30X1.5	1400	635	4900	2222	16.00	0.45	Nose wheel Tailwheel	
FUS-014.2	Conical aluminum axle	1.5"x16 UNF	1000	450	3500	1575	22	0.632	Tailwricei	
FUS-014.3	Conical aluminum axle	1.5"x16 UNF	1260	570	4410	1995	16	0.452	Time	
FUS-015	Conical aluminum axle	M25X1.5 +3/4"-16	780	354	2714	1231	16.80	0.48	Tires	
FUS-016	Conical aluminum axle	M25X1.5	1030	465	3600	1325	9.52	0.27		
ECR-001	Aluminum nut	M35x1.5	-	-	-	-	0.8	0.02	Axles	
ECR-002	Aluminum nut	M25x1.5	-	-	-	-	0.32	0.01		
ECR-004	Aluminum nut	M30x1.5	-	-	-	-	0.64	0.02	Master	
ECR-005	Aluminum nut	1.5"x16 UNF					1.41	0.04	Cylinders	
ECR-006	Aluminum nut	1.5"x16 UNF					2.11	0.06		
ECR-006.1	Aluminum nut	1.25"x12 UNF					2.46	0.07	Limiters	
E-HN-008	Steel safety nut	3/4" -16	-	-	-	-	1.9	0.054	54 Anti-skid	
BGE-016	Axle spacer for FUS-001	-	-	-	-	-	0.16	0.01	Parking	
BGE-026	Axle spacer for FUS-013	-	-	-	-	-	0.16	0.01	Brake Valve	




History Values	Correspondance main wheel axles / Wheels - T1T7 shows the hole pattern										
Contacts	Wheel $ ightarrow$ Axle P/N	3.50-4"	4.00-5" & 4.00-5"HL	5.00-5" & 5.00-5"HL	4.00-6" SL	6.00-6" SL	6.00-6" LE	6.00-6" HE	6.00-6 HL	10 LE	Other
	FUS-001	-	-	T1, T2, T4, T5	T1, T2, T4, T5	-	-	-	-	-	
SensAIR	FUS-004	-	-	T1, T2	-	-	-	-	-	-	
Complete Kits	FUS-005	-	T1, T2	-	-	-	-	-	-	-	
Landing Gear	FUS-006.4	Т6	-	-	-	-	-	-	-	-	
Wheels	FUS-007.1	-	-	-	-	-	-		Т3	-	
Brakes	FUS-007.2							Т3		-	
Nose wheel Tailwheel	FUS-007.7							Τ7	T7	-	
Tires	FUS-008	-	-	-	-	Т3	-	-	-	-	
Axles	FUS-009	-	-	T2	-	-	-	-	-	-	
Master	FUS-010	-	-	-	-	T1, T2,T4, T5	-	-	-	-	
Cylinders	FUS-011	-	-	-	Т3	-	-	-	-	-	
Limiters Anti-skid	FUS-012	-	-	-	-	1"1/4 US	-	-	-	-	
Parking Brake Valve	FUS-013	-	-	-	T1	-	-	-	-	-	
Brake lines	FUS-014.1	-	-	-	-	-	Т3	-	-	-	
Fittings	FUS-014.2	-	-	-	-	-	-	-	-	-	Cleveland wheel
Spare Parts	FUS-014.3									Т3	
Tools	FUS-015	-	-	-	-	T1	-	-	-	-	
BERINGER Technology	FUS-016	-	-	-	T1, T2,T4, T5		-	-	-	-	









Axles : how to take dimension

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...



Correspondance nose wheel axles / Wheels ← These dimensions in mm refer to the scheme											
Wheel → ↓Axle P/N	3.50-4" RA-003"	4.00-5" RA-015"	5.00-5" RA-014"	4.00-6 SL RA-009"	6.00-6" SL RA-010"	6.00-6" LE RA-016"					
AXP-003	X=111/Z=6,4										
AXP-003.1	X=111/Z=8,2										
AXP-003.2	X=89/Z=8,2										
AXP-003.3											
AXP-003.4	X=89/Z=6,2										
AXP-003.5	X=120/Z=8,2										
AV-JAB-003				X=130/Z=6,5							
AXP-004					X=210/Z=8,1						
AXP-005			X=146,5/Z=9,8								
AXP-005.1			X=146,5/Z=10								
AXP-006.1						X=195,6/Z=38,1					
AXP-006.2						X=167/Z=31					
AXP-007.1		X=107/Z=9.8									
AXP-007.2		X=138/Z=9.8									

← Van's front wheel axle

For other dimensions please contact us





2022 Catalogue Page 102

Brake master cylinders



Brake fluid indication

Master-cylinder features :

The master cylinders can be operated :

- with toes thanks to tabs on top of the rudder pedals
- with heels thanks to pedals bolted on the floor
- with hands thanks to either a lever on the stick (symmetrical braking) or a one or two lever assemblies mounted in the cockpit (respectively symmetrical and differential braking)

These master cylinders have been designed and tested to last 200,000 cycles (about two times the life of an aircraft...) with the same seals and piston !

They are machined from a high strength aluminum billet.

100% airtight, greased and anodized, they are completely protected against corrosion.

30% lighter than all other master cylinders on the market.

Friction is highly reduced for a better feeling and performance.

Seals available for either DOT4 or MIL fluid.

Caution : You must never mix the brake fluid : seals are different

Remarks : All BERINGER master cylinders are described in the following pages (dimensions, attachments, weight, ..). Other configurations are available, please contact us.

Single and dual levers are available to mount the master cylinders. They can be actuated by heels or hand. They are described in dedicated tables.

Ergonomic rudder pedals including brakes function are also available and described following pages.





Contacts SensAIR S Complete Kits Landing Gear Wheels Brakes Nose wheel Tailwheel

History

Values

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve


Brake lines Fittings

Spare Parts

Tools

BERINGER Technology





2022 Catalogue Page 105

Brake Master Cylinders / Levers / Pedals

Rudd'AIR : feel it up to your feet ! Brand new ergonomic pedals ...

Thanks to its kinematics, the pedal follows the natural position of the foot by describing a translational movement without modifying its angle of inclination. This makes taxiing, steering and braking precise, ergonomic and safe.

- + Ergonomic with rudder and brakes fonction
- + Complete kit available (Brake master cylinders)
- + Pedal ratio adjustable to be chosen by the pilot

Technical datas :

- Laser cut (3D) from extruded aluminum
- Anodized for excellent durability
- Weighs only 0.33 lbs each (150 grams)
- NEWS : master cylinder actuation can be adjusted : 2 positions



His	story	
Val	ues	

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology


They trust us ...



Remarks :

Available for LSA, Ultralight / Experimental Aircraft with taildragger or tricycle configuration.


Please refer to the Kit pages (sorted alphabetically). If your aircraft is not listed, please contact us.




Brake Master Cylinders / Levers / Pedals

Master cylinder P/N	attachment included	Description	Mi Dimei Inch		Max Dimension Inch mm			ore mm	We oz	ight g	History Values Contacts
MP-002.3	CHP-003 - ZM-001		6.39	162	7.11	180	1/2	12.2	4.81	136	SensAIR
											Complete Kits
		B (6.390 min.) (7.106 mox.) (7.106 mox.)									Landing Gear
MP-002.4	CHP-003 -	. B A .	6.54	166	7.11	180	1/2	12.2	4.62	131	Wheels Brakes
	CHP-003										Nose wheel Tailwheel
											Tires
		- B [2:06 max] 7:06 max] 80.59 max									Axles
MP-002.5	ZM-001 - ZM-001		6.23	158	7.11	180	1/2	12.2	5	142	Master Cylinders
											Limiters Anti-skid
		[6.232] 158.30									Parking Brake Valve
MP-002.6	ZM-001 - CHP-003	[7,106] 180,50 ZM-001 //CHP-003[8];	6.39	162	7.11	180	1/2	12.2	4.81	136	Brake lines Fittings
	СПР-003										Spare Parts
		MCP-002[A) [6.390 min.] [62.30 min.									Tools
		[7,106 max.] [80,50 max.									BERINGER Technology
		DERINGER 2022 Catalogue Page 107									They trust us

Brake Master Cylinders / Levers / Pedals





Master	attachment		м		Ma		В	ore	We	ight	History Values
cylinder P/N	included	Description	Dime Inch		Dimer Inch			mm	oz	g	Contacts
MP-003.1	- CHP-002	солева	8.07	205	8.31	211	1/2	12.2	4.8	136	SensAIR
											Complete Kits
		Booti									Landing Gear
MP-003.2	- CHP-005		7.32	186	7.55	192	1/2	12.2	4.41	125	Wheels Brakes
											Nose wheel Tailwheel
											Tires
		186 min. (7.551 max.) 192 max.									Axles
MP-003.3	- CHP-002	COUPE B-8 MCP-003.1 B A	7.32	186	7.55	192	1/2	12.2	4.27	121	Master Cylinders
											Limiters Anti-skid
		[0.201]									Parking Brake Valve
MP-003.4	- CHP-008	COURS 8 2 /CHP-008(A)	6.93	176	7.22	183	1/2	12.2	4.3	122	Brake lines Fittings
											Spare Parts
											Tools
		(2176 min.) (2.217 max.) 183 max.									BERINGER Technology
											They trust us





us ...


BERINGER 2022 Catalogue Page 110














BERINGER 2022 Catalogue Page 115




Levers for master cylin	ders (hand/heel actuated)			History Values					
The MP-XXX brake master cylinders can be installed in the different levers described. They are hand actuated (close to the seats) or heel actuated (levers on the floor). Using ball bearings for perfect control of the braking power.									
Notes : • Weights	indicated are lever's weight only and do not include the master cylinders (except specifications). ter cylinders that can be mounted in each lever are indicated but not included in the lever P/N.			SensAIR					
		<u> </u>		Complete Kits					
Lever only M. Cylinde P/N (non include	d) Description	Lever v Lb	g	Landing					
MP-004.1 MP-002.2	[3,937]	8.77	249	Gear Wheels					
				Brakes					
				Nose wheel Tailwheel					
				Tires					
				Axles					
	o o [0.197] 5 [1,303] [4,781] 33,10 [2],44			Master Cylinders					
MP-004.2 MP-002.2	[2756] [2756] [3,937]	16.06	455	Limiters Anti-skid					
				Parking Brake Valve					
				Brake lines Fittings					
				Spare Parts					
				Tools					
	Cable (1.107) 5 (1.303) (4.781) 33,10 121,44			BERINGER Technology					
	DERINGER 2022 Catalogue Page 117			They trust us					




2022 Catalogue Page 118






2022 Catalogue Page 120

They trust us ...



BERINGER 2022 Catalogue Page 121



	 For ø 7/8" (22mm) stick or 1" (25mm) Can be installed also on a flat support 	t with 2x M6 screws r for installation in serie (co-pilot hand brake) - red anodized	5.2 - 1x 2			Contacts SensAIR Complete Kits Landing
Master cylinder P/N (old / new P/N)	Description	Scheme	Wei oz	ght g	Brake fluid	Gear Wheels Brakes
HAB01/MM-001	Master cylinder + built-in reservoir MM-004 lever bushing kit is optional		10.41	295	DOT4	Nose whee Tailwheel Tires
HAB02/MM-001 +FP-004	Master cylinder + built-in reservoir + parking brake		10.41	295	DOT4	Axles Master Cylinders Limiters Anti-skid
HAA03/MM-003	Additionnal master cylinder (moun- ting in serie : co-pilot brake). To be used with HAB01/MM-001 or HAB02/MM-001	022-025	10.02	284	DOT4	Parking Brake Valva Brake lines Fittings Spare Parts Tools
P-004/PKP01	Parking brake for HAB01/MM-001 and HAA03/MM-003		0,1	3	-	BERINGER

History Values	Master Cylinder cable actua	ated				
Contacts		 Allows to actuate following calipers : 1x 1P27 EA-009/9.1 - Actuated by cable Reservoir included 	2x 2P27	calipers	·	2P32 EA-002
SensAIR		 Delivered with aluminum bracket CNC machined from billet aluminum - red anodised 			XX-XXXE	
Complete Kits		Three ball bearings for smooth and precise operationAvailable for DOT4 only			DOT 4	
Landing Gear		11				
Wheels Brakes	Master cylinder P/N (old / new P/N)	Weig oz	ht g	Brake fluid		
	HAC01/MM-002	Master cylinder + reservoir cable actuated	10.41	295	DOT4	
Nose wheel Tailwheel	AV-SCHE-208	Bracket	-	-	-	
Tires		and the second s				
Axles			I			
Mastar	Master Cylinder hand actua	ated				
Master Cylinders	a stategy	Allows to actuate following calipers :1x 1P27 EA-009/9.1 - 2x 2 • All in one : lever, brake master cylinder, reservoir with sea		pers EA-	006/6.2 - 1x 2P32	2 EA-002
Limiters Anti-skid		 To be installed on a 7/8" stick or on a flat support with 2x CNC machined from aluminum billet - red anodized 	M6 scre	WS		
Parking Brake Valve	1	 Three ball bearings for smooth and precise operation Available for DOT4 only 			XX-XXXE	
Brake lines Fittings					DOT 4	
Spare Parts						
Tools	Master cylinder P/N (old / new P/N)	Description	We oz	eight g	Brake fluid	
	HAB04/MM-001	Master cylinder + reservoir hand actuated	10.41	295	DOT4	
BERINGER Technology	MM-004	Lever ends	-	-	-	
They trust						

They trust us ...



Anti-lock Regulators / Pressure Limiters

ALIR anti-skid Regulator A real advance in term of Safety

Dual ALIR Regulator



Single ALIR Regulator





The reference pressure is adjustable by +/- 1 bar. For more information about the ALIR adjustment, please report to the Intruction and Use Manual delivered with the products or on the Support web page www.beringer-aero.com

Adjustable anti-lock pressure regulator for differential or symmetrical braking :

The regulator is integrated in the differential circuit (see scheme following page). Double advantage:


- Anti-lock : the regulator sets a maximal pressure in the system before the wheels lock up (or before a nose over for taildraggers)
- In line braking : once the setpoint is reached, the pressure between left and right hand is balanced, with a tolerance of +/- 1bar or 14.5psi to allow steering corrections

Many accidents are caused by a bad braking handling.

The ALIR system improves the control and dosage of the brakes and still allows differential braking while the pressure remains below the setpoint.


It prevents the wheel lock up at landing and the nose over for taildraggers, in case of overpressure on the brake pedals. Therefore it reduces the stopping distances.

This regulator is included in most of the BERINGER Kits.



- Blue curve: with ALIR: the pilot applies full braking without any control (similar to a car ABS)

 Red curve: without ALIR: no regulation, the pilot must control the braking (in both cases, conditions are the same: same plane, same brakes)
 Weight of the aircraft: 1200 kg, braking speed: 70 Kt



Nota: BERINGER brake pads used int the ALIR system have a friction coefficient that increases with the temperature allowing an increase of the deceleration when the lift decreases on the wings. Gear Wheels Brakes Nose wheel Tailwheel

History

Values


Contacts

SensAIR


Complete

Landing

Kits







Adjustable anti-lock pressure regulator ALIR

- Adjustable from 10 to 40 bar (or from 20 to 50 bar)
- Available for DOT4 or Minéral (MIL) brake fluid
- 2x inlets, 2x outlets (M10x1)
- Precise adjustment with low hysteresis
- CNC machined from billet aluminum
- Red anodized

Note :

Dual regulators are mounted in a differential braking circuit (each braker master cylinder actuates one wheel).

Single regulator are mounted in a symmetrical braking circuit (one master cylinder actuates both wheels).

Caution : You must never mix the brake fluid : seals are different

Regulator ALIR P/N	Description	Wei oz	ght g	Brake fluid
RE-001E	Dual Regulator ALIR 10 - 40 bar	11.64	330	DOT4
RE-001N	Dual Regulator ALIR 20 - 50 bar	11.64	330	MIL
RE-002E	Single Regulator ALIR 10 - 40 bar	6.73	191	DOT4
RE-002N	Single Regulator ALIR 10 - 40 bar	6.73	191	MIL
AV-VANS-006	Fitting plate	-	-	-

Brake fluid indication


Page 126

2022 Catalogue



Ultralight Pressure Limiter





Non-adjustable pressure limiter for symmetrical braking

Its main feature is the anti-lock : the system reduces the ratio amount of pressure put in the system by the pilot / amount of pressure received at the brake.

Very useful at landing, it helps to prevent the wheel lock up and the nose over for taildraggers, in case of over-pressure on the master cylinder.

Therefore it reduces the stopping distances.

The limiter is included in most of the BERINGER Kits featuring a single braking circuit (symmetrical braking).

The pressure setpoint is fixed for each model. You can choose different models depending on the airplane MTOW, the tire diameter, braking torque,

They are available for DOT4 or MIL brake fluid.


Caution : You must never mix the brake fluid : seals are different

Pressure limiters

- Several types from 20 to 60 bar
- Available for DOT4 or MINERAL (MIL) brake fluid
- Connexion M10x1
- CNC machined from billet. Optimized for a long life, the body is red anodized.

Limiter ALIR P/N	Description	ght g	Brake fluid	
LM-001	Ultralight pressure limiter 20 bar	2.40	68	DOT4 / MIL
LM-002	Ultralight pressure limiter 25 bar	2.43	69	DOT4 / MIL
LM-003	Ultralight pressure limiter 35 bar	2.47	70	DOT4 / MIL
LM-004	Ultralight pressure limiter 45 bar	2.50	71	DOT4 / MIL
LM-005	Ultralight pressure limiter 60 bar	2.54	72	DOT4 / MIL





/2	DOT4 / IVIIL	

Values Contacts SensAIR Complete Kits Landing Gear Wheels Brakes Nose wheel

History

Tailwheel

Axles

Tires

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...



Parking Brake Valve



History



Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology


They trust us ...



Parking Brake Valve

Open/close quarter turn lever operated Max. input pressure: 1500PSI (100 bars) CNC machined from billet. Optimized for a long life, the body is red anodized and the components made of stainless steel. Available for DOT4 or MINERAL (MIL) brake fluid and delivered with hydraulic fittings.

Remark : The parking brake valve is designed to be operated with a push-pull button and a cable except FP-005.1 and FP-005.2



Park. valve P/N	Output	Wei oz	ght g	
FP-001	3/8"x 24	4.52	128	3/8/24
FP-003.2	7/16"x 20	4.73	134	

Park. valve P/N	Output	Wei oz	ght g	
FP-001.2	7/16"x 20	4.67	132	7/16x20
FP-001.3	3/8"x 24	4.53	128	3/8×24



Parking Brake Valve

us ...

Park. Valve P/N	Output	We oz	ight g	
FP-002	3/8"x 24	4.69	133	21.8° Closed 1 1 7/16x20
FP-002.1	7/16"x 20	4.69	133	21.8° (0)50 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
FP-003	7/16"x 20	4.8	136	aller 7/16/20
FP-003.1	3/8"x 24	4.8	136	4000 3/8x24

Parking Valve P/N	Output	We oz	ight g		History Values
FP-005.1					Contacts
~					SensAIR
00000	3/8"x 24	4.93	140		Complete Kits
				0-8-8-8 -999 99-8-8-9	Landing Gear
FP-005.2					Wheels Brakes
	7/16"x 20	4.02	140		Nose wheel Tailwheel
agr 0 0		4.93	3 140		Tires
					Axles
			_		Master Cylinders
[0,197] <u>FPK-004</u> Ø5	[0,	394] 10			Limiters Anti-skid
[0,394]					Parking Brake Valve
[1,969 50	[1,614] 41	Brake lines Fittings			
[0,244] <u>FPK-004</u> Ø6,20	<u>4.3(A)</u>	[0.205] Ø 5.20	Spare Parts		
000				Tools	
L <mark></mark>		[0,709] 18	BERINGER Technology		
					They trust



Brake lines – Hydraulic fittings

The BERINGER brake line is stainless steel braided.


Thanks to its resistance to high pressures, it brings a strong braking feeling (not spongy).

Flexible, it follows the gear leg and prevents against leaks.


Max pressure 3000 psi - burst pressure 9000 psi

There are other possibilities, do not hesitate to contact us


Note : these brake lines and banjo fittings are included in most of the wheel and brake kits.











us ...



→ How to assemble brake lines and fittings

BERINGER 2022 Catalogue Page 131

Spare parts

History Values

Spare parts : wheel O'ring - Valves

Caution : old wheel P/N are not listed here but the seals are available. Please contact us.

Wheels in 3 parts : please contact us

O'ring seal : ¹ must be changed at

each tire changing \downarrow

5

20

O'Ring seal

TUBELESS

Contacts

SensAIR	
JEIIJAIN	

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...

Wheel with brake P/N	O'ring seal P/N
RF-003	1x J-JTR-010N
RF-004	1x J-JTR-007N
RF-006	1x J-JTR-007N
RF-009	1x J-JTR-007N
RF-010	1x J-JTR-023N 1x J-JTR-024N
RF-010.1	1x J-JTR-023N 1x J-JTR-024N
RF-011	1x J-JTR-013N 1x J-JTR-009N
RF-013	1x J-JTR-019N
RF-013.1	1x J-JTR-019N
RF-014	1x J-JTR-007N
RF-015.1	1x J-JTR-007N
RF-015.2	1x J-JTR-007N
RF-016	1x J-JTR-007N
RF-017	1x J-JTR-007N
RF-018	1x J-JTR-006N
RF-019	1x J-JTR-006N
RF-020	1x J-JTR-006N
RF-021	1x J-JTR-006N
RF-022	1x J-JTR-006N
RF-024	1x J-JTR-040N
RF-025	1x J-JTR-007N
RF-027	1x J-JTR-040N 1X J-JTR-052N
RF-028	1x J-JTR-024N
	brake P/N RF-003 RF-004 RF-009 RF-010 RF-010.1 RF-011 RF-013 RF-013.1 RF-013.1 RF-014 RF-015.1 RF-015.2 RF-016 RF-017 RF-016 RF-017 RF-018 RF-019 RF-020 RF-021 RF-022 RF-024 RF-025 RF-027

Nose wheel P/N	O'ring seal P/N	
RA-003	1x J-JTR-019N	
RA-005	1x J-JTR-007N	
RA-008	1x J-JTR-009N 1x J-JTR-016N	
RA-009	1x J-JTR-007N	
RA-010	1x J-JTR-007N	
RA-012	1x J-JTR-027N	
RA-013	1x J-JTR-007N	
RA-014	1x J-JTR-006N	
RA-015	1x J-JTR-006N	
RA-016	1x J-JTR-007N	

Wheel P/N	Valve P/N
RF-003	A-002
Any other wheel	A-001





 \rightarrow How to mount a tubeless tire



→ How to remove a tubeless tire



2022 Catalogue Page 132

Spare parts

History

Values

Contacts

SensAIR Complete

Landing Gear Wheels Brakes


Nose wheel Tailwheel

Kits

Spares parts : Brake discs / Brake pads

Remark : the quantity of disc and pad per braking caliper is indicated the part numbers P/N are indicated on all parts ------The other spare parts are available on order. Please contact us.

Brake caliper (Disc) P/N	type of brake	Disc P/N Quantity per caliper	Pads P/N Quantity per caliper
EA-001 (DSC-011) PQT-008	Single	1x DSC-011	2x PQT-008
EA-001 (DSC-011.2) PQT-016	Single	1x DSC-011.2	2x PQT-016
EA-002 (DSC-008)	Single	1x DSC-008	2x PQT-009
EA-002.2 (DSC-008.2)	Single	1x DSC-008.2	2x PQT-009
EA-003 (DSC-009)	Single	1x DSC-009	2x PQT-010
EA-003.2 (DSC-014)	Single	1x DSC-014	2x PQT-009
EA-003.3 (DSC-009.3)	Single	1x DSC-009.3	2x PQT-010
EA-003.4 (DSC-009.3)	Dual	1x DSC-009.3	4x PQT-010
EA-003.5 (DSC-009.4)	Dual	1x DSC-009.4	4x PQT-010
EA-003.7 (DSC-009.4)	Single	1x DSC-009.4	2x PQT-010
EA-003.8 (DSC-014)	Single	1x DSC-014	2x PQT-009
EA-003.9 (DSC-014)	Dual	1x DSC-014	4x PQT-009
EA-004 (DSC-009.3)	Single	1x DSC-009.3	2x PQT-010
EA-004.1 (DSC-009.5)	Dual	1x DSC-009.5	4x PQT-014
EA-004.2 (DSC-009.5)	Dual	1x DSC-009.5	4x PQT-014
EA-004.3 (DSC-009.5)	Dual	1x DSC-009.5	4x PQT-014
EA-004.5 L/R (DSC-009.5)	Dual	1x DSC-009.5	4x PQT-014
EA-006 + all EA-006.XX (DSC-006)	Single	1x DSC-006	1x PQT-003 1x PQT-004
EA-006.10 /6.11 (DSC-006)	Dual	1x DSC-006	2x PQT-003 2x PQT-004
EA-007 and EA-007.1 (DSC-008.2)	Single	1x DSC-008.2	2x PQT-009
EA-008.1 +EA-008.2 (DSC-012)	Single	1x DSC-012	2x PQT-012 (standard)
EA-008.1 +EA-008.2 (DSC-012)	Single	1x DSC-012	2x PQT-013 (other option)
EA-008.7 (DSC-012.2)	Dual	1x DSC-012.2	4x PQT-013
EA-009 (DSC-013)	Single	1x DSC-013	1x PQT-003 1x PQT-004
EA-009.1 (DSC-013)	Single	1x DSC-013	1x PQT-003 1x PQT-004
EA-010.1 (DSC-015)	Single	1x DSC-015	2x PQT-009
EA-011.2 (DCS-017.2)	Dual	1x DSC-017.2	4x PQT-013



Tires Axles Master Cylinders Limiters Anti-skid Parking Brake Valve Brake lines Fittings Spare Parts



→ How to do the maintenance of a caliper

 \rightarrow How to change brake pads

Tools

They trust us ...



BERINGER Technology

Tools

P/N	Description	Photo / Scheme
ONA01	Spray lubricant Tire Up	-
		-
ONC01	Brake bleeding kit	
OPA03	Bent adapter for wheel valve (tire inflate)	
07160	Adapted for the dealer of the	
01160		
	innate) with failing	and the second second
OPA04	Wrench adapter for axle	"
01704	nut ECR-002 on FUS-009.2	
OPA05		
	001 (square 3/4")	
OPA07	High pressure pump 0-20 bars	
OPA12	High pressure pump 0-30 bars	
OPA08	Wrench adapter for nut ECR-002 on AV-VANS-200 axle	
	(square 1/2")	Concession of the local division of the loca
OPA09	Milling cutter Ø20	
00110		
UPA10		
	ECR-002	
	ONA01 ONB01 ONC01 OPA03 OT160 OPA04 OPA04 OPA05 OPA07 OPA07 OPA12 OPA08	ONA01 Spray lubricant Tire Up ONB01 Spray anti-puncture ONC01 Brake bleeding kit OPA03 Bent adapter for wheel valve (tire inflate) OT160 Adapter for wheel valve (tire inflate) with fairing OPA04 Wrench adapter for axle nut ECR-002 on FUS-009.2 (square 1/2") OPA05 Wrench adapter for nut ECR-001 (square 3/4") OPA07 High pressure pump 0-20 bars OPA08 Wrench adapter for nut ECR-002 on AV-VANS-200 axle (square 1/2") OPA09 Milling cutter Ø20

P/N	Description	Photo / Scheme
OPA11	Wrench adapter for nut ECR- 004 (square 3/4")	
OHT02	Metric tool kit	2
OUT-046(A) (Ancien OHT01)	Tightening tool for nut E-C- 002 - M25x1.5 (hexagonal 19mm)	
OUT-047	Tightening tool for nut E-C- 001 and E-C-004 (hexagonal 19mm)	
OUT-078	Wrench for Rotax filter	
OT-001 OT-001.1	Tire mounting tool :6" HE wheelall other 6" wheels	NO.
OT-002	Tire mounting tool : 5" wheel	
OT-003	Wrench to tighten wheel caps BH-001 (BCH-005)	To'
OT-012	Tire mounting tool : 8" RF-10 wheel	
Av-PIL-101	Special wrench to tighten wheel caps BCH-001	

They trust us ...



BERINGER - An advanced Technology

BERINGER Wheels and Brakes are designed to provide the best stopping power and the reliability you are expecting from a braking system. We will help you to choose the dimension and brake torgue adapted to your aircraft. We have a large range of assemblies: wheel / brake caliper / brake pad / brake disc.

We also design and manufacture the optimal upstream components: reservoirs, master cylinders, the ALIR anti-skid system, and parking brakes. All these are tied together with top-quality braided stainless steel Teflon lines and proper fittings.

BERINGER Wheels

High strength aluminum alloy CNC machined from solid, anodized for optimal corrosion resistance.

- TUBELESS wheel with O-rings and rigid valve
- SEALED BALL BEARINGS for optimal durability: greased for life, no repack
- Very low rolling drag

During the design of a wheel we focus on three criteria: strength, weight, and durability. First, we assess the overall design and apply our experience and some hand calculations. Then we build a 3D model on CAD software and run FEM (finite element analysis) in the optimizing process, where we remove material from one side to add it on another, etc... till the result is satisfying for us with an optimized strength/weight ratio.

Then we make prototypes and start the qualifying process on our own test benches.

BERINGER Brake Calipers/Discs

Covered by the AEROTEC[®] patents

Brake Calipers :

- Body made of aerospace alloy to withstand high temperatures (>200Mpa at 200°C)
- Sintered metallic pads bonded on a backplate (not riveted)
- 2 or 3 stainless steel polished pistons
- Available for DOT4 fluid OR for MINERAL (MIL FLUID) (seals are different- specify and never mix) ٠
- 2 inlets/outlets, thread size M10x1 (for brake fluid)

Brake Discs :

- Made of highest guality material for thermal stability and long life
- Stainless steel discs or high strength steel discs with coating



Limi Anti	
Park	

Spare Parts	

BERINGER Technology

Tools

They trust us ...

History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

ters

skid

Parking Brake Valve

Brake lines Fittings

BERINGER AERO Technology

History Values

BERINGER AERO Research & Development Laboratory



Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools



Note: When we designed Solar Impusle's unique main wheel, BERINGER's proprietary dynamometer was employed, because of the BERIN-GER wheel strength and our dyno exceptional ability to load and measure the tire. On the aircraft, that tire and its Beringer wheel (5.00-5) were of course run tubeless, at a pressure of 10 bar (over 140psi) and a static load of 3,850lbs (2.7 times more than rated load).

They trust us ...



← ↑ 440,00Lbs Hydraulic press for ultimate load tests Roll tests : 29" tires →



The BERINGER R&D laboratory is dedicated to Research, Development and Certification tests.

On the wheel itself we do 3 different tests :

- Load test: we apply different loadings on the wheel and tire (radial and side load) to check the strength and load rating of the wheel. Ultimate load tests go up to 6 times the static load using our 40,000lb hydraulic press capacity.
- Pressure test: mounted tire is inflated with water up to 3.5 times the maximum inflation pressure to check bolts' strength and wheel stiffness.
- Roll test : wheel is pressed on a rotating drum for 1000 miles at maximum static load to detect eventual fatigue problems or bearing failure, etc...

When the wheel has passed all the tests then we install the wheel on an aircraft for ground and flight checks...

ERINGER 2022 Catalogue Page 136

BERINGER AERO Technology



← Braking test on our dynamometer to evaluate the kinetic energy capacity of the braking system caliper/disc

Endurence test for the complete braking circuit : 200.000 cycles of pressure input \rightarrow



History Values

Contacts

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...

Many tests are done to certify brake calipers and discs. One of those tests is the dynamic torque test; for this test we use our dynamometer. The kinetic energy capacity is tested with this machine. The dyno allows us to push the brake system to its limits. Many sensors are installed to measure temperatures.

All these tests are performed to ensure the total safety and reliability of the brake system.

Kinetic energy values indicated in the next pages are not only calculated but measured and checked on real tests.

The endurance test is also a proof of quality and durability.

The purpose of this test is to verify the life of the parts. The certification test requires 100,000 cycles at maximum operating pressure, but we test our parts to a minimum 200,000 cycles. This represents more cycles than the brake system will be subjected to in the entire aircraft life.

The patented ALG landing gear had to go through several tests for the certification process (FAA-EASA) :


- Load tests on the hydraulic press : break test
- Drop Test : simulation of a 1000ft/mn impact on the ground





 \rightarrow <u>ALG landing gear drop Test Video</u>





How to choose your wheels & brakes

1- Select first the size of the tire you need

2– Then select the wheel size required for this tire (use our application chart)

3- Check the static load rating: this is the weight on each wheel (at maximum static aircraft weight) that the wheel is capable of supporting. Check the kinetic energy rating : the first function of a brake system is to transform aircraft kinetic energy into heat. This heat is absorbed and dissipated mostly by the disc (a thicker disc will absorb more heat energy).

The kinetic energy required to stop an aircraft is a function of the mass of the aircraft and its landing speed. You can calculate the kinetic energy requirement of your aircraft by using the following formula:

Kinetic Energy [FT-LBS] =
$$0.044 \times W \times V^2$$

NW = Gross weight (lbs)
V = Braking speed (kts)
N = Number of wheels with brakes

The kinetic energy values shown in the chart on page 25 are maximum values in case of an RTO (Rejected Take Off). This RTO value should be 30% higher than the value calculated above. If you are not sure what system is right for your aircraft, give us a call.

How can I order BERINGER parts?

You can order through the BERINGER network as listed from the website <u>www.beringer-aero.com</u> Call us or send an e-mail at us.sales@beringer-aero-usa.com at any time and we will return some ideas.

I have a technical question. Who can help?

Our Service Centers are able to answer many technical questions, but for a precise technical or engineering question, please contact BERINGER customer support department.

Why are most BERINGER wheels made for tubeless tires ?

Tubeless has many advantages compared to tube type:

- Safer (less risk of puncture)
- Weight saving (a tube weights around 1 to 2 lbs)
- Cost effective (no tube means no tube to buy)

These are the same reasons why nowadays you find tubeless wheels on cars, motorcycles, and all commercial airplanes. Tubeless designs have specific features to be airtight (most designs use o-rings) and precise machining to ensure proper contact between tire and wheel.

Technology They trust us ...

BERINGER

Tools

BERINGER 2022 Catalogue Page 138

How do I know the type of brake fluid to fill my brake system?

only

Minera

Brake Fluid

DOT4

MIL-H-5606

MIL-PRF-87257

Brake Fluid Color

Colorless to amber

rouge

rouge

The type of brake fluid to use is most of the time written directly on the brake caliper and on m. cyls. DOT4 usually has vellow to amber color and MINERAL ("Mil spec" or "aviation") brake fluid is red. If you have any doubt please contact us.

Brake fluid is critical to the function and performance of your brake system. Choosing the right brake fluid will insure trouble free functioning for many years. Conversely, the wrong brake fluid will damage seals and cause failure of your brake system. There are two predominant "families" of brake fluid in use worldwide:

A. The first family is polyethylene-glycol based and is compatible with only EPDM seals.

CT4 These fluids have been developed for the hydraulic brakes of motor vehicles and are called DOT3. DOT4. DOT5 or DOT5.1 DOT3 has lower performance and has been replaced by DOT4. DOT4 is the most commonly used fluid in motor vehicles. DOT5 is usually silicone-based, but is not commonly used, and is not miscible ("mixable") with DOT3 or DOT4. DOT5.1 is not miscible with DOT5 and may also be not miscible with DOT3 or DOT4.

The primary objection to DOT 3 and 4 fluids was that they are hygroscopic (they absorb water). However, in a sealed reservoir, in a corrosion-resistant brake system. DOT4 fluids will remain usable for minimum 10 years. Additionally DOT3 and 4 brake fluids are aggressive with paint. Continent systems and care in handling remove this negative.

In the "DOT" family, we recommend using DOT4 and only DOT4 because the performance is adequate, and all DOT4 brands are miscible with each other.

DOT4 is used on many ultralight aircraft. You can purchase DOT4 almost everywhere around the globe as it is used on all recent cars and most motorcycles.

B. The second family is synthetic mineral-oil based and compatible with only* NBR (Nitrile) seals.

The hydraulic fluid MIL-H-5606 has been commonly used in general aviation for many years. The major deficiencies of MIL-H-5606 are its high flammability and a relatively low boiling point.

In the "mineral" or "MIL" family we recommend using the MIL-PRF-87257 as a replacement of the MIL-H-5606. These 2 fluids are compatible and miscible with each other. MIL-PRF-87257 is fire resistant and synthetic-hydrocarbon based, it has also a higher boiling point than MIL-H-5606.

NBR (nitrile)

Not compatible

ok

ok

NBR (Nitrile) seals \rightarrow mineral fluid \rightarrow red color \rightarrow MIL-PRF-87257 recommended EPDM seals \rightarrow DOT4 brake fluid \rightarrow colorless to amber color \rightarrow DOT4 only

Seals

EPDM

ok

Not compatible

Not compatible

Notes: EPDM seals are very sensitive to petroleum based solvents: few minutes of contact can completely damage the EPDM seals. That is why we recommend cleaning the parts only with a dry cloth or soap and water.

* These fluids may be compatible with other seal materials (contact us for more information)

History

Values

Contacts

SensAIR

Complete

Landing

Kits

Gear

Nose wheel Tailwheel

Tires Axles

Master

Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools

BERINGER Technology

They trust us ...

braking torque on the wheels.



History

SensAIR

Complete Kits

Landing Gear

Wheels Brakes

Nose wheel Tailwheel

Tires

Axles

Master Cylinders

Limiters Anti-skid

Parking Brake Valve

Brake lines Fittings

Spare Parts

Tools



They trust us ...

SERINGER OCOUNTING





tion; for this reason, we recommend using only BERINGER master cylinders.

I filled my brake system with the wrong brake fluid: what can I do?

the entire system. (Note: this is true, regardless which brand of brake parts you use.)

I want to improve my Wheel & Brake system but BERINGER prices are too high

If you have a BERINGER system, send the parts back to BERINGER service for repair. A quotation will be done.

If I switch to BERINGER Wheels & Brakes do I also need to change my M. Cylinders?

BERINGER systems are a little more expensive than ordinary products but thanks to their exceptional reliability and life, the operating cost is much more economical. It is often possible to pay back your investment in 1 or 2 years, with brake components that last, lines that don't leak, pads that have 3-5 times the life of legacy pads, quicker and simpler pad replacements, no tube expenses, no bearing maintenance, and (with ALIR), fewer flat-spotted tires and straighter, shorter stops.

The wrong brake fluid will damage the seals after only few minutes of contact. This is potentially dangerous because after a short period your brakes can lock, leak or stop working properly. If you have put the wrong fluid into the system, you will have to change all the seals of

If they are compatible with the brake fluid then you still need to check the hydraulic ratio: with our brakes we recommend using M. Cyl.s

with a piston bore of 1/2" (9/16" maximum). If the bore of the M. Cyl.s is too big, they cannot produce enough pressure to provide enough

Some master cylinders are so crude (or just so old) that the inherent smoothness and feel of BERINGER calipers can be masked in opera-

And all that time, you are enjoying better, smoother braking. (And BERINGER wheels save weight and look good, too.)

2022 Catalogue Page 140

They trust us ...





WWW.BERINGER-AERO.COM

